



TRANSPORTATION AND UTILITIES

**SCHEDULE  
OF  
RENTAL RATES  
FOR  
CONSTRUCTION EQUIPMENT  
1987 — 1988**

## **SCHEDULE OF RENTAL RATES 1987/88**

The equipment listed in this Schedule covers the types normally associated with Alberta Transportation's requirements. It is not intended for this Schedule to be a comprehensive equipment rental rate guide for the Construction Industry.

The information contained in this Schedule is based on the most recent data obtained from Manufacturers' Specifications, Operating Guide Books, Performance Handbooks, Serial Number Books, or other available sources. Allowances for owner modifications which increase either capacity or horsepower will not be considered and **only** the Manufacturers' Specifications will apply for categorization into the rate structure.

### **POLICY RESPECTING COFFEE BREAK ALLOWANCES**

The rates published in this Schedule have been calculated to allow for a maximum of two ten minute coffee breaks per shift without a deduction in the rental hours. Any extension of time for coffee breaks beyond this will be deducted from the rental hours payable. These breaks shall be taken in such a manner as to least interfere with the work schedule.

### **POLICY RESPECTING ESTABLISHMENT OF RENTAL RATES FOR EQUIPMENT NOT LISTED IN THIS SCHEDULE**

When equipment not listed in this Schedule is required, approval of a rental rate must be obtained prior to commencement. Pertinent information such as owner's name, address, equipment make, model, year, and serial number, plus any information deemed necessary, shall be supplied to the Construction Standards Officer, Contracts Engineering Branch. A rental rate will be formulated consistent with the Schedule and approval obtained from the Director, Contracts Engineering Branch prior to commencement. This procedure will ensure consistency in rental rate application throughout the Departments Regions and is required for Audit purposes.

Enquiries pertinent to Rental Rates should be directed to 427-3105.

### **EFFECTIVE DATE:**

**THE RATES PUBLISHED IN THIS SCHEDULE ARE EFFECTIVE JULY 1st, 1987 A.D.**




**H. M. ALTON,  
DEPUTY MINISTER**



# TABLE OF CONTENTS

|                                            |           |
|--------------------------------------------|-----------|
| <b>COMPACTION EQUIPMENT</b> .....          | <b>1</b>  |
| <b>SELF PROPELLED</b> .....                | <b>3</b>  |
| PNEUMATIC TIRED ROLLERS .....              | 3         |
| STEEL ROLLERS (STATIC) .....               | 4         |
| SHEEPSFOOT ROLLERS (STATIC) .....          | 5         |
| DOUBLE DRUM STEEL ROLLER (VIBRATORY) ..... | 6         |
| VIBRATORY STEEL-RUBBER (SMOOTH DRUM) ..... | 7         |
| VIBRATORY STEEL-RUBBER (SHEEPSFOOT) .....  | 8         |
| <b>PULL TYPE</b> .....                     | <b>9</b>  |
| GRID ROLLERS .....                         | 9         |
| PNEUMATIC TIRED ROLLERS .....              | 9         |
| SHEEPSFOOT TAMPING ROLLERS .....           | 9         |
| VIBRATORY SHEEPSFOOT TAMPING ROLLER .....  | 9         |
| VIBRATORY STEEL ROLLERS .....              | 9         |
| <b>CRANES</b> .....                        | <b>11</b> |
| <b>CRAWLER TRACTORS</b> .....              | <b>13</b> |
| ATTACHMENTS .....                          | 14        |
| CASE .....                                 | 15        |
| CATERPILLAR .....                          | 17        |
| FIAT-ALLIS .....                           | 25        |
| INTERNATIONAL .....                        | 27        |
| JOHN DEERE .....                           | 29        |
| KOMATSU .....                              | 31        |
| MASSEY FERGUSON .....                      | 33        |
| TEREX .....                                | 34        |
| <b>EXCAVATORS</b> .....                    | <b>37</b> |
| CRAWLER BACKHOES .....                     | 38        |
| TELESCOPIC BOOM .....                      | 40        |
| DRAGLINES - TRACK MOUNTED .....            | 40        |
| <b>LOADERS - RUBBER TIRED</b> .....        | <b>41</b> |
| CASE .....                                 | 42        |
| CATERPILLAR .....                          | 44        |
| CLARK-MICHIGAN .....                       | 47        |
| FIAT-ALLIS .....                           | 49        |
| FORD .....                                 | 51        |
| HOUGH & INTERNATIONAL .....                | 52        |
| JOHN DEERE .....                           | 55        |
| KOMATSU .....                              | 56        |
| MASSEY FERGUSON .....                      | 57        |
| TEREX .....                                | 59        |
| VOLVO .....                                | 61        |
| <b>LOADERS - SKID STEER</b> .....          | <b>63</b> |

|                                            |            |
|--------------------------------------------|------------|
| <b>LOADERS - TRACK TYPE</b>                | <b>65</b>  |
| CASE                                       | 66         |
| CATERPILLAR                                | 68         |
| FIAT-ALLIS                                 | 72         |
| INTERNATIONAL                              | 73         |
| JOHN DEERE                                 | 75         |
| KOMATSU                                    | 77         |
| MASSEY FERGUSON                            | 79         |
| TEREX                                      | 80         |
| <b>MISCELLANEOUS EQUIPMENT</b>             | <b>81</b>  |
| <b>MOTOR GRADERS</b>                       | <b>83</b>  |
| ATTACHMENTS                                | 84         |
| CATERPILLAR                                | 85         |
| CHAMPION                                   | 88         |
| FIAT - ALLIS                               | 90         |
| JOHN DEERE                                 | 92         |
| KOMATSU                                    | 93         |
| MITSUBISHI                                 | 94         |
| WABCO                                      | 95         |
| <b>MOTOR SCRAPERS</b>                      | <b>97</b>  |
| CATERPILLAR                                | 98         |
| FIAT - ALLIS                               | 101        |
| INTERNATIONAL                              | 102        |
| JOHN DEERE                                 | 104        |
| TEREX                                      | 105        |
| <b>SCRAPERS - PULL TYPE</b>                | <b>107</b> |
| <b>TRACTORS - FARM &amp; INDUSTRIAL</b>    | <b>111</b> |
| ATTACHMENTS                                | 112        |
| <b>TRACTORS - LOADER/BACKHOES</b>          | <b>117</b> |
| <b>TRUCKS &amp; TRANSPORTING EQUIPMENT</b> | <b>119</b> |
| TRAILERS                                   | 119        |
| TRUCKS                                     | 120        |
| FLAT DECK                                  | 120        |
| PILOT VEHICLES                             | 120        |
| LIGHT DELIVERY                             | 120        |
| ASPHALT DISTRIBUTOR                        | 121        |
| ASPHALT TANK                               | 121        |
| WATER TANK                                 | 121        |
| <b>TRUCK HAUL RATES 1987/88</b>            | <b>123</b> |



## COMPACTION EQUIPMENT

1. THE FOLLOWING RATES FOR SELF-PROPELLED COMPACTION EQUIPMENT INCLUDE; OPERATORS WAGES, FUEL, OIL, AND SERVICING.
2. THE FOLLOWING RATES FOR PULL TYPE COMPACTION EQUIPMENT INCLUDE; FUEL, OIL, AND SERVICING.
3. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED **EXCLUSIVELY** FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.
4. WEIGHTS LISTED AS **"EMPTY"** ARE FOR MODEL COMPARISON AND GROUPING PURPOSES ONLY. BALLASTING WILL NOT ALTER THE MACHINE CLASSIFICATIONS AS SET OUT IN THIS SCHEDULE.



# COMPACTION EQUIPMENT

SELF PROPELLED

PNEUMATIC TIRED ROLLERS

| WEIGHT      |           | TYPICAL MODELS                                                                                                               | RATE PER<br>OPERATING<br>HOUR |
|-------------|-----------|------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| TONNES      | TONS      |                                                                                                                              |                               |
| 6.3 - 8.2   | 7 - 9     | TAMPO SP-9                                                                                                                   | 26.65                         |
| 8.3 - 11.8  | 9.1 - 13  | BROS SP-548<br>FERGUSON SP-912<br>HYSTER C530A<br>TAMPO SP-312                                                               | 30.90                         |
| 11.9 - 16.3 | 13.1 - 18 | BROS SP-915, SP-2500,<br>SP-3000<br>CATERPILLAR PS-110, PS-130<br>FERGUSON SP-915, SP-1118<br>GALION P-3500A<br>TAMPO SP-518 | 36.50                         |
| 16.4 - 20.9 | 18.1 - 23 | BROS SP-6000B<br>CATERPILLAR PS-180<br>DYNAPAC CP-22<br>TAMPO SP-750                                                         | 41.65                         |
| 21.0 - 27.2 | 23.1 - 30 | BROS SP-10000<br>DYNAPAC CP-27<br>HYSTER C500A, C550A<br>TAMPO SP-950                                                        | 47.00                         |
| 27.3 - UP   | 30.1 - UP | FERGUSON SP-1130<br>TAMPO SP-1070                                                                                            | 52.25                         |

# COMPACTION EQUIPMENT

SELF PROPELLED

STEEL ROLLERS (STATIC)

| WEIGHT      |           | TYPICAL MODELS                                                                                                                      | RATE PER<br>OPERATING<br>HOUR |
|-------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| TONNES      | TONS      |                                                                                                                                     |                               |
| 2.7 - 4.5   | 3 - 5     | BOMAG S-35, S-46<br>FERGUSON 35, 46<br>GALION S3-5A, S4-6A<br>HYSTER C330A                                                          | 25.00                         |
| 4.6 - 7.3   | 5.1 - 8   | BOMAG S-812<br>FERGUSON 5-8A<br>GALION S5-8A<br>HYSTER C340A<br>TAMPO 5-8                                                           | 29.25                         |
| 7.4 - 9.9   | 8.1 - 11  | BOMAG 160-AS<br>FERGUSON 8-10.5A, 8-12A, 8-14A<br>GALION S8-10.5A, S8-12A, S8-14A<br>HYSTER C350B<br>RAYGO 2-66<br>TAMPO 8-10, 8-12 | 33.00                         |
| 10.0 - 12.7 | 11.1 - 14 | HYSTER 350C<br>RAYGO 2-84                                                                                                           | 33.90                         |

# COMPACTION EQUIPMENT

SELF PROPELLED

SHEEPSFOOT ROLLERS (STATIC)

| WEIGHT      |           | TYPICAL MODELS                                                                                                         | RATE PER<br>OPERATING<br>HOUR |
|-------------|-----------|------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| TONNES      | TONS      |                                                                                                                        |                               |
| UP TO 11.8  | UP TO 13  | FERGUSON SP-84, SP-112<br>HYSTER 16-TDT                                                                                | 52.70                         |
| 11.9 - 16.3 | 13.1 - 18 | BOMAG K300<br>BROS SP-255DA<br>CAT DW-15 (45C)<br>REX 3-30, 3-35                                                       | 57.35                         |
| 16.4 - 20.9 | 18.1 - 23 | BOMAG K300P, K301, K350<br>CAT 815, 815B, DW15 (70C),<br>DW20 (21C & 67C)<br>HYSTER C440A, C441A<br>RAYGO RAM 45       | 67.45                         |
| 21.0 - 27.2 | 23.1 - 30 | CAT DW20 (88E), DW21 (86E)<br>HYSTER C450B, C451B, C455B<br>RAYGO RAM 65<br>REX 3-50                                   | 81.45                         |
| OVER 27.2   | OVER 30   | BOMAG K700<br>CAT 825<br>RAYGO RAM 75                                                                                  | 102.00                        |
|             |           | NOTE : RATES ARE TO BE REDUCED BY 25% FOR<br>CONVERTED 2 AXLE - 2 PACKING WHEEL<br>UNITS OR MODELS YEAR 1965 OR OLDER. |                               |

# COMPACTION EQUIPMENT

SELF PROPELLED

DOUBLE DRUM STEEL ROLLER (VIBRATORY)

| WEIGHT      |           | TYPICAL MODELS                                                                                                                                                                         | RATE PER<br>OPERATING<br>HOUR |
|-------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| TONNES      | TONS      |                                                                                                                                                                                        |                               |
| UP TO 2.7   | UP TO 3   | BOMAG BW90A, 100A,<br>101AD, 120AD<br>CATERPILLAR CB-214, CB-224<br>DYNAPAC CC-10A<br>GALION 2-24A<br>I.R. DA-28<br>RAYGO 1-36, 2-36<br>TAMPO RS-03                                    | 23.80                         |
| 2.8 - 4.5   | 3.1 - 5   | CATERPILLAR CB-314<br>GALION 2-42A<br>I.R. DA30<br>RAYGO 4404                                                                                                                          | 31.30                         |
| 4.6 - 7.3   | 5.1 - 8   | BOMAG 140AD, 141AD,<br>141-66AD, BW200<br>CATERPILLAR CB-414<br>DYNAPAC CC-21A<br>I.R. DA-40<br>RAYGO 5604A<br>TAMPO RS-144A                                                           | 38.70                         |
| 7.4 - 10.9  | 8.1 - 12  | BOMAG 160A<br>BROS VM-268<br>CATERPILLAR CB-514<br>DYNAPAC CC-42A<br>FERGUSON SP-266<br>GALION 2-66A<br>HYSTER C617B, C627B<br>I.R. DA-48, DA-50<br>RAYGO 2-66, 6604A<br>TAMPO RS-166A | 47.20                         |
| 11.0 - 14.5 | 12.1 - 16 | BOMAG BW220A<br>BROS VM-278<br>CATERPILLAR CB-614<br>DYNAPAC CC-50<br>HYSTER C727<br>RAYGO 2-84, 7204A<br>TAMPO RS-188A                                                                | 53.50                         |
| 14.6 - 18.1 | 16.1 - 20 | DYNAPAC CC-50A, CC-50S<br>I.R. DS-84<br>TAMPO RH-199, RS-288A                                                                                                                          | 58.65                         |

# COMPACTION EQUIPMENT

SELF PROPELLED

VIBRATORY STEEL-RUBBER (SMOOTH DRUM)

| WEIGHT      |           | TYPICAL MODELS                                                                                          |                                                                                                                                                                                                                                                                                                                                  | RATE PER<br>OPERATING<br>HOUR |
|-------------|-----------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| TONNES      | TONS      |                                                                                                         |                                                                                                                                                                                                                                                                                                                                  |                               |
| UP TO 5.4   | UP TO 6   | BOMAG<br>DYNAPAC<br>FERGUSON<br>TAMPO                                                                   | BW142, BW142D, BW170,<br>CA-12, A36<br>SP-66, SP-66D<br>RS-16                                                                                                                                                                                                                                                                    | 36.15                         |
| 5.5 - 8.2   | 6.1 - 9   | BROS<br><br>CATERPILLAR<br>DYNAPAC<br>FERGUSON<br>GALION<br>HYSTER<br><br>I.R.<br><br>RAYGO<br>TAMPO    | SPV-627, SPV-627VA, SWV-627A<br>SPV-727, SPV-727VA<br>CS-431, CS-433<br>CA-15, CA-15A, CA-15D<br>SP-75, SP-75D<br>VOS-66A, A66A, -D66A,<br>C610A, C610B, C615B, C620A<br>C620B, C625A, C625B<br>SP-42, SPA-42, SP-48,<br>SP-48DD, SPA-50A<br>300A, 303A, 304A, 320S<br>RH-16A, RS-16A, RS-16D                                    | 39.40                         |
| 8.3 - 10.9  | 9.1 - 12  | BOMAG<br><br>BROS<br>CATERPILLAR<br>DYNAPAC<br><br>FERGUSON<br>GALION<br>I.R.<br><br>RAYGO<br><br>TAMPO | BW210, BW210A, BW210B, BW210H<br>BW212, BW213, BW214, BW250<br>SPV-730, SPV-735, SPV-745,<br>CS-551, CS-553<br>CA-25, CA-25A, CA-25D,<br>CA-25S, CA-25T<br>SP-75B, SP-75BA<br>VOS-84A, VOS-A84A, VOS-D84A<br>SP-54, SP-54DD, SPA-54<br>SP-56, SP-56DD, SPA-56<br>400A, 404A, 404B, 410A,<br>400D, 410D<br>RS-28A, RS-28B, RS-28D | 45.95                         |
| 11.0 - 14.5 | 12.1 - 16 | BROS<br>DYNAPAC<br>FERGUSON<br>I.R.<br>RAYGO<br>TAMPO                                                   | 845, SPV-850<br>CA-30, CA-30D<br>SP-230, SP-230D<br>SP-84<br>450A, 500A, 600A<br>RH-28D, RS-210                                                                                                                                                                                                                                  | 50.50                         |
| 14.6 - 18.1 | 16.1 - 20 | BOMAG<br>DYNAPAC<br>I.R.<br>RAYGO<br>TAMPO                                                              | BW215D<br>CA51B, CA-51S<br>SP-60, SP-60DD<br>510A<br>RS-410                                                                                                                                                                                                                                                                      | 57.80                         |
| 18.2 - 22.6 | 20.1 - 25 | RAYGO                                                                                                   | 700A                                                                                                                                                                                                                                                                                                                             | 64.90                         |

# COMPACTION EQUIPMENT

SELF PROPELLED

VIBRATORY STEEL-RUBBER (SHEEPSFOOT)

| WEIGHT      |           | TYPICAL MODELS                                                                            |                                                                                                                              | RATE PER<br>OPERATING<br>HOUR |
|-------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| TONNES      | TONS      |                                                                                           |                                                                                                                              |                               |
| UP TO 5.4   | UP TO 6   | CATERPILLAR<br>DYNAPAC<br>RAYGO                                                           | CP-323<br>CA-12PD<br>220A                                                                                                    | 36.15                         |
| 5.5 - 8.2   | 6.1 - 9   | BOMAG<br>CATERPILLAR<br>DYNAPAC<br>FERGUSON<br>GALION<br>HYSTER<br>I.R.<br>RAYGO<br>TAMPO | BW142PD, BW170PD<br>CP-433<br>CA-15PD<br>SP-66DT<br>VOS-PD66A<br>C612B<br>SPF-42, SPF-48<br>320A<br>RP-160                   | 40.70                         |
| 8.3 - 10.9  | 9.1 - 12  | BOMAG<br>BROS<br>DYNAPAC<br>FERGUSON<br>GALION<br>I.R.<br>RAYGO<br>TAMPO                  | BW210PD, BW212PD<br>SPV-735P, SPV-735DDP<br>CA-25PD<br>SP-75DT<br>VOS-PD84A<br>SPF-56<br>420A, 420B<br>RP-280, RP-38, RP-580 | 48.55                         |
| 11.0 - 14.5 | 12.1 - 16 | BOMAG<br>CASE<br>CATERPILLAR<br>I.R.<br>RAYGO<br>TAMPO                                    | BW213PD, BW214PD<br>W1102D<br>C-553<br>SPF-54, SPF-84<br>420C, 4200<br>RP-48                                                 | 53.05                         |
| 14.6 - 18.1 | 16.1 - 20 | BOMAG<br>DYNAPAC                                                                          | BW215PD<br>CA-51P                                                                                                            | 57.60                         |
| 18.2 - 22.6 | 20.1 - 25 | I.R.<br>TAMPO                                                                             | SPF-60, SPF-60B<br>RP-480                                                                                                    | 71.80                         |

## COMPACTION EQUIPMENT

### PULL TYPE

#### GRID ROLLERS

| OPERATING WEIGHT |              | RATE PER HOUR |
|------------------|--------------|---------------|
| UP TO 11,350 KG  | (25,000 LBS) | 7.00          |
| OVER 11,350 KG   | (25,000 LBS) | 9.50          |

#### PNEUMATIC TIRED ROLLERS

| NO. OF WHEELS | RATE PER HOUR |
|---------------|---------------|
| 9             | 4.85          |
| 11            | 5.45          |
| 13            | 6.30          |
| 15            | 7.45          |

#### DOUBLE DRUM SHEEPSFOOT TAMPING ROLLERS

| CENTIMETRES | INCHES  | RATE PER HOUR |
|-------------|---------|---------------|
| 101 X 101   | 40 X 40 | 4.15          |
| 101 X 121   | 40 X 48 | 5.00          |
| 106 X 106   | 42 X 42 | 5.00          |
| 106 X 121   | 42 X 48 | 5.35          |
| 121 X 121   | 48 X 48 | 5.85          |
| 152 X 152   | 60 X 60 | 8.30          |
| 152 X 182   | 60 X 72 | 10.70         |


#### VIBRATORY SHEEPSFOOT TAMPING ROLLER

| WEIGHT (EMPTY) |          | RATE PER HOUR |
|----------------|----------|---------------|
| TONNES         | TONS     |               |
| UP TO 2.7      | UP TO 3  | 5.25          |
| 2.7 - 4.5      | 3.1 - 5  | 9.80          |
| 4.6 - 6.3      | 5.1 - 7  | 10.90         |
| 6.4 - 9.1      | 7.1 - 10 | 13.35         |
| OVER 9.1       | OVER 10  | 16.95         |

#### VIBRATORY STEEL ROLLERS

| WEIGHT (EMPTY) |          | RATE PER HOUR |
|----------------|----------|---------------|
| TONNES         | TONS     |               |
| UP TO 2.7      | UP TO 3  | 4.80          |
| 2.7 - 4.5      | 3.1 - 5  | 9.55          |
| 4.6 - 6.3      | 5.1 - 7  | 12.90         |
| 6.4 - 9.1      | 7.1 - 10 | 19.40         |
| OVER 9.1       | OVER 10  | 20.80         |






## CRANES

THE HOURLY RENTAL RATES FOR RUBBER MOUNTED CONVENTIONAL AND HYDRAULIC MOBILE CRANES WILL BE PAID AT THE RATES CHARGED BY AN EQUIPMENT RENTAL FIRM, REGISTERED WITHIN THE PROVINCE OF ALBERTA. CONFIRMATION OF RATES MUST BE SUBSTANTIATED WITH COMPANY INVOICE OR BY A COPY OF THE COMPANY'S PUBLISHED RATE SCHEDULE. THIS RATE SHALL INCLUDE THE MACHINE RENTAL, OPERATOR'S WAGES & EXPENSES, FUEL, OIL, SERVICING & REPAIR COSTS.





## CRAWLER TRACTORS

1. THE FOLLOWING RATES INCLUDE: OPERATOR'S WAGES, FUEL, OIL, AND SERVICING.
2. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED **EXCLUSIVELY** FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.
3. ONLY THE ATTACHMENT **UTILIZED** WILL BE PAID FOR AND NOT ALL THAT IS ATTACHED TO THE TRACTOR.
4. TRACTORS EQUIPPED WITH WIDE PADS, AND LOW GROUND PRESSURE (L.G.P.) UNITS WILL BE PAID THE BASIC TRACTOR RATE PLUS 10% **WHEN** THEY ARE **SPECIFICALLY** HIRED FOR AREAS WHERE WIDE PAD WORKING CONDITIONS PREVAIL, AND WILL ONLY BE APPLICABLE FOR MODELS UP TO 225 NET HORSEPOWER. ONLY TRACKS 10" **WIDER** THAN THE STANDARD TRACK LISTED IN THE MANUFACTURER'S SPECIFICATIONS WILL BE CONSIDERED AS WIDE PAD.
5. REAR MOUNTED HYDRAULIC RIPPERS MUST ARRIVE ON PROJECTS WITH AN ADEQUATE SET OF TEETH. THE COST OF RIPPER TEETH AND PINS WILL BE PAID FOR BY THE DEPARTMENT WHILE THE EQUIPMENT IS EMPLOYED ON ALBERTA TRANSPORTATION PROJECTS.

# **SCHEDULE OF RENTAL RATES FOR CRAWLER TRACTOR ATTACHMENTS**

| <b>TYPE OF EQUIPMENT</b> | <b>RENTAL RATE</b>                                   |
|--------------------------|------------------------------------------------------|
| STANDARD DOZER           | AS PER SCHEDULE                                      |
| HYDRAULIC TILT DOZER     | STANDARD DOZER PLUS 3% OF<br>THE BASIC TRACTOR RATE. |
| ROCK OR BRUSH RAKE       | SAME AS DOZER.                                       |
| PUSH BLOCK               | 10% OF THE BASIC TRACTOR RATE                        |
| REAR MOUNTED RIPPER      | AS PER SCHEDULE                                      |
| BACKHOE ATTACMENT        | \$ 7.45 PER HOUR                                     |
| BRUSH CUTTER             | ONE AND A HALF TIMES THE<br>STANDARD DOZER RATE.     |
| FRONT END RIPPER TOOTH   |                                                      |
| UP TO 53 H.P.            | \$2.85 PER HOUR                                      |
| 53 H.P. & UP             | \$3.00 PER HOUR                                      |

# CRAWLER TRACTORS

## CASE

| MODEL | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |         | RATE PER OPERATING HOUR |                      |                |
|-------|-----------|-------------|---------------|---------|-------------------------|----------------------|----------------|
|       |           |             | FROM          | TO      | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| 350   | 29        | 39          | 3402701       | 3048700 | 22.55                   | 2.95                 | 5.65           |
|       |           |             | 3048701       | 3058150 | 24.20                   | 3.15                 | 6.05           |
|       |           |             | 3058151       | 3065600 | 25.60                   | 3.35                 | 6.40           |
|       |           |             | 3065601       | 3068347 | 26.95                   | 3.50                 | 6.75           |
| 350B  | 29        | 39          | 3068401       | 3073800 | 26.95                   | 3.50                 | 6.75           |
|       |           |             | 3073801       | YR. 83  | 27.50                   | 3.60                 | 6.90           |
| 450   | 39        | 53          | 3027001       | 3039455 | 23.35                   | 3.05                 | 5.85           |
|       |           |             | 3039456       | 3048700 | 23.95                   | 3.10                 | 6.00           |
|       |           |             | 3048701       | 3058150 | 25.70                   | 3.35                 | 6.45           |
|       |           |             | 3058151       | 3066100 | 27.15                   | 3.55                 | 6.80           |
|       |           |             | 3066101       | 3068986 | 28.60                   | 3.70                 | 7.15           |
| 450 B | 41        | 55          | 3067351       | 3073000 | 30.75                   | 4.00                 | 7.70           |
|       |           |             | 3073001       | YR. 83  | 31.40                   | 4.10                 | 7.85           |
| 450 C | 47        | 63          |               | YR. 83  | 31.40                   | 4.10                 | 7.85           |
|       |           |             | 3076101       | UP      | 31.40                   | 4.10                 | 7.85           |
| 850   | 54        | 72          | 7072351       | 7073060 | 27.90                   | 3.60                 | 6.95           |
|       |           |             | 7073061       | 7074400 | 28.60                   | 3.70                 | 7.15           |
|       |           |             | 7074401       | 7075775 | 30.65                   | 4.00                 | 7.65           |
|       |           |             | 7075776       | 7077100 | 32.40                   | 4.20                 | 8.10           |
| 850 B | 56        | 75          | 7076501       | 7077100 | 34.35                   | 4.45                 | 8.60           |
|       |           |             | 7077101       | 7400000 | 36.20                   | 4.70                 | 9.05           |
|       |           |             | 7400001       | 7400885 | 36.95                   | 4.80                 | 9.25           |
| 850 C | 58        | 78          | 7400401       | YR. 83  | 36.95                   | 4.80                 | 9.25           |
|       |           |             | YR. 84        | UP      | 36.95                   | 4.80                 | 9.25           |
| 1150  | 75        | 100         | 7106800       | 7109540 | 36.35                   | 4.75                 | 9.10           |
|       |           |             | 7190541       | 7301500 | 37.25                   | 4.85                 | 9.30           |
|       |           |             | 7301501       | 7302300 | 40.00                   | 5.20                 | 10.00          |

# CRAWLER TRACTORS

CASE

| MODEL  | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |         | RATE PER OPERATING HOUR |                      |                |
|--------|-----------|-------------|---------------|---------|-------------------------|----------------------|----------------|
|        |           |             | FROM          | TO      | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| 1150 B | 78        | 105         | 7302301       | 7304300 | 40.00                   | 5.20                 | 10.00          |
|        |           |             | 7304301       | 7306600 | 42.25                   | 5.50                 | 10.55          |
|        |           |             | 7306601       | 7307600 | 44.55                   | 5.80                 | 11.15          |
| 1150 C | 78        | 105         | 7307301       | 7308700 | 44.55                   | 5.80                 | 11.15          |
|        |           |             | 7308701       | YR. 83  | 45.45                   | 5.90                 | 11.35          |
| 1150 D | 82        | 110         | 730991        | UP      | 45.45                   | 5.90                 | 11.35          |
| 1450   | 104       | 140         | 8379001       | 8379150 | 48.15                   | 6.25                 | 12.05          |
|        |           |             | 8379151       | 8380100 | 50.85                   | 6.60                 | 12.70          |
|        |           |             | 8380101       | 8381400 | 53.60                   | 6.95                 | 13.40          |
| 1450 B | 104       | 140         | 8381401       | 8381700 | 53.60                   | 6.95                 | 13.40          |
|        |           |             | 8381701       | 8382700 | 54.70                   | 7.10                 | 13.70          |
|        |           |             | YR. 84        | UP      | 54.70                   | 7.10                 | 13.70          |

# CRAWLER TRACTORS

CATERPILLAR

| MODEL     | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|-----------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|           |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D3 - 6N   | 46        | 62          | 1             | 455    | 27.65                   | 3.60                 | 6.90           |
|           |           |             | 456           | 747    | 29.20                   | 3.80                 | 7.30           |
|           |           |             | 748           | 1105   | 30.75                   | 4.00                 | 7.70           |
| D3 - 79U  | 46        | 62          | 1             | 1908   | 27.65                   | 3.60                 | 6.90           |
|           |           |             | 1909          | 4134   | 29.20                   | 3.80                 | 7.30           |
|           |           |             | 4135          | 6110   | 30.75                   | 4.00                 | 7.70           |
| D3 - 82U  | 46        | 62          | 1             | 267    | 27.65                   | 3.60                 | 6.90           |
|           |           |             | 268           | YR. 77 | 29.20                   | 3.80                 | 7.30           |
| D3 - 83U  | 46        | 62          | 1             | 352    | 27.65                   | 3.60                 | 6.90           |
|           |           |             | 353           | 776    | 29.20                   | 3.80                 | 7.30           |
|           |           |             | 777           | YR. 78 | 30.75                   | 4.00                 | 7.70           |
| D3B - 23Y | 48        | 65          | 1             | 864    | 34.15                   | 4.45                 | 8.55           |
|           |           |             | 865           | 1613   | 34.85                   | 4.55                 | 8.70           |
|           |           |             | 1614          | UP     | 34.85                   | 4.55                 | 8.70           |
| D3B - 24Y | 48        | 65          | 1             | 803    | 34.15                   | 4.45                 | 8.55           |
|           |           |             | 804           | 1799   | 34.85                   | 4.55                 | 8.70           |
|           |           |             | 1800          | UP     | 34.85                   | 4.55                 | 8.70           |
| D3B - 27Y | 48        | 65          | 1             | 1152   | 34.15                   | 4.45                 | 8.55           |
|           |           |             | 1153          | 2337   | 34.85                   | 4.55                 | 8.70           |
|           |           |             | 2338          | UP     | 34.85                   | 4.55                 | 8.70           |
| D3B - 28Y | 48        | 65          | 1             | 629    | 34.15                   | 4.45                 | 8.55           |
|           |           |             | 630           | 1205   | 34.85                   | 4.55                 | 8.70           |
|           |           |             | 1206          | UP     | 34.85                   | 4.55                 | 8.70           |
| D4D - 47H | 48        | 65          | 1             | 380    | 28.60                   | 3.70                 | 7.15           |
|           |           |             | 381           | 397    | 30.65                   | 4.00                 | 7.65           |
|           | 56        | 75          | 398           | 656    | 32.50                   | 4.25                 | 8.15           |
|           |           |             | 657           | YR. 77 | 34.35                   | 4.55                 | 8.60           |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# CRAWLER TRACTORS

CATERPILLAR

| MODEL     | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|-----------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|           |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D4D - 65J | 48        | 65          | 1             | 1091   | 28.60                   | 3.70                 | 7.15           |
|           |           |             | 1092          | 1224   | 30.65                   | 4.00                 | 7.65           |
|           | 56        | 75          | 1225          | 1760   | 32.50                   | 4.25                 | 8.15           |
|           |           |             | 1761          | YR. 77 | 34.35                   | 4.45                 | 8.60           |
| D4D - 66J | 48        | 65          | 425           | 1785   | 28.60                   | 3.70                 | 7.15           |
|           |           |             | 1786          | 1941   | 30.65                   | 4.00                 | 7.65           |
|           | 56        | 75          | 1942          | 3309   | 32.50                   | 4.25                 | 8.15           |
|           |           |             | 3310          | YR. 77 | 34.35                   | 4.45                 | 8.60           |
| D4D - 82J | 48        | 65          | 801           | 3065   | 28.60                   | 3.70                 | 7.15           |
|           |           |             | 3066          | 3260   | 30.65                   | 4.00                 | 7.65           |
|           | 56        | 75          | 3261          | 4061   | 32.50                   | 4.25                 | 8.15           |
|           |           |             | 4062          | YR. 77 | 34.35                   | 4.45                 | 8.60           |
| D4D - 83J | 48        | 65          | 484           | 1550   | 28.60                   | 3.70                 | 7.15           |
|           |           |             | 1551          | 1821   | 30.65                   | 4.00                 | 7.65           |
|           | 56        | 75          | 1822          | 3096   | 32.50                   | 4.25                 | 8.15           |
|           |           |             | 3097          | YR. 77 | 34.35                   | 4.45                 | 8.60           |
| D4E - 27X | 56        | 75          | 1             | 548    | 34.35                   | 4.45                 | 8.60           |
|           |           |             | 549           | 1003   | 36.20                   | 4.70                 | 9.05           |
|           |           |             | 1004          | 1183   | 36.95                   | 4.80                 | 9.25           |
|           |           |             | 1184          | UP     | 36.95                   | 4.80                 | 9.25           |
| D4E - 28X | 56        | 75          | 1             | 782    | 34.35                   | 4.45                 | 8.60           |
|           |           |             | 783           | 1873   | 36.20                   | 4.70                 | 9.05           |
|           |           |             | 1874          | 2276   | 36.95                   | 4.80                 | 9.25           |
|           |           |             | 2277          | UP     | 36.95                   | 4.80                 | 9.25           |
| D5 - 67J  | 69        | 93          | 281           | 724    | 32.00                   | 4.15                 | 8.00           |
|           | 78        | 105         | 725           | 961    | 40.00                   | 5.20                 | 10.00          |
|           |           |             | 962           | YR. 77 | 42.25                   | 5.50                 | 10.55          |

# CRAWLER TRACTORS

CATERPILLAR

| MODEL     | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|-----------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|           |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D5 - 68J  | 69        | 93          | 333           | 1523   | 32.00                   | 4.15                 | 8.00           |
|           |           |             | 1524          | 1606   | 34.35                   | 4.45                 | 8.60           |
|           | 78        | 105         | 1607          | 2986   | 40.00                   | 5.20                 | 10.00          |
|           |           |             | 2987          | YR. 77 | 42.25                   | 5.50                 | 10.55          |
| D5 - 93J  | 69        | 93          | 194           | 653    | 32.00                   | 4.15                 | 8.00           |
|           | 78        | 105         | 654           | 723    | 37.25                   | 4.85                 | 9.30           |
|           |           |             | 724           | 949    | 40.00                   | 5.20                 | 10.00          |
|           |           |             | 950           | YR. 77 | 42.25                   | 5.50                 | 10.55          |
| D5 - 94J  | 69        | 93          | 699           | 1618   | 32.00                   | 4.15                 | 8.00           |
|           | 78        | 105         | 1619          | 1697   | 34.35                   | 4.45                 | 8.60           |
|           |           |             | 1698          | 2428   | 40.00                   | 5.20                 | 10.00          |
|           |           |             | 2429          | YR. 77 | 42.25                   | 5.50                 | 10.55          |
| D5 - 95J  | 69        | 93          | 128           | 298    | 32.00                   | 4.15                 | 8.00           |
|           | 78        | 105         | 299           | 320    | 37.25                   | 4.85                 | 9.30           |
|           |           |             | 321           | 439    | 40.00                   | 5.20                 | 10.00          |
|           |           |             | 440           | YR. 77 | 42.25                   | 5.50                 | 10.55          |
| D5 - 96J  | 69        | 93          | 836           | 2654   | 32.00                   | 4.15                 | 8.00           |
|           | 78        | 105         | 2655          | 2727   | 37.25                   | 4.85                 | 9.30           |
|           |           |             | 2728          | 5172   | 40.00                   | 5.20                 | 10.00          |
|           |           |             | 5173          | YR. 77 | 42.25                   | 5.50                 | 10.55          |
| D5 - 97J  | 69        | 93          | 1             | 358    | 32.00                   | 4.15                 | 8.00           |
|           | 78        | 105         | 359           | 508    | 40.00                   | 5.20                 | 10.00          |
|           |           |             | 509           | YR. 77 | 42.25                   | 5.50                 | 10.55          |
| D5B - 23X | 78        | 105         | 1             | 390    | 42.25                   | 5.50                 | 10.55          |
|           |           |             | 391           | 813    | 44.55                   | 5.80                 | 11.15          |
|           |           |             | 814           | 1149   | 45.45                   | 5.90                 | 11.35          |
|           |           |             | 1150          | UP     | 45.45                   | 5.90                 | 11.35          |

# CRAWLER TRACTORS

CATERPILLAR

| MODEL     | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|-----------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|           |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D5B - 25X | 78        | 105         | 1             | 658    | 42.25                   | 5.50                 | 10.55          |
|           |           |             | 659           | 2061   | 44.55                   | 5.80                 | 11.15          |
|           |           |             | 2062          | 2653   | 45.45                   | 5.90                 | 11.35          |
|           |           |             | 2654          | UP     | 45.45                   | 5.90                 | 11.35          |
|           |           |             |               |        |                         |                      |                |
| D5B - 49X | 78        | 105         | 1             | 330    | 42.25                   | 5.50                 | 10.55          |
|           |           |             | 331           | 1330   | 44.55                   | 5.80                 | 11.15          |
|           |           |             | 1331          | 1815   | 45.45                   | 5.90                 | 11.35          |
|           |           |             | 1816          | UP     | 45.45                   | 5.90                 | 11.35          |
|           |           |             |               |        |                         |                      |                |
| D6 - 9U   | 60        | 80          | 1             | 17697  | 41.80                   | 5.45                 | 10.45          |
|           | 69        | 93          | 17698         | UP     | 41.80                   | 5.45                 | 10.45          |
| D6C - 10K | 93        | 125         | 1             | 1454   | 40.75                   | 5.30                 | 10.20          |
|           |           |             | 1455          | 5983   | 41.80                   | 5.45                 | 10.45          |
|           | 104       | 140         | 5984          | 6389   | 44.85                   | 5.85                 | 11.20          |
|           |           |             | 6390          | 10758  | 48.15                   | 6.25                 | 12.05          |
|           |           |             | 10759         | YR. 77 | 50.85                   | 6.60                 | 12.70          |
|           |           |             |               |        |                         |                      |                |
| D6C - 26K | 93        | 125         | 212           | 669    | 41.80                   | 5.45                 | 10.45          |
|           |           |             | 670           | 793    | 44.85                   | 5.85                 | 11.20          |
|           | 104       | 140         | 794           | 1555   | 48.15                   | 6.25                 | 12.05          |
|           |           |             | 1556          | YR. 77 | 50.85                   | 6.60                 | 12.70          |
| D6C - 49W | 104       | 140         | 1             | 950    | 50.85                   | 6.60                 | 12.70          |
| D6C - 69J | 93        | 125         | 1             | 302    | 40.75                   | 5.30                 | 10.20          |
|           |           |             | 303           | 1944   | 41.80                   | 5.45                 | 10.45          |
|           |           |             | 1945          | 1983   | 44.85                   | 5.85                 | 11.20          |
|           | 104       | 140         | 1984          | 2975   | 48.15                   | 6.25                 | 12.05          |
|           |           |             | 2976          | YR. 77 | 50.85                   | 6.60                 | 12.70          |
|           |           |             |               |        |                         |                      |                |
| D6C - 74A | 89        | 120         | 1             | YR. 67 | 40.75                   | 5.30                 | 10.20          |
| D6C - 76A | 89        | 120         | 1             | YR. 67 | 40.75                   | 5.30                 | 10.20          |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# CRAWLER TRACTORS

CATERPILLAR

| MODEL             | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|-------------------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|                   |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D6C - 90B         | 104       | 140         | 1             | 445    | 44.85                   | 5.85                 | 11.20          |
|                   |           |             | 446           | 1493   | 48.15                   | 6.25                 | 12.05          |
|                   |           |             | 1494          | YR. 77 | 50.85                   | 6.60                 | 12.70          |
|                   |           |             |               |        |                         |                      |                |
| D6C - 99J         | 93        | 125         | 1             | 635    | 40.75                   | 5.30                 | 10.20          |
|                   |           |             | 636           | 1550   | 41.80                   | 5.45                 | 10.45          |
|                   | 104       | 140         | 1551          | 1649   | 44.85                   | 5.85                 | 11.20          |
|                   |           |             | 1650          | 2417   | 48.15                   | 6.25                 | 12.05          |
|                   |           |             | 2418          | YR. 77 | 50.85                   | 6.60                 | 12.70          |
|                   |           |             |               |        |                         |                      |                |
| D6D - 3X &<br>Z3X | 104       | 140         | 1             | 579    | 50.85                   | 6.60                 | 12.70          |
|                   |           |             | 580           | 1047   | 53.60                   | 6.95                 | 13.40          |
|                   |           |             | 1048          | 1168   | 54.70                   | 7.10                 | 13.70          |
|                   |           |             | 1169          | UP     | 54.70                   | 7.10                 | 13.70          |
| D6D - 4X &<br>Z4X | 104       | 140         | 1             | 2193   | 50.85                   | 6.60                 | 12.70          |
|                   |           |             | 2194          | 6916   | 53.60                   | 6.95                 | 13.40          |
|                   |           |             | 6917          | 9199   | 54.70                   | 7.10                 | 13.70          |
|                   |           |             | 9200          | UP     | 54.70                   | 7.10                 | 13.70          |
| D6D - 6X          | 104       | 140         | 1             | 481    | 50.85                   | 6.60                 | 12.70          |
|                   |           |             | 482           | 1174   | 53.60                   | 6.95                 | 13.40          |
|                   |           |             | 1175          | 1653   | 54.70                   | 7.10                 | 13.70          |
|                   |           |             | 1654          | UP     | 54.70                   | 7.10                 | 13.70          |
| D6D - 20X         | 104       | 140         | 1             | 2600   | 50.85                   | 6.60                 | 12.70          |
|                   |           |             | 2601          | 4199   | 53.60                   | 6.95                 | 13.40          |
|                   |           |             | 4200          | UP     | 54.70                   | 7.10                 | 13.70          |
| D6D - 31X         | 104       | 140         | 1             | 699    | 50.85                   | 6.60                 | 12.70          |
|                   |           |             | 700           | 1499   | 53.60                   | 6.95                 | 13.40          |
|                   |           |             | 1500          | 2710   | 54.70                   | 7.10                 | 13.70          |
|                   |           |             | 2711          | UP     | 54.70                   | 7.10                 | 13.70          |
| D6D - 32X         | 104       | 140         | 1             | 375    | 50.85                   | 6.60                 | 12.70          |
|                   |           |             | 376           | 1199   | 53.60                   | 6.95                 | 13.40          |
|                   |           |             | 1200          | 1599   | 54.70                   | 7.10                 | 13.70          |
|                   |           |             | 1600          | UP     | 54.70                   | 7.10                 | 13.70          |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# CRAWLER TRACTORS

CATERPILLAR

| MODEL          | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|----------------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|                |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D7C - 17A<br>D | 95        | 128         | 1             | 11980  | 40.75                   | 5.30                 | 10.20          |
|                | 104       | 140         | 11981         | UP     | 43.75                   | 5.70                 | 10.95          |
| D7E - 47A      | 119       | 160         | 1             | 3677   | 48.20                   | 6.25                 | 12.05          |
|                | 134       | 180         | 3678          | 5374   | 50.55                   | 6.55                 | 12.65          |
|                |           |             | 5375          | YR. 69 | 51.80                   | 6.75                 | 12.95          |
| D7E - 48A      | 119       | 160         | 1             | 6882   | 48.20                   | 6.25                 | 12.05          |
|                | 134       | 180         | 6883          | 12002  | 50.55                   | 6.55                 | 12.65          |
|                |           |             | 12003         | YR. 69 | 51.80                   | 6.75                 | 12.95          |
| D7F - 92E      | 134       | 180         | 1             | 607    | 51.80                   | 6.75                 | 12.95          |
|                |           |             | 808           | 2753   | 55.60                   | 7.25                 | 13.90          |
|                |           |             | 2754          | YR. 75 | 58.80                   | 7.65                 | 14.70          |
| D7F - 93N      | 134       | 180         | 1             | 1071   | 51.80                   | 6.75                 | 12.95          |
|                |           |             | 1072          | YR. 74 | 55.60                   | 7.25                 | 13.90          |
| D7F - 94N      | 134       | 180         | 1             | 2130   | 51.80                   | 6.75                 | 12.95          |
|                |           |             | 2131          | YR. 74 | 55.60                   | 7.25                 | 13.90          |
| D7G - 64V      | 149       | 200         | 1             | 772    | 58.20                   | 7.55                 | 14.55          |
|                |           |             | 773           | 900    | 61.50                   | 8.00                 | 15.40          |
|                |           |             | 901           | 1050   | 64.85                   | 8.45                 | 16.20          |
|                |           |             | 1051          | 1102   | 66.15                   | 8.60                 | 16.55          |
|                |           |             | 1103          | UP     | 66.15                   | 8.60                 | 16.55          |
| D7G - 65V      | 149       | 200         | 1             | 825    | 58.20                   | 7.55                 | 14.55          |
|                |           |             | 826           | 1700   | 61.50                   | 8.00                 | 15.40          |
|                |           |             | 1701          | 3900   | 64.85                   | 8.45                 | 16.20          |
|                |           |             | 3901          | 4650   | 66.15                   | 8.60                 | 16.55          |
|                |           |             | 4651          | UP     | 66.15                   | 8.60                 | 16.55          |
| D7G - 44W      | 149       | 200         | 1             | 300    | 61.50                   | 8.00                 | 15.40          |
|                |           |             | 301           | 380    | 64.85                   | 8.45                 | 16.20          |
|                |           |             | 381           | 430    | 66.15                   | 8.60                 | 16.55          |
|                |           |             | 431           | UP     | 66.15                   | 8.60                 | 16.55          |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# CRAWLER TRACTORS

CATERPILLAR

| MODEL     | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|-----------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|           |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D7G - 45W | 149       | 200         | 1             | 326    | 61.50                   | 8.00                 | 15.40          |
|           |           |             | 327           | 380    | 64.85                   | 8.45                 | 16.20          |
|           |           |             | 381           | 410    | 66.15                   | 8.60                 | 16.55          |
|           |           |             | 411           | UP     | 66.15                   | 8.60                 | 16.55          |
| D7G - 72W | 149       | 200         | 1             | 348    | 61.50                   | 8.00                 | 15.40          |
|           |           |             | 349           | 536    | 64.85                   | 8.45                 | 16.20          |
|           |           |             | 537           | 649    | 66.15                   | 8.60                 | 16.55          |
|           |           |             | 650           | UP     | 66.15                   | 8.60                 | 16.55          |
| D7G - 91V | 149       | 200         | 1             | 1284   | 61.50                   | 8.00                 | 15.40          |
|           |           |             | 1285          | 1800   | 64.85                   | 8.45                 | 16.20          |
|           |           |             | 1801          | 2400   | 66.15                   | 8.60                 | 16.55          |
|           |           |             | 2401          | UP     | 66.15                   | 8.60                 | 16.55          |
| D7G - 92V | 149       | 200         | 1             | 5665   | 61.50                   | 8.00                 | 15.40          |
|           |           |             | 5666          | 10450  | 64.85                   | 8.45                 | 16.20          |
|           |           |             | 10451         | 11886  | 66.15                   | 8.60                 | 16.55          |
|           |           |             | 11887         | UP     | 66.15                   | 8.60                 | 16.55          |
| D8H - 36A | 168       | 225         | 1             | 1228   | 56.05                   | 7.30                 | 14.00          |
|           | 175       | 235         | 1229          | 4648   | 56.05                   | 7.30                 | 14.00          |
|           | 201       | 270         | 4649          | 5160   | 61.80                   | 8.05                 | 15.45          |
|           |           |             | 5161          | 5428   | 63.35                   | 8.25                 | 15.85          |
|           |           |             | 5429          | YR. 74 | 68.00                   | 8.85                 | 17.00          |
| D8H - 46A | 168       | 225         | 1             | 3043   | 56.05                   | 7.30                 | 14.00          |
|           | 175       | 235         | 3044          | 12884  | 56.05                   | 7.30                 | 14.00          |
|           | 201       | 270         | 12885         | 19249  | 61.80                   | 8.05                 | 15.45          |
|           |           |             | 19250         | 26400  | 63.35                   | 8.25                 | 15.85          |
|           |           |             | 26401         | YR. 74 | 68.00                   | 8.85                 | 17.00          |
| D8K - 76V | 224       | 300         | 1             | 426    | 75.90                   | 9.85                 | 19.00          |
|           |           |             | 427           | 620    | 80.20                   | 10.45                | 20.05          |
|           |           |             | 621           | 844    | 84.55                   | 11.00                | 21.15          |
|           |           |             | 845           | 1034   | 86.25                   | 11.20                | 21.55          |

# CRAWLER TRACTORS

CATERPILLAR

| MODEL     | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|-----------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|           |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D8K - 77V | 224       | 300         | 1             | 1846   | 75.90                   | 9.85                 | 19.00          |
|           |           |             | 1847          | 9695   | 80.20                   | 10.45                | 20.05          |
|           |           |             | 9696          | 16334  | 84.55                   | 11.00                | 21.15          |
|           |           |             | 16335         | 21000  | 86.25                   | 11.20                | 21.55          |
|           |           |             | 21001         | UP     | 86.25                   | 11.20                | 21.55          |
| D8L - 53Y | 250       | 335         | 1             | 2170   | 94.65                   | 12.30                | 23.65          |
|           |           |             | 2171          | UP     | 94.65                   | 12.30                | 23.65          |
| D9G - 66A | 287       | 385         | 1             | 7040   | 91.80                   | 11.95                | 22.95          |
|           |           |             | 7041          | 10550  | 94.10                   | 12.25                | 23.55          |
|           |           |             | 10551         | YR. 74 | 101.00                  | 13.15                | 25.25          |
| D9H - 90V | 306       | 410         | 1             | 775    | 111.25                  | 14.45                | 27.80          |
|           |           |             | 776           | 5491   | 117.55                  | 15.30                | 29.40          |
|           |           |             | 5492          | 10020  | 123.85                  | 16.10                | 30.95          |
|           |           |             | 10021         | YR. 81 | 126.40                  | 16.45                | 31.60          |
| D9L - 14Y | 343       | 460         | 1             | 558    | 131.90                  | 17.15                | 33.00          |
|           |           |             | 559           | 2499   | 134.60                  | 17.50                | 33.65          |
|           |           |             | 2500          | UP     | 134.60                  | 17.50                | 33.65          |

# CRAWLER TRACTORS

FIAT-ALLIS

| MODEL         | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|---------------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|               |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| FD 5          | 47        | 63          | 200176        | 200749 | 31.40                   | 4.10                 | 7.85           |
|               |           |             | 200750        | UP     | 31.40                   | 4.10                 | 7.85           |
| FD 7          | 58        | 78          | 250107        | 250363 | 36.95                   | 4.80                 | 9.25           |
|               |           |             | 250364        | UP     | 36.95                   | 4.80                 | 9.25           |
| 8             | 64        | 87          | 1             | 1162   | 36.25                   | 4.70                 | 9.05           |
| 8 B           | 65        | 88          | 1163          | 3000   | 38.20                   | 4.95                 | 9.55           |
|               |           |             | 3001          | 3969   | 39.00                   | 5.05                 | 9.75           |
|               |           |             | 3970          | UP     | 39.00                   | 5.05                 | 9.75           |
| FD 9          | 80        | 107         | 1             | UP     | 45.45                   | 5.90                 | 11.35          |
| 10 B          | 82        | 110         | 104001        | 106570 | 42.25                   | 5.50                 | 10.55          |
|               |           |             | 106571        | 107320 | 44.55                   | 5.80                 | 11.15          |
| 10 C          | 91        | 122         | 107321        | 111840 | 49.95                   | 6.50                 | 12.50          |
|               |           |             | 111841        | 113436 | 50.95                   | 6.60                 | 12.75          |
|               |           |             | 113437        | UP     | 50.95                   | 6.60                 | 12.75          |
| HD 11B (D.D.) | 93        | 125         | 13657         | 16648  | 41.80                   | 5.45                 | 10.45          |
|               |           |             | 16649         | 18808  | 44.85                   | 5.85                 | 11.20          |
|               |           |             | 18809         | YR. 77 | 47.40                   | 6.15                 | 11.85          |
| HD 11B (P.S.) | 104       | 140         | 13657         | 16648  | 44.85                   | 5.85                 | 11.20          |
|               |           |             | 16649         | 18808  | 48.15                   | 6.25                 | 12.05          |
|               |           |             | 18809         | YR. 77 | 50.85                   | 6.60                 | 12.70          |
| 14 C          | 112       | 150         | 15001         | 18697  | 53.60                   | 6.95                 | 13.40          |
|               |           |             | 18698         | 50536  | 54.70                   | 7.10                 | 13.70          |
|               |           |             | 50537         | UP     | 54.70                   | 7.10                 | 13.70          |

# CRAWLER TRACTORS

FIAT-ALLIS

| MODEL       | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|-------------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|             |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| 16 B (D.D.) | 128       | 172         | 1             | 8793   | 48.20                   | 6.25                 | 12.05          |
|             |           |             | 8794          | 11734  | 49.40                   | 6.40                 | 12.35          |
|             |           |             | 11735         | 14009  | 53.00                   | 6.90                 | 13.25          |
|             |           |             | 14010         | 15021  | 56.05                   | 7.30                 | 14.00          |
| 16 B (P.S.) | 145       | 195         | 1             | 8793   | 50.55                   | 6.55                 | 12.65          |
|             |           |             | 8794          | 11734  | 51.80                   | 6.75                 | 12.95          |
|             |           |             | 11735         | 14009  | 55.60                   | 7.25                 | 13.90          |
|             |           |             | 14010         | 15021  | 58.80                   | 7.65                 | 14.70          |
|             |           |             | 15022         | 15439  | 61.95                   | 8.05                 | 15.50          |
|             |           |             | 15440         | YR. 81 | 63.20                   | 8.20                 | 15.80          |
| FD 20       | 166       | 223         | 6001          | 6426   | 64.85                   | 8.45                 | 16.20          |
|             |           |             | 6427          | 7911   | 66.15                   | 8.60                 | 16.55          |
|             |           |             | 7912          | UP     | 66.15                   | 8.60                 | 16.55          |
| HD 21B      | 200       | 268         | 15111         | 18515  | 63.35                   | 8.25                 | 15.85          |
|             |           |             | 18516         | 19955  | 68.00                   | 8.85                 | 17.00          |
| HD 21B      | 204       | 273         | 19956         | 21000  | 71.85                   | 9.35                 | 17.95          |
| 21 C        | 224       | 300         | 21001         | 21473  | 80.20                   | 10.45                | 20.05          |
|             |           |             | 21474         | 22071  | 84.55                   | 11.00                | 21.15          |
|             |           |             | 22072         | 22094  | 86.25                   | 11.20                | 21.55          |
| FD 30       | 224       | 300         | 101           | 139    | 84.55                   | 11.00                | 21.15          |
|             |           |             | 140           | 421    | 86.25                   | 11.20                | 21.55          |
|             |           |             | 422           | UP     | 86.25                   | 11.20                | 21.55          |
| 31          | 317       | 425         | 1001          | 1330   | 121.35                  | 15.80                | 30.35          |
|             |           |             | 1331          | 2073   | 127.90                  | 16.65                | 32.00          |
|             |           |             | 2074          | YR. 82 | 130.50                  | 16.95                | 32.65          |
| FD 40       | 339       | 455         | 3001          | 3079   | 134.60                  | 17.50                | 33.65          |
|             |           |             | 3080          | UP     | 134.60                  | 17.50                | 33.65          |

# CRAWLER TRACTORS

INTERNATIONAL

| MODEL  | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|--------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|        |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| TD-7C  | 42        | 56          | (441) 501     | 1096   | 25.75                   | 3.35                 | 6.45           |
|        |           |             | 1097          | YR. 73 | 27.65                   | 3.60                 | 6.90           |
| TD-7E  | 48        | 65          | (441) 3001    | 3378   | 30.65                   | 4.00                 | 7.65           |
|        |           |             | 3379          | 4375   | 32.40                   | 4.20                 | 8.10           |
|        |           |             | 4376          | 5522   | 34.15                   | 4.45                 | 8.55           |
|        |           |             | 5523          | 9799   | 34.85                   | 4.55                 | 8.70           |
|        |           |             | 9800          | UP     | 34.85                   | 4.55                 | 8.70           |
| TD-8C  | 51        | 69          | (442) 501     | 1077   | 28.60                   | 3.70                 | 7.15           |
|        |           |             | 1078          | YR. 73 | 30.65                   | 4.00                 | 7.65           |
| TD-8E  | 58        | 78          | (442) 5001    | 5520   | 32.50                   | 4.25                 | 8.15           |
|        |           |             | 5521          | 6691   | 34.35                   | 4.45                 | 8.60           |
|        |           |             | 6692          | 8045   | 36.20                   | 4.70                 | 9.05           |
|        |           |             | 8046          | 9859   | 36.95                   | 4.80                 | 9.25           |
|        |           |             | 9860          | UP     | 36.95                   | 4.80                 | 9.25           |
| TD-9B  | 49        | 66          | 14828         | 16242  | 28.60                   | 3.70                 | 7.15           |
|        |           |             | 16243         | YR. 74 | 30.65                   | 4.00                 | 7.65           |
| TD-12  | 82        | 110         | 501           | 748    | 45.45                   | 5.90                 | 11.35          |
|        |           |             | 749           | UP     | 45.45                   | 5.90                 | 11.35          |
| TD-15B | 89        | 120         | 22936         | 25037  | 41.80                   | 5.45                 | 10.45          |
| TD-15B | 93        | 125         | 25038         | 26473  | 41.80                   | 5.45                 | 10.45          |
|        |           |             | 26474         | YR. 74 | 44.85                   | 5.85                 | 11.20          |
| TD-15C | 104       | 140         | (424) 501     | 2749   | 48.15                   | 6.25                 | 12.05          |
|        |           |             | 2750          | 3959   | 50.85                   | 6.60                 | 12.70          |
|        |           |             | 3960          | 5195   | 53.60                   | 6.95                 | 13.40          |
|        |           |             | 5196          | 6099   | 54.70                   | 7.10                 | 13.70          |
|        |           |             | 6100          | UP     | 54.70                   | 7.10                 | 13.70          |

# CRAWLER TRACTORS

INTERNATIONAL

| MODEL  | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|--------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|        |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| TD-20B | 119       | 160         | 22765         | YR. 70 | 49.40                   | 6.40                 | 12.35          |
| TD-20C | 142       | 190         | (426) 25001   | 25825  | 51.80                   | 6.75                 | 12.95          |
|        |           |             | 25826         | 27682  | 55.60                   | 7.25                 | 13.90          |
|        |           |             | 27683         | YR. 75 | 58.80                   | 7.65                 | 14.70          |
| TD-20E | 157       | 210         | (446) 30001   | 30041  | 58.20                   | 7.55                 | 14.55          |
|        |           |             | 30042         | 30885  | 61.50                   | 8.00                 | 15.40          |
|        |           |             | 30886         | 31926  | 64.85                   | 8.45                 | 16.20          |
|        |           |             | 31927         | 32733  | 66.15                   | 8.60                 | 16.55          |
|        |           |             | 32734         | UP     | 66.15                   | 8.60                 | 16.55          |
| TD-25B | 171       | 230         | 3891          | 4039   | 57.45                   | 7.45                 | 14.35          |
|        |           |             | 4040          | YR. 73 | 61.65                   | 8.00                 | 15.40          |
| TD-25C | 213       | 285         | 805           | 2017   | 67.05                   | 8.70                 | 16.75          |
|        |           |             | 2018          | 5000   | 71.95                   | 9.35                 | 18.00          |
| TD-25C | 231       | 310         | 5001          | 5128   | 75.90                   | 9.85                 | 19.00          |
|        |           |             | 5129          | 6573   | 80.20                   | 10.45                | 20.05          |
|        |           |             | 6574          | YR. 78 | 84.55                   | 11.00                | 21.15          |
| TD-25E | 231       | 310         | (437-1U) 501  | 943    | 84.55                   | 11.00                | 21.15          |
|        |           |             | 994           | YR. 81 | 86.25                   | 11.20                | 21.55          |
| TD-25E | 231       | 310         | (437-2U) 1001 | 1069   | 84.55                   | 11.00                | 21.15          |
|        |           |             | 1070          | UP     | 86.25                   | 11.20                | 21.55          |
| TD-25G | 239       | 320         | YR. 84        | UP     | 86.25                   | 11.20                | 21.55          |
| TD-40  | 335       | 460         | YR. 84        | UP     | 134.60                  | 17.50                | 33.65          |

# CRAWLER TRACTORS

JOHN DEERE

| MODEL   | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |         | RATE PER OPERATING HOUR |                      |                |
|---------|-----------|-------------|---------------|---------|-------------------------|----------------------|----------------|
|         |           |             | FROM          | TO      | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| JD 350  | 31        | 42          | 082281        | YR. 70  | 22.55                   | 2.95                 | 5.65           |
| JD 350B | 31        | 42          | 117500        | 138708T | 22.55                   | 2.95                 | 5.65           |
|         |           |             | 138709T       | 219507T | 24.20                   | 3.15                 | 6.05           |
|         |           |             | 219508T       | YR. 75  | 25.60                   | 3.35                 | 6.40           |
| JD 350C | 31        | 42          | 219500T       | 287210T | 25.60                   | 3.35                 | 6.40           |
|         |           |             | 287211T       | 365413T | 26.95                   | 3.50                 | 6.75           |
|         |           |             | 365414T       | YR. 83  | 27.50                   | 3.60                 | 6.90           |
|         |           |             | YR. 84        | UP      | 27.50                   | 3.60                 | 6.90           |
| JD 450  | 42        | 57          | 082276        | YR. 71  | 25.75                   | 3.35                 | 6.45           |
| JD 450B | 48        | 65          | 117588        | 138713T | 28.60                   | 3.70                 | 7.15           |
|         |           |             | 138714T       | YR. 73  | 30.65                   | 4.00                 | 7.65           |
| JD 450C | 48        | 65          | 191829T       | 219515T | 30.65                   | 4.00                 | 7.65           |
|         |           |             | 219516T       | 287194T | 32.40                   | 4.20                 | 8.10           |
|         |           |             | 287195T       | 365411T | 34.15                   | 4.45                 | 8.55           |
|         |           |             | 365412T       | YR. 82  | 34.85                   | 4.55                 | 8.70           |
| JD 450D | 50        | 67          |               | YR. 83  | 34.85                   | 4.55                 | 8.70           |
|         |           |             | 707123        | UP      | 34.85                   | 4.55                 | 8.70           |
| JD 450E | 52        | 70          | 715504        | UP      | 34.85                   | 4.55                 | 8.70           |
| JD 550  | 54        | 72          | 238320T       | 287203T | 32.40                   | 4.20                 | 8.10           |
|         |           |             | 287204T       | 365416T | 34.15                   | 4.45                 | 8.55           |
|         |           |             | 365417T       | YR. 82  | 34.85                   | 4.55                 | 8.70           |
| JD 550A | 58        | 78          | 70231         | 706527  | 36.95                   | 4.80                 | 9.25           |
|         |           |             | 706528        | 715314  | 36.95                   | 4.80                 | 9.25           |
| JD 550B | 58        | 78          | 715315        | UP      | 36.95                   | 4.80                 | 9.25           |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# CRAWLER TRACTORS

JOHN DEERE

| MODEL   | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |         | RATE PER OPERATING HOUR |                      |                |
|---------|-----------|-------------|---------------|---------|-------------------------|----------------------|----------------|
|         |           |             | FROM          | TO      | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| JD 750  | 81        | 110         | 242700T       | 283048T | 42.25                   | 5.50                 | 10.55          |
|         |           |             | 283049T       | 363140T | 44.55                   | 5.80                 | 11.15          |
|         |           |             | 363141T       | YR. 83  | 45.45                   | 5.90                 | 11.35          |
|         |           |             | YR. 84        | UP      | 45.45                   | 5.90                 | 11.35          |
| JD 750B | 90        | 120         | YR. 85        | UP      | 50.95                   | 6.60                 | 12.75          |
| JD 850  | 104       | 145         | 283245T       | 363133T | 53.60                   | 6.95                 | 13.40          |
|         |           |             | 363134T       | YR. 83  | 54.70                   | 7.10                 | 13.70          |
|         |           |             | 701260        | UP      | 54.70                   | 7.10                 | 13.70          |
| JD 850B | 123       | 165         | 723778        | UP      | 60.25                   | 7.85                 | 15.05          |

# CRAWLER TRACTORS

KOMATSU

| MODEL | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|-------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|       |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D31A  | 47        | 63          | 20001         | 25827  | 29.20                   | 3.80                 | 7.30           |
|       |           |             | 25828         | 29057  | 30.75                   | 4.00                 | 7.70           |
|       |           |             | 29058         | 32425  | 31.40                   | 4.10                 | 7.85           |
|       | 49        | 66          | 32426         | UP     | 34.85                   | 4.55                 | 8.70           |
|       |           |             |               |        |                         |                      |                |
| D31P  | 47        | 63          | 20001         | 25565  | 29.20                   | 3.80                 | 7.30           |
|       |           |             | 25566         | 29255  | 30.75                   | 4.00                 | 7.70           |
|       |           |             | 29256         | 33069  | 31.40                   | 4.10                 | 7.85           |
|       | 49        | 66          | 33070         | UP     | 34.85                   | 4.55                 | 8.70           |
|       |           |             |               |        |                         |                      |                |
| D50A  | 67        | 90          | 42001         | 54400  | 32.00                   | 4.15                 | 8.00           |
|       |           |             | 54401         | 61007  | 34.30                   | 4.45                 | 8.60           |
|       |           |             | 61008         | 65628  | 36.25                   | 4.70                 | 9.05           |
|       |           |             | 65629         | 68071  | 38.20                   | 4.95                 | 9.55           |
|       |           |             | 68072         | 69469  | 39.00                   | 5.05                 | 9.75           |
|       |           |             | 69470         | UP     | 39.00                   | 5.05                 | 9.75           |
|       |           |             |               |        |                         |                      |                |
| D53A  | 82        | 110         | 60001         | 60024  | 40.00                   | 5.20                 | 10.00          |
|       |           |             | 60025         | 65424  | 42.25                   | 5.50                 | 10.55          |
|       |           |             | 65425         | 68122  | 44.55                   | 5.80                 | 11.15          |
|       |           |             | 68123         | 69527  | 45.45                   | 5.90                 | 11.35          |
|       |           |             | 80000         | UP     | 50.95                   | 6.60                 | 12.75          |
|       | 92        | 124         |               |        |                         |                      |                |
|       |           |             |               |        |                         |                      |                |
| D60E  | 104       | 140         | 11186         | 24277  | 44.85                   | 5.85                 | 11.20          |
|       |           |             | 24278         | 29165  | 48.15                   | 6.25                 | 12.05          |
|       |           |             | 29166         | 31028  | 50.85                   | 6.60                 | 12.70          |
|       | 116       | 155         | 31029         | 32096  | 53.60                   | 6.95                 | 13.40          |
|       |           |             | 32097         | 39999  | 54.70                   | 7.10                 | 13.70          |
|       |           |             | 40000         | YR. 84 | 60.25                   | 7.85                 | 15.05          |
|       | 123       | 165         |               |        |                         |                      |                |
|       | 127       | 170         | YR. 85        | UP     | 60.25                   | 7.85                 | 15.05          |
|       |           |             |               |        |                         |                      |                |
| D60P  | 104       | 140         | 11201         | 24000  | 44.85                   | 5.85                 | 11.20          |
|       |           |             | 24001         | 29620  | 48.15                   | 6.25                 | 12.05          |
|       |           |             | 29621         | 32226  | 53.60                   | 6.95                 | 13.40          |
|       |           |             | 32227         | 34335  | 54.70                   | 7.10                 | 13.70          |
|       |           |             | 34335         | 39999  | 54.70                   | 7.10                 | 13.70          |
|       | 116       | 155         | 40000         | YR. 83 | 54.70                   | 7.10                 | 13.70          |
|       |           |             | 45001         | UP     | 60.25                   | 7.85                 | 15.05          |
|       | 123       | 165         |               |        |                         |                      |                |
|       |           |             |               |        |                         |                      |                |

# CRAWLER TRACTORS

KOMATSU

| MODEL    | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |       | RATE PER OPERATING HOUR |                      |                |
|----------|-----------|-------------|---------------|-------|-------------------------|----------------------|----------------|
|          |           |             | FROM          | TO    | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D65E     | 116       | 155         | 21139         | 24277 | 44.85                   | 5.85                 | 11.20          |
|          |           |             | 24278         | 29434 | 48.15                   | 6.25                 | 12.05          |
|          |           |             | 29435         | 32015 | 50.85                   | 6.60                 | 12.70          |
|          |           |             | 32016         | 34131 | 53.60                   | 6.95                 | 13.40          |
|          |           |             | 34132         | 40305 | 54.70                   | 7.10                 | 13.70          |
|          |           |             | 40306         | 45000 | 54.70                   | 7.10                 | 13.70          |
|          | 123       | 165         | 45001         | UP    | 60.25                   | 7.85                 | 15.05          |
|          |           |             |               |       |                         |                      |                |
| D65P     | 116       | 155         | 30001         | 31011 | 50.85                   | 6.60                 | 12.70          |
|          |           |             | 31012         | 32026 | 53.60                   | 6.95                 | 13.40          |
|          |           |             | 32027         | 40000 | 54.70                   | 7.10                 | 13.70          |
|          | 123       | 165         | 40001         | 40155 | 60.25                   | 7.85                 | 15.05          |
|          |           |             | 40156         | UP    | 60.25                   | 7.85                 | 15.05          |
|          |           |             |               |       |                         |                      |                |
| D85 A, E | 134       | 180         | 10832         | 15746 | 51.80                   | 6.75                 | 12.95          |
|          |           |             | 15747         | 21677 | 55.60                   | 7.25                 | 13.90          |
|          |           |             | 21678         | 23045 | 58.80                   | 7.65                 | 14.70          |
|          | 149       | 200         | 23046         | 23675 | 61.50                   | 8.00                 | 15.40          |
|          |           |             | 23676         | 26000 | 64.85                   | 8.45                 | 16.20          |
|          | 164       | 220         | 26001         | 26816 | 64.85                   | 8.45                 | 16.20          |
|          |           |             | 26817         | 29299 | 66.15                   | 8.60                 | 16.55          |
|          |           |             | 29300         | UP    | 66.15                   | 8.60                 | 16.55          |
|          | 239       | 320         | 5001          | 6879  | 70.75                   | 9.20                 | 17.70          |
|          |           |             | 6880          | 10254 | 77.65                   | 10.10                | 19.40          |
|          |           |             | 10255         | 13331 | 80.20                   | 10.45                | 20.05          |
|          |           |             | 13332         | 19410 | 84.55                   | 11.00                | 21.15          |
| D155A    | 239       | 320         | 19411         | 26210 | 86.25                   | 11.20                | 21.55          |
|          |           |             | 26211         | UP    | 86.25                   | 11.20                | 21.55          |
|          |           |             |               |       |                         |                      |                |
|          |           |             |               |       |                         |                      |                |
|          |           |             |               |       |                         |                      |                |
|          |           |             |               |       |                         |                      |                |
|          |           |             |               |       |                         |                      |                |
| D355A    | 306       | 410         | 501           | 1080  | 103.65                  | 13.45                | 25.90          |
|          |           |             | 1114          | 1540  | 111.25                  | 14.45                | 27.80          |
|          |           |             | 1541          | 2801  | 117.55                  | 15.30                | 29.40          |
|          |           |             | 2802          | 4486  | 123.85                  | 16.10                | 30.95          |
|          |           |             | 4487          | 9373  | 126.40                  | 16.45                | 31.60          |
|          |           |             | 9374          | UP    | 126.40                  | 16.45                | 31.60          |
|          |           |             |               |       |                         |                      |                |
| D375A    | 383       | 508         | YR. 85        | UP    | 146.90                  | 19.10                | 36.75          |

# CRAWLER TRACTORS

MASSEY FERGUSON

| MODEL          | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |          | RATE PER OPERATING HOUR |                      |                |
|----------------|-----------|-------------|---------------|----------|-------------------------|----------------------|----------------|
|                |           |             | FROM          | TO       | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| MF 200B (70)   | 33        | 44          | 204521        | 209388   | 23.95                   | 3.10                 | 6.00           |
|                |           |             | 209389        | 212999   | 25.70                   | 3.35                 | 6.45           |
|                |           |             | 213000        | 214976   | 27.15                   | 3.55                 | 6.80           |
| MF 300 (1020)  | 48        | 65          | 200001        | 200395   | 28.60                   | 3.70                 | 7.15           |
|                |           |             | 200396        | 200570   | 30.65                   | 4.00                 | 7.65           |
|                |           |             | 200571        | 200786   | 32.40                   | 4.20                 | 8.10           |
| MF 400 (1060)  | 63        | 85          | 200001        | 200115   | 32.00                   | 4.15                 | 8.00           |
|                |           |             | 200116        | 200597   | 35.10                   | 4.55                 | 8.80           |
|                |           |             | 200598        | YR. 76   | 36.25                   | 4.70                 | 9.05           |
| MF 400C (5000) | 67        | 90          | 200173        | 200351   | 36.25                   | 4.70                 | 9.05           |
| MF 400C (5000) | 67        | 90          | 30001         | 30064    | 36.25                   | 4.70                 | 9.05           |
| MF 500 (1010)  | 93        | 125         | 200042        | 200637   | 41.80                   | 5.45                 | 10.45          |
|                |           |             | 200638        | 201177   | 44.85                   | 5.85                 | 11.20          |
|                |           |             | 201178        | YR. 76   | 47.40                   | 6.15                 | 11.85          |
| MF 600C        | 107       | 144         | 20904133      | 30911070 | 50.85                   | 6.60                 | 12.70          |
| MF 700C        | 134       | 180         | 31105394      | 31110096 | 58.80                   | 7.65                 | 14.70          |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# CRAWLER TRACTORS

TEREX

| MODEL  | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|--------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|        |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| D-400D | 67        | 90          | YR. 81        | YR. 83 | 39.00                   | 5.05                 | 9.75           |
|        |           |             | YR. 84        | UP     | 39.00                   | 5.05                 | 9.75           |
| D-600D | 107       | 144         | YR. 81        | YR. 83 | 54.70                   | 7.10                 | 13.70          |
|        |           |             | YR. 84        | UP     | 54.70                   | 7.10                 | 13.70          |
| D-700D | 150       | 201         | YR. 81        | YR. 83 | 66.15                   | 8.60                 | 16.55          |
| D-700A | 153       | 205         | YR. 84        | UP     | 66.15                   | 8.60                 | 16.55          |
| D-750  | 194       | 260         | YR. 84        | UP     | 77.25                   | 10.05                | 19.30          |
| D-800  | 261       | 350         | YR. 84        | UP     | 103.10                  | 13.40                | 25.80          |
| 82-20  | 134       | 180         | YR. 72        | 62614  | 55.60                   | 7.25                 | 13.90          |
|        |           |             | YR. 75        | 66837  | 58.80                   | 7.65                 | 14.70          |
| 82-20B | 153       | 205         | YR. 75        | 66837  | 61.50                   | 8.00                 | 15.40          |
|        |           |             | YR. 78        | 71160  | 64.85                   | 8.45                 | 16.20          |
|        |           |             | YR. 81        | YR. 83 | 66.15                   | 8.60                 | 16.55          |
|        |           |             |               |        |                         |                      |                |
| 82-30  | 168       | 225         | YR. 69        | 57053  | 57.45                   | 7.45                 | 14.35          |
|        |           |             | YR. 72        | 62614  | 61.65                   | 8.00                 | 15.40          |
| 82-30B | 194       | 260         | YR. 72        | 62614  | 68.00                   | 8.85                 | 17.00          |
|        |           |             | YR. 75        | 66837  | 71.85                   | 9.35                 | 17.95          |
|        |           |             | YR. 78        | 71160  | 75.70                   | 9.85                 | 18.95          |
|        |           |             | YR. 81        | YR. 83 | 77.25                   | 10.05                | 19.30          |
|        |           |             |               |        |                         |                      |                |
| 82-40  | 205       | 275         | YR. 69        | 57053  | 67.05                   | 8.70                 | 16.75          |
|        |           |             | YR. 72        | 62614  | 71.95                   | 9.35                 | 18.00          |

# CRAWLER TRACTORS

TEREX

| MODEL   | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |                      |                |
|---------|-----------|-------------|---------------|--------|-------------------------|----------------------|----------------|
|         |           |             | FROM          | TO     | BASIC<br>TRACTOR        | DOZER<br>OR<br>WINCH | HYD.<br>RIPPER |
| 82-40T  | 216       | 290         | YR. 69        | 57053  | 67.05                   | 8.70                 | 16.75          |
|         |           |             | YR. 72        | 62614  | 71.95                   | 9.35                 | 18.00          |
| 82-50   | 276       | 370         | YR. 72        | 62614  | 90.75                   | 11.80                | 22.70          |
|         |           |             | YR. 75        | 66837  | 95.90                   | 12.45                | 24.00          |
|         |           |             | YR. 78        | 71160  | 101.05                  | 13.15                | 25.25          |
|         |           |             | YR. 81        | YR. 83 | 103.10                  | 13.40                | 25.80          |
|         |           |             | YR. 84        | UP     | 103.10                  | 13.40                | 25.80          |
| 82-80DA | 328       | 440         | YR. 69        | 57035  | 107.00                  | 13.90                | 26.75          |
|         |           |             | YR. 72        | 62614  | 114.85                  | 14.95                | 28.70          |





## EXCAVATORS

1. THE FOLLOWING RATES INCLUDE; OPERATOR'S WAGES, FUEL, OIL, AND SERVICING.
2. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED **EXCLUSIVELY** FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.

# HYDRAULIC EXCAVATORS

| RATE PER<br>OPERATING<br>HOUR | TYPICAL MODELS |                |                     |           |          |                        |
|-------------------------------|----------------|----------------|---------------------|-----------|----------|------------------------|
|                               | JOHN DEERE     | JSW            | KOEHRING            | KOMATSU   | LINKBELT | MITSUBISHI             |
| GROUP 1<br>30.00              | 30             |                |                     |           |          |                        |
| GROUP 2<br>35.00              | 50             |                |                     |           |          |                        |
| GROUP 3<br>39.00              | 70             |                |                     |           | LS-1600  | MS-70-2                |
| GROUP 4<br>43.00              |                |                |                     |           |          | MS-90-8                |
| GROUP 5<br>55.00              | 490            | BH45<br>BH50-3 | 6611                | PC120     | LS2650   | MS-120-2               |
| GROUP 6<br>60.00              |                | BH65<br>BH70   | 6614                | PC150     |          |                        |
| GROUP 7<br>75.00              | 690            | BH80E          | 166<br>6620         | PC200     | LS2800A  | MS-180-3<br>MS-180LC-8 |
| GROUP 8<br>80.00              | 790            | BH100          | 266                 | PC220     | LS3400   | MS-230LC-3             |
| GROUP 9<br>85.00              |                | BH110-2        | 6625                |           |          | MS-240LC-3             |
| GROUP 10<br>97.00             | 792            | BH140          | 366<br>466E<br>6633 | PC300     |          | MS-280-2<br>MS-300-8   |
| GROUP 11<br>105.00            | 890A           |                | 566                 | PC400     | LS4800   |                        |
| GROUP 12<br>112.00            | 990            |                | 6644                | PC400LC-1 | LS5800   | MS-380-2               |
| GROUP 13<br>125.00            |                |                | 666                 |           |          |                        |
| GROUP 14<br>145.00            |                |                |                     |           |          |                        |
| GROUP 15<br>160.00            |                |                | 866                 | PC650     | LS6400   | MS-580                 |
| GROUP 16<br>188.50            |                |                | 1066                |           |          |                        |

# HYDRAULIC EXCAVATORS


| RATE PER<br>OPERATING<br>HOUR | TYPICAL MODELS |              |                     |             |            |                        |
|-------------------------------|----------------|--------------|---------------------|-------------|------------|------------------------|
|                               | AMERICAN       | BUCYRUS-ERIE | CASE                | CATERPILLAR | FIAT-ALLIS | HITACHI                |
| GROUP 1<br>30.00              |                |              |                     |             |            |                        |
| GROUP 2<br>35.00              |                |              |                     |             |            |                        |
| GROUP 3<br>39.00              |                |              |                     |             |            |                        |
| GROUP 4<br>43.00              |                |              |                     |             |            |                        |
| GROUP 5<br>55.00              |                |              |                     | 205         |            | UH062                  |
| GROUP 6<br>60.00              |                | 150RH        | 880C                | 211<br>213  | FE-18      |                        |
| GROUP 7<br>75.00              | 185            |              | 40E<br>980B<br>1080 | 215B        | FE-20      | UH082<br>UH07<br>UH083 |
| GROUP 8<br>80.00              |                | 300H         | 1280                | 225         |            |                        |
| GROUP 9<br>85.00              | 25             |              |                     |             | FE-28      | UH122<br>UH123         |
| GROUP 10<br>97.00             | 25A            |              | 160                 |             |            |                        |
| GROUP 11<br>105.00            | 35             | 325H         |                     | 235         |            | UH172                  |
| GROUP 12<br>112.00            | 35A<br>480     | 350H         | 220                 |             | FE-40L     | UH181                  |
| GROUP 13<br>125.00            |                |              |                     |             |            | UH20                   |
| GROUP 14<br>145.00            |                |              |                     |             |            |                        |
| GROUP 15<br>160.00            |                |              |                     | 245         |            | UH261                  |
| GROUP 16<br>188.50            | 45A            | 400H         |                     |             |            | UH30                   |

# **EXCAVATORS TELESCOPIC ROTATING BOOM TYPE**

| WEIGHT<br>LBS. (KG)              | TRUCK MOUNTED                                                                                       | RATE PER<br>OPERATING HOUR |
|----------------------------------|-----------------------------------------------------------------------------------------------------|----------------------------|
|                                  | TYPICAL MODELS                                                                                      |                            |
| 30,000-40,000<br>(13,600-18,400) | BADGER 300, 460, GRADALL G3WD<br>GRADALL G-440, BANTAM T-644, 300HS                                 | \$ 62.95                   |
| 40,500-50,000<br>(18,401-22,700) | BADGER 666, BANTAM T-725A, T-744<br>GRADALL G-660, G-660B, G-800<br>KOEHRING 4460, 4465, 4470, 4475 | \$ 72.65                   |
| 50,001-60,000<br>(22,701-27,300) | BADGER 888<br>GRADALL G-880, G-880B, G-880C                                                         | \$ 86.95                   |
| 60,001-70,000<br>(27,301-31,800) | GRADALL G-1000                                                                                      | \$110.20                   |

| WEIGHT<br>LBS. (KG)              | CRAWLER MOUNTED                               | RATE PER<br>OPERATING HOUR |
|----------------------------------|-----------------------------------------------|----------------------------|
|                                  | TYPICAL MODELS                                |                            |
| 30,000-40,000<br>(13,600-18,400) | BADGER 300, 460<br>GRADALL G-440              | \$ 58.90                   |
| 40,500-50,000<br>(18,401-22,700) | GRADALL G-660, G-660B<br>BANTAM C-725A, C-744 | \$ 68.80                   |
| 50,001-60,000<br>(22,701-27,300) | BADGER 888<br>GRADALL G-880, G-880B, G-880C   | \$ 79.35                   |
| 60,001-70,000<br>(27,301-31,800) | GRADALL G-1000                                | \$103.55                   |

| DRAGLINES                                          |       |                                                      |                                             |
|----------------------------------------------------|-------|------------------------------------------------------|---------------------------------------------|
| S.A.E. HEAPED CAPACITY<br>CUBIC METRES-CUBIC YARDS |       | DRAGLINE, CLAMSHELL SHOVEL<br>(COMPLETE WITH BUCKET) | WITH BOOM FOR CRANE<br>WORK OR PILE DRIVING |
| 0.48                                               | 5/8   | \$ 47.35                                             | \$ 45.60                                    |
| 0.58                                               | 3/4   | \$ 50.20                                             | \$ 48.60                                    |
| 0.77                                               | 1     | \$ 58.75                                             | \$ 57.05                                    |
| 0.96                                               | 1 1/4 | \$ 64.70                                             | \$ 60.80                                    |
| 1.10                                               | 1 1/2 | \$ 70.65                                             | \$ 68.85                                    |
| 1.30                                               | 1 3/4 | \$ 80.30                                             | \$ 78.25                                    |
| 1.50                                               | 2     | \$ 83.10                                             | \$ 81.55                                    |
| 1.70                                               | 2 1/4 | \$ 89.30                                             | \$ 87.60                                    |
| 1.90                                               | 2 1/2 | \$ 99.65                                             | \$ 97.60                                    |
| 2.10                                               | 2 3/4 | \$110.45                                             |                                             |
| 2.30                                               | 3     | \$117.15                                             |                                             |



### LOADERS - RUBBER TIRED

1. THE FOLLOWING RATES INCLUDE; OPERATOR'S WAGES, FUEL, OIL, AND SERVICING.
2. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED EXCLUSIVELY FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.

# LOADERS RUBBER TIRED

## CASE

| MODEL | SERIAL NUMBER |         | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------|---------------|---------|---------------------------------------|----------------|-------------------------------|
|       | FROM          | TO      | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| W11   | 9128701       | 9141051 | 0.8                                   | 1.00           | 32.45                         |
|       | 9141052       | YR. 83  |                                       |                | 34.15                         |
| W11B  | 9154401       | UP      | 0.8                                   | 1.00           | 34.15                         |
| W14   | 9109177       | 9119151 | 1.1                                   | 1.50           | 33.05                         |
|       | 9119152       | 9128700 |                                       |                | 35.45                         |
|       | 9128701       | 9141051 |                                       |                | 38.30                         |
|       | 9142052       | 9154400 |                                       |                | 40.30                         |
|       | 9154401       | UP      |                                       |                | 40.30                         |
| W18   | 9107004       | 9109116 | 1.3                                   | 1.75           | 33.55                         |
|       | 9109117       | 9119151 |                                       |                | 36.20                         |
|       | 9119152       | 9128700 |                                       |                | 38.85                         |
|       | 9128701       | 9141051 |                                       |                | 41.95                         |
|       | 9141052       | YR. 82  |                                       |                | 44.15                         |
| W18B  | YR. 82        | 9154400 | 1.5                                   | 2.00           | 48.10                         |
|       | 9154401       | UP      |                                       |                | 48.10                         |
| W20   | 9107004       | 9109116 | 1.5                                   | 2.00           | 36.55                         |
|       | 9109117       | 9119151 |                                       |                | 39.45                         |
|       | 9119152       | 9128700 |                                       |                | 42.35                         |
| W20B  | 9128701       | 9141051 | 1.9                                   | 2.50           | 50.85                         |
|       | 9141051       | YR. 81  |                                       |                | 53.55                         |
| W20C  | 9146652       | 9154400 | 1.9                                   | 2.50           | 53.55                         |
|       | 9154401       | UP      |                                       |                | 53.55                         |
| W24   | 9104101       | 9109116 | 1.9                                   | 2.50           | 40.70                         |
|       | 9109117       | 9109212 |                                       |                | 43.90                         |

# LOADERS RUBBER TIRED

CASE

| MODEL | SERIAL NUMBER |         | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------|---------------|---------|---------------------------------------|----------------|-------------------------------|
|       | FROM          | TO      | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| W24B  | 9109213       | 9119151 | 1.9                                   | 2.50           | 43.90                         |
|       | 9119152       | 9128700 |                                       |                | 47.50                         |
| W24C  | 9126932       | 9128700 | 2.3                                   | 3.00           | 52.00                         |
|       | 9128701       | 9141051 |                                       |                | 56.15                         |
|       | 9141052       | YR. 83  |                                       |                | 59.10                         |
| W24D  | 9146652       | 9151500 | 2.3                                   | 3.00           | 59.10                         |
|       | 9151501       | UP      |                                       |                | 59.10                         |
| W26   | 9104101       | 9105200 | 2.3                                   | 3.00           | 44.90                         |
| W26B  | 9105201       | 9109116 | 2.6                                   | 3.50           | 50.10                         |
|       | 9109117       | 9119151 |                                       |                | 54.10                         |
|       | 9119152       | YR. 77  |                                       |                | 58.05                         |
| W30   | 9154401       | UP      | 2.3                                   | 3.00           | 59.10                         |
| W36   | 9127205       | 9128700 | 3.0                                   | 4.00           | 64.05                         |
|       | 9128701       | 9141051 |                                       |                | 69.15                         |
|       | 9141052       | 9154400 |                                       |                | 72.80                         |
|       | 9154401       | UP      |                                       |                | 72.80                         |

# LOADERS RUBBER TIRED

CATERPILLAR

| MODEL     | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-----------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|           | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 910 - 80U | 1             | 1926   | 1.0                                   | 1.25           | 30.50                         |
|           | 1927          | 6493   |                                       |                | 32.75                         |
|           | 6494          | YR. 79 |                                       |                | 35.35                         |
| 910 - 40Y | 1             | 2389   | 1.0                                   | 1.25           | 35.35                         |
|           | 2390          | 5443   |                                       |                | 37.20                         |
|           | 5444          | UP     |                                       |                | 37.20                         |
| 910 - 41Y | 1             | 1044   | 1.0                                   | 1.25           | 35.35                         |
|           | 1045          | 2084   |                                       |                | 37.20                         |
|           | 2085          | UP     |                                       |                | 37.20                         |
| 920 - 62K | 1             | 3160   | 1.3                                   | 1.75           | 33.55                         |
|           | 3161          | 6859   |                                       |                | 36.20                         |
|           | 6860          | 9080   |                                       |                | 38.85                         |
|           | 9081          | 11587  |                                       |                | 41.95                         |
|           | 11588         | 12700  |                                       |                | 44.15                         |
|           | 12701         | UP     |                                       |                | 44.15                         |
| 920 - 75J | 1             | 1325   | 1.3                                   | 1.75           | 33.55                         |
|           | 1326          | 2733   |                                       |                | 36.20                         |
|           | 2734          | 3999   |                                       |                | 38.85                         |
|           | 4000          | 4991   |                                       |                | 41.95                         |
|           | 4992          | 5949   |                                       |                | 44.15                         |
|           | 5950          | UP     |                                       |                | 44.15                         |
| 926 - 94Z | 1             | 778    | 1.5                                   | 2.00           | 48.10                         |
|           | 779           | UP     |                                       |                | 48.10                         |
| 930 - 41K | 151           | 2125   | 1.7                                   | 2.25           | 38.65                         |
|           | 2126          | 5185   |                                       |                | 41.70                         |
|           | 5186          | 7592   |                                       |                | 44.75                         |
|           | 7593          | 10600  |                                       |                | 48.30                         |
|           | 10601         | 12352  |                                       |                | 50.85                         |
|           | 12353         | UP     |                                       |                | 50.85                         |

# LOADERS RUBBER TIRED

CATERPILLAR

| MODEL            | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|------------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|                  | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 930 - 73U        | 1             | 755    | 1.7                                   | 2.25           | 41.70                         |
|                  | 756           | 1549   |                                       |                | 44.75                         |
|                  | 1550          | 2207   |                                       |                | 48.30                         |
|                  | 2208          | 3249   |                                       |                | 50.85                         |
|                  | 3250          | UP     |                                       |                | 50.85                         |
| 936 - 33Z        | 1             | 589    | 2.1                                   | 2.75           | 56.35                         |
|                  | 590           | UP     |                                       |                | 56.35                         |
| 950 - 31K        | 740           | 1021   | 2.3                                   | 3.00           | 44.90                         |
|                  | 1022          | 1454   |                                       |                | 48.45                         |
|                  | 1455          | 1885   |                                       |                | 52.00                         |
|                  | 1886          | 2509   |                                       |                | 56.15                         |
|                  | 2510          | 3249   |                                       |                | 59.10                         |
|                  | 3250          | UP     |                                       |                | 59.10                         |
| 950 - 73J        | 830           | 2383   | 2.3                                   | 3.00           | 44.90                         |
|                  | 2384          | 4331   |                                       |                | 48.45                         |
|                  | 4332          | 6890   |                                       |                | 52.00                         |
|                  | 6891          | 10643  |                                       |                | 56.15                         |
|                  | 10644         | UP     |                                       |                | 59.10                         |
| 950 - 81J        | 1684          | 4058   | 2.3                                   | 3.00           | 44.90                         |
|                  | 4059          | 7659   |                                       |                | 48.45                         |
|                  | 7660          | 11154  |                                       |                | 52.00                         |
|                  | 11155         | 14472  |                                       |                | 56.15                         |
|                  | 14473         | 14886  |                                       |                | 59.10                         |
| 950 - 49U        | 1             | YR. 74 | 2.3                                   | 3.00           | 48.45                         |
| 950B - 31R & 65R | 1             | YR. 83 | 2.3                                   | 3.00           | 59.10                         |
|                  | YR. 84        | UP     |                                       |                | 59.10                         |
| 966B - 57H       | 1             | UP     | 2.3                                   | 3.00           | 44.35                         |

# LOADERS RUBBER TIRED

CATERPILLAR

| MODEL      | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|            | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 966C - 30K | 544           | 1404   | 3.1                                   | 4.00           | 55.35                         |
|            | 1405          | 2129   |                                       |                | 59.70                         |
|            | 2130          | 2885   |                                       |                | 64.05                         |
|            | 2886          | 3497   |                                       |                | 69.15                         |
|            | 3498          | YR. 81 |                                       |                | 72.80                         |
| 966C - 76J | 1914          | 4910   | 3.1                                   | 4.00           | 55.35                         |
|            | 4911          | 8729   |                                       |                | 59.70                         |
|            | 8730          | 12147  |                                       |                | 64.05                         |
|            | 12148         | YR. 80 |                                       |                | 69.15                         |
| 966C - 78G | 1             | 1760   | 3.1                                   | 4.00           | 59.70                         |
|            | 1761          | 3318   |                                       |                | 64.05                         |
|            | 3319          | 4999   |                                       |                | 64.05                         |
| 966D - 99Y | 1             | 2948   | 3.5                                   | 4.50           | 80.55                         |
|            | 2949          | UP     |                                       |                | 80.55                         |
| 980 - 42H  | 904           | 1680   | 3.8                                   | 5.00           | 67.20                         |
| 980B - 89P | 1             | 1310   | 4.2                                   | 5.50           | 78.00                         |
|            | 1311          | 3959   |                                       |                | 84.15                         |
|            | 3960          | 6724   |                                       |                | 90.35                         |
|            | 6725          | 7252   |                                       |                | 97.50                         |
| 980C - 63X | 1             | 3363   | 4.4                                   | 5.75           | 104.10                        |
|            | 3364          | 5200   |                                       |                | 109.60                        |
|            | 5201          | UP     |                                       |                | 109.60                        |
| 988 - 87A  | 2664          | 5045   | 4.9                                   | 6.50           | 98.75                         |
|            | 5046          | 8350   |                                       |                | 106.55                        |
|            | 8351          | 10156  |                                       |                | 114.35                        |
| 988B - 50W | 1             | 1970   | 5.4                                   | 7.00           | 126.50                        |
|            | 1971          | 5179   |                                       |                | 136.55                        |
|            | 5180          | 6549   |                                       |                | 143.75                        |
|            | 6550          | UP     |                                       |                | 143.75                        |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# LOADERS RUBBER TIRED

CLARK-MICHIGAN

| MODEL                               | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------------------------------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|                                     | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 35 AWS                              | YR. 69        | YR. 71 | 1.0                                   | 1.25           | 28.25                         |
|                                     | YR. 72        | YR. 74 |                                       |                | 30.50                         |
|                                     | YR. 75        | YR. 77 |                                       |                | 32.75                         |
|                                     | YR. 78        | YR. 78 |                                       |                | 35.35                         |
| 35 C                                | YR. 78        | YR. 80 | 1.1                                   | 1.50           | 38.30                         |
|                                     | YR. 81        | YR. 83 |                                       |                | 40.30                         |
|                                     | YR. 84        | UP     |                                       |                | 40.30                         |
| 45 B                                | YR. 73        | YR. 74 | 1.3                                   | 1.75           | 36.20                         |
|                                     | YR. 75        | YR. 77 |                                       |                | 38.85                         |
|                                     | YR. 78        | YR. 80 |                                       |                | 41.95                         |
| 45 C                                | YR. 78        | YR. 80 | 1.5                                   | 2.00           | 45.70                         |
|                                     | YR. 81        | YR. 83 |                                       |                | 48.10                         |
|                                     | YR. 84        | UP     |                                       |                | 48.10                         |
| 55 A                                | YR. 69        | YR. 71 | 1.7                                   | 2.25           | 38.65                         |
|                                     | YR. 72        | YR. 74 |                                       |                | 41.70                         |
|                                     | YR. 75        | YR. 76 |                                       |                | 44.75                         |
| 55 B                                | YR. 76        | YR. 77 | 1.9                                   | 2.50           | 47.50                         |
|                                     | YR. 78        | YR. 80 |                                       |                | 50.85                         |
| 55 C                                |               | YR. 80 | 1.7                                   | 2.25           | 48.30                         |
|                                     | YR. 81        | YR. 83 |                                       |                | 50.85                         |
|                                     | YR. 84        | UP     |                                       |                | 50.85                         |
| 75 (ARTICULATED)<br>SERIES A, B & C | YR. 69        | YR. 71 | 2.3                                   | 3.00           | 44.90                         |
|                                     | YR. 73        | YR. 74 |                                       |                | 48.45                         |
|                                     | YR. 75        | YR. 77 |                                       |                | 52.00                         |
|                                     | YR. 78        | YR. 80 |                                       |                | 56.15                         |
|                                     | YR. 81        | YR. 83 |                                       |                | 59.10                         |
|                                     | YR. 84        | UP     |                                       |                | 59.10                         |

# LOADERS RUBBER TIRED

CLARK-MICHIGAN

| MODEL                                 | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|---------------------------------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|                                       | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 85 (ARTICULATED)                      | YR. 69        | YR. 71 | 2.7                                   | 3.50           | 50.10                         |
|                                       | YR. 72        | YR. 73 |                                       |                | 54.10                         |
| 125 (ARTICULATED)<br>SERIES A, B, & C | YR. 69        | YR. 71 | 3.1                                   | 4.00           | 55.35                         |
|                                       | YR. 72        | YR. 74 |                                       |                | 59.70                         |
|                                       | YR. 75        | YR. 77 |                                       |                | 64.05                         |
|                                       | YR. 78        | YR. 80 |                                       |                | 69.15                         |
|                                       | YR. 81        | YR. 83 |                                       |                | 72.80                         |
|                                       | YR. 84        | UP     |                                       |                | 72.80                         |
| 175 (ARTICULATED)<br>SERIES B, C      |               | YR. 71 | 4.2                                   | 5.50           | 78.00                         |
|                                       | YR. 72        | YR. 74 |                                       |                | 84.15                         |
|                                       | YR. 75        | YR. 77 |                                       |                | 90.35                         |
|                                       | YR. 78        | YR. 80 |                                       |                | 97.50                         |
|                                       | YR. 81        | YR. 83 |                                       |                | 102.65                        |
|                                       | YR. 84        | UP     |                                       |                | 102.65                        |
| 275 (ARTICULATED)<br>SERIES A, B & C  |               | YR. 71 | 5.4                                   | 7.00           | 112.10                        |
|                                       | YR. 72        | YR. 74 |                                       |                | 117.90                        |
|                                       | YR. 75        | YR. 77 |                                       |                | 126.50                        |
|                                       | YR. 78        | YR. 80 |                                       |                | 136.55                        |
|                                       | YR. 81        | YR. 83 |                                       |                | 143.75                        |
|                                       | YR. 84        | UP     |                                       |                | 143.75                        |

# LOADERS RUBBER TIRED

FIAT-ALLIS

| MODEL                 | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-----------------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|                       | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| FR 7                  | 700119        | 700220 | 1.0                                   | 1.25           | 37.20                         |
|                       | 700221        | UP     |                                       |                | 37.20                         |
| FR 10                 | 101           | YR. 83 | 1.7                                   | 2.25           | 50.85                         |
|                       | YR. 84        | UP     |                                       |                | 50.85                         |
| FR 12                 | 101           | YR. 83 | 1.9                                   | 2.50           | 53.55                         |
|                       | YR. 84        | UP     |                                       |                | 53.55                         |
| FR 15                 | 101           | YR. 83 | 2.3                                   | 3.00           | 59.10                         |
|                       | YR. 84        | UP     |                                       |                | 59.10                         |
| FR 20                 | 101           | 164    | 3.5                                   | 4.50           | 76.50                         |
|                       | 165           | YR. 83 |                                       |                | 80.55                         |
|                       | YR. 84        | UP     |                                       |                | 80.55                         |
| 345 B                 | 1001          | 1162   | 1.3                                   | 1.75           | 38.85                         |
|                       | 1163          | 1678   |                                       |                | 41.95                         |
|                       | 1679          | 1924   |                                       |                | 44.15                         |
|                       | 1925          | UP     |                                       |                | 44.15                         |
|                       |               |        |                                       |                |                               |
| 545<br>SERIES A, B, H | 2795          | 3973   | 1.5                                   | 2.00           | 36.55                         |
|                       | 3974          | 5452   |                                       |                | 39.45                         |
|                       | 5453          | 6554   |                                       |                | 42.35                         |
|                       | 6555          | 7946   |                                       |                | 45.70                         |
|                       | 7947          | 8245   |                                       |                | 48.10                         |
| 605 B                 | 4001          | 5493   | 1.9                                   | 2.50           | 43.90                         |
|                       | 5494          | 6552   |                                       |                | 47.50                         |
|                       | 6553          | 7925   |                                       |                | 50.85                         |
|                       | 7926          | 8240   |                                       |                | 53.55                         |
|                       |               |        |                                       |                |                               |
| 645<br>SERIES A, B    | 2560          | 3510   | 2.3                                   | 3.00           | 44.90                         |
|                       | 3511          | 4353   |                                       |                | 48.45                         |
|                       | 4354          | 5238   |                                       |                | 52.00                         |
|                       | 5239          | 6441   |                                       |                | 56.15                         |
|                       | 6442          | 6582   |                                       |                | 59.10                         |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# LOADERS RUBBER TIRED

FIAT-ALLIS

| MODEL                              | SERIAL NUMBER |      | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|------------------------------------|---------------|------|---------------------------------------|----------------|-------------------------------|
|                                    | FROM          | TO   | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 745<br>SERIES A, B, C,<br>& H, H-B | 1784          | 2603 | 3.4                                   | 4.50           | 61.20                         |
|                                    | 2604          | 3177 |                                       |                | 66.05                         |
|                                    | 3178          | 3751 |                                       |                | 70.90                         |
|                                    | 3752          | 4409 |                                       |                | 76.50                         |
| 945 B                              | 1001          | 1127 | 4.9                                   | 6.50           | 106.55                        |
|                                    | 1128          | 1593 |                                       |                | 114.35                        |
|                                    | 1594          | 2020 |                                       |                | 123.45                        |
|                                    | 2021          | 2172 |                                       |                | 129.95                        |
|                                    | 2173          | UP   |                                       |                | 129.95                        |

# LOADERS RUBBER TIRED

FORD

| MODEL  | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|--------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|        | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| A - 62 |               | YR. 74 | 1.5                                   | 2.00           | 39.45                         |
|        | YR. 75        | YR. 77 |                                       |                | 42.35                         |
|        | YR. 78        | YR. 80 |                                       |                | 45.70                         |
|        | YR. 81        | YR. 83 |                                       |                | 48.10                         |
|        | YR. 84        | UP     |                                       |                | 48.10                         |
| A - 64 |               | YR. 74 | 1.9                                   | 2.50           | 43.90                         |
|        | YR. 75        | YR. 77 |                                       |                | 47.50                         |
|        | YR. 78        | YR. 80 |                                       |                | 50.85                         |
|        | YR. 81        | YR. 83 |                                       |                | 53.55                         |
|        | YR. 84        | UP     |                                       |                | 53.55                         |
| A - 66 | YR. 75        | YR. 77 | 2.3                                   | 3.00           | 52.00                         |
|        | YR. 78        | YR. 80 |                                       |                | 56.15                         |
|        | YR. 81        | YR. 83 |                                       |                | 59.10                         |
|        | YR. 84        | UP     |                                       |                | 59.10                         |

# LOADERS RUBBER TIRED

HOUGH & INTERNATIONAL

| MODEL     | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-----------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|           | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| H 25B     | (334) 05190   | 06488  | 0.6                                   | 0.75           | 23.65                         |
|           | 06489         | 07734  |                                       |                | 25.55                         |
|           | 07735         | 08811  |                                       |                | 27.40                         |
|           | 08812         | YR. 80 |                                       |                | 29.60                         |
| H 30B     | (340) 3880    | 4729   | 1.0                                   | 1.25           | 28.25                         |
|           | 4730          | 5398   |                                       |                | 30.50                         |
|           | 5399          | 5661   |                                       |                | 32.75                         |
| H 50B & C | (341) 3732    | 4486   | 1.5                                   | 2.00           | 36.55                         |
|           | 4487          | 4987   |                                       |                | 39.45                         |
|           | 4988          | 5200   |                                       |                | 42.35                         |
| H 60B     | (342) 1258    | 1949   | 1.5                                   | 2.00           | 36.55                         |
|           | 1950          | YR. 74 |                                       |                | 39.45                         |
| H 60E     | (342) 2601    | 2777   | 1.7                                   | 2.25           | 41.70                         |
|           | 2778          | 3247   |                                       |                | 44.75                         |
|           | 3248          | 3528   |                                       |                | 48.30                         |
| H 65C     | (346) 1901    | 2900   | 2.7                                   | 3.00           | 44.90                         |
|           | 2901          | 4052   |                                       |                | 48.45                         |
|           | 4053          | 4328   |                                       |                | 52.00                         |
| H 80A, B  | (350) 1001    | 1488   | 3.1                                   | 4.00           | 55.35                         |
|           | 1489          | 2226   |                                       |                | 59.70                         |
|           | 2227          | 2679   |                                       |                | 64.05                         |
|           | 2680          | YR. 80 |                                       |                | 69.15                         |
| H 90E     | (356) 1124    | 1769   | 3.4                                   | 4.50           | 61.20                         |
|           | 1770          | 2393   |                                       |                | 66.05                         |
|           | 2394          | 2856   |                                       |                | 70.90                         |
|           | 2857          | YR. 80 |                                       |                | 76.50                         |

# LOADERS RUBBER TIRED

HOUGH & INTERNATIONAL

| MODEL  | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|--------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|        | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| H 100C | (359) 1002    | 1258   | 3.8                                   | 5.00           | 67.20                         |
|        | 1259          | 1568   |                                       |                | 72.50                         |
|        | 1569          | 1997   |                                       |                | 77.80                         |
|        | 1998          | YR. 80 |                                       |                | 84.00                         |
| H 120C | (363) 3724    | 4325   | 4.2                                   | 5.50           | 78.00                         |
|        | 4326          | YR. 73 |                                       |                | 84.15                         |
| 510    | 50001         | 50475  | 1.1                                   | 1.50           | 35.45                         |
|        | 50476         | 52000  |                                       |                | 38.30                         |
|        | 52001         | YR. 81 |                                       |                | 40.30                         |
| 510 B  | 501           | 649    | 1.3                                   | 1.75           | 44.15                         |
|        | 650           | UP     |                                       |                | 44.15                         |
| 515    | 60001         | 60350  | 1.3                                   | 1.75           | 38.85                         |
|        | 60351         | 61800  |                                       |                | 41.95                         |
|        | 61801         | YR. 81 |                                       |                | 44.15                         |
| 515 B  | 501           | 699    | 1.6                                   | 2.00           | 48.10                         |
|        | 700           | UP     |                                       |                | 48.10                         |
| 520 B  | 501           | 789    | 2.1                                   | 2.75           | 56.35                         |
|        | 790           | UP     |                                       |                | 56.35                         |
| 530    | (347) 1001    | 1327   | 2.5                                   | 3.25           | 55.00                         |
|        | 1328          | 2361   |                                       |                | 59.40                         |
|        | 2362          | 2802   |                                       |                | 62.50                         |
|        | 2803          | UP     |                                       |                | 62.50                         |
| 540    | (352) 3001    | 3082   | 3.6                                   | 4.75           | 80.30                         |
|        | 3083          | YR. 83 |                                       |                | 84.50                         |
|        | YR. 84        | UP     |                                       |                | 84.50                         |

# LOADERS RUBBER TIRED

HOUGH & INTERNATIONAL

| MODEL | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|       | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 550   | (357) 501     | YR. 83 | 4.4                                   | 5.75           | 109.60                        |
|       | YR. 84        | UP     |                                       |                | 109.60                        |
| 560   | (364) 1001    | 1116   | 4.9                                   | 6.50           | 98.75                         |
|       | 1117          | 1685   |                                       |                | 106.55                        |
|       | 1686          | 2424   |                                       |                | 114.35                        |
|       | 2425          | 2985   |                                       |                | 123.45                        |
| 560 B | 4001          | 4121   | 5.7                                   | 7.50           | 143.75                        |
|       | 4122          | UP     |                                       |                | 143.75                        |

# LOADERS RUBBER TIRED

JOHN DEERE

| MODEL   | SERIAL NUMBER              |                            | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|---------|----------------------------|----------------------------|---------------------------------------|----------------|-------------------------------|
|         | FROM                       | TO                         | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| JD 444  | 248076<br>298654           | 298653<br>YR. 80           | 1.1                                   | 1.50           | 35.45<br>38.30                |
| JD 444C | 400063<br>YR. 84           | YR. 83<br>UP               | 1.3                                   | 1.75           | 44.15<br>44.15                |
| JD 544  | 81322                      | YR. 71                     | 1.3                                   | 1.75           | 33.55                         |
| JD 544A | 121550<br>138403           | 138402<br>197041           | 1.5                                   | 2.00           | 36.55<br>39.45                |
| JD 544B | 197042<br>222028<br>298586 | 222027<br>298585<br>YR. 80 | 1.5                                   | 2.00           | 39.45<br>42.35<br>45.70       |
| JD 544C | 400083<br>YR. 84           | YR. 83<br>UP               | 1.5                                   | 2.00           | 48.10<br>48.10                |
| JD 644  | 81520                      | YR. 71                     | 1.9                                   | 2.50           | 40.70                         |
| JD 644A | 123100<br>138432           | 138431<br>197066           | 1.9                                   | 2.50           | 40.70<br>43.90                |
| JD 644B | 197067<br>222096<br>298583 | 222095<br>298582<br>YR. 80 | 2.3                                   | 3.00           | 48.45<br>52.00<br>56.15       |
| JD 644C | 400047<br>YR. 84           | YR. 83<br>UP               | 2.3                                   | 3.00           | 59.10<br>59.10                |
| JD 844  | 310780<br>YR. 84           | YR. 83<br>UP               | 3.8                                   | 5.00           | 88.40<br>88.40                |

# LOADERS RUBBER TIRED

KOMATSU

| MODEL    | SERIAL NUMBER |    | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|----------|---------------|----|---------------------------------------|----------------|-------------------------------|
|          | FROM          | TO | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| WA 200-1 | YR. 84        | UP | 1.7                                   | 2.25           | 50.85                         |
| WA 300-1 | YR. 84        | UP | 2.3                                   | 3.00           | 59.10                         |
| WA 350-1 | YR. 84        | UP | 2.7                                   | 3.50           | 65.95                         |
| WA 400-1 | YR. 84        | UP | 3.1                                   | 4.00           | 72.80                         |
| WA 450-1 | YR. 84        | UP | 3.5                                   | 4.50           | 80.55                         |
| WA 500-1 | YR. 84        | UP | 4.0                                   | 5.25           | 95.55                         |
| WA 650-1 | YR. 84        | UP | 5.4                                   | 7.00           | 143.75                        |

# LOADERS RUBBER TIRED

MASSEY FERGUSON

| MODEL  | SERIAL NUMBER |          | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|--------|---------------|----------|---------------------------------------|----------------|-------------------------------|
|        | FROM          | TO       | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| MF 11  | F156          | F695     | 1.0                                   | 1.25           | 28.25                         |
|        | F696          | J1775    |                                       |                | 30.50                         |
| MF 33  | YR. 69        | YR. 71   | 1.1                                   | 1.50           | 30.65                         |
|        | YR. 72        | YR. 74   |                                       |                | 33.05                         |
|        | YR. 75        | YR. 77   |                                       |                | 35.45                         |
| MF 44  | 30045         | 30085    | 1.5                                   | 2.00           | 36.55                         |
|        | 30086         | YR. 72   |                                       |                | 39.45                         |
| MF 44B | 30001         | 300435   | 1.7                                   | 2.25           | 41.70                         |
|        | 300436        | YR. 76   |                                       |                | 44.75                         |
| MF 44C | YR. 78        | YR. 77   | 1.9                                   | 2.50           | 47.50                         |
|        |               | YR. 78   |                                       |                | 50.85                         |
| MF 55  | 100051        | 100257   | 2.1                                   | 2.75           | 42.85                         |
|        | 100258        | 100459   |                                       |                | 46.20                         |
|        | 100460        | YR. 77   |                                       |                | 49.60                         |
| MF 55C | 77704360      | 77710257 | 2.5                                   | 3.25           | 51.25                         |
| MF 66  | 600001        | 600103   | 2.9                                   | 3.50           | 50.10                         |
|        | 600104        | 600197   |                                       |                | 54.10                         |
|        | 600198        | YR. 76   |                                       |                | 58.05                         |
| MF 66C | 77404365      | 77409279 | 3.1                                   | 4.00           | 64.05                         |
| MF 77  | 700001        | 700045   | 3.4                                   | 4.50           | 61.20                         |
|        | 700046        | 700104   |                                       |                | 66.05                         |
|        | 700105        | YR. 76   |                                       |                | 70.90                         |
| MF 77C | 77503523      | 77510052 | 3.8                                   | 5.00           | 77.80                         |

# LOADERS RUBBER TIRED

MASSEY FERGUSON

| MODEL | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|       | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| MF 88 | 800001        | 800057 | 4.6                                   | 6              | 88.90                         |
|       | 800058        | 800093 |                                       |                | 95.90                         |
|       | 800094        | 800167 |                                       |                | 102.90                        |

# LOADERS RUBBER TIRED

TEREX

| MODEL    | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|----------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|          | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 11 C     | YR. 81        | YR. 83 | 0.6                                   | 0.75           | 31.15                         |
|          | YR. 84        | UP     |                                       |                | 31.15                         |
| 22 C     | YR. 81        | YR. 83 | 1.1                                   | 1.50           | 40.30                         |
|          | YR. 84        | UP     |                                       |                | 40.30                         |
| 33 C     | YR. 81        | YR. 83 | 1.5                                   | 2.00           | 48.10                         |
|          | YR. 84        | UP     |                                       |                | 48.10                         |
| 44 C     | YR. 81        | YR. 83 | 1.7                                   | 2.25           | 50.85                         |
|          | YR. 84        | UP     |                                       |                | 50.85                         |
| 55 C     | YR. 81        | YR. 83 | 2.4                                   | 3.25           | 62.50                         |
|          | YR. 84        | UP     |                                       |                | 62.50                         |
| 60 C     | YR. 81        | YR. 83 | 2.7                                   | 3.50           | 65.95                         |
|          | YR. 84        | UP     |                                       |                | 65.95                         |
| 66 C     | YR. 81        | YR. 83 | 3.1                                   | 4.00           | 72.80                         |
|          | YR. 84        | UP     |                                       |                | 72.80                         |
| 70 C     | YR. 81        | YR. 83 | 3.8                                   | 5.00           | 88.40                         |
|          | YR. 84        | UP     |                                       |                | 88.40                         |
| 80 C     | YR. 81        | YR. 83 | 4.6                                   | 6.00           | 116.95                        |
|          | YR. 84        | UP     |                                       |                | 116.95                        |
| 72 - 21  | YR. 69        | 57053  | 1.7                                   | 2.25           | 38.65                         |
|          | YR. 72        | 62614  |                                       |                | 41.70                         |
|          | YR. 75        | 66837  |                                       |                | 44.75                         |
| 72 - 21B | 62469         | 66837  | 1.7                                   | 2.25           | 44.75                         |
|          | YR. 78        | 71160  |                                       |                | 48.30                         |

# LOADERS RUBBER TIRED

TEREX

| MODEL    | SERIAL NUMBER |       | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|----------|---------------|-------|---------------------------------------|----------------|-------------------------------|
|          | FROM          | TO    | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 72 - 31  | YR. 69        | 57053 | 2.3                                   | 3.00           | 44.90                         |
|          | YR. 72        | 62614 |                                       |                | 48.45                         |
|          | YR. 75        | 66837 |                                       |                | 52.00                         |
| 72 - 31B | 62469         | 66837 | 2.7                                   | 3.50           | 58.05                         |
|          | YR. 78        | 71160 |                                       |                | 62.65                         |
| 72 - 41  | YR. 69        | 57053 | 2.4                                   | 3.25           | 47.50                         |
|          | YR. 72        | 62614 |                                       |                | 51.25                         |
|          | YR. 75        | 65506 |                                       |                | 55.00                         |
| 72 - 51A | YR. 69        | 57053 | 3                                     | 4.00           | 55.35                         |
|          | YR. 72        | 62614 |                                       |                | 59.70                         |
|          | YR. 75        | 65506 |                                       |                | 64.05                         |
| 72 - 51B | 62469         | 66837 | 3.4                                   | 4.50           | 70.90                         |
|          | YR. 78        | 71160 |                                       |                | 76.50                         |
| 72 - 61  | 61374         | 66837 | 4.6                                   | 6.00           | 102.90                        |
|          | YR. 78        | 71160 |                                       |                | 111.10                        |

# LOADERS RUBBER TIRED


VOLVO

| MODEL    | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|----------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|          | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| LM 846   | 1001          | 1446   | 1.7                                   | 2.25           | 38.65                         |
|          | 1447          | 3282   |                                       |                | 41.70                         |
|          | 3283          | 5633   |                                       |                | 44.75                         |
|          | 5634          | YR. 79 |                                       |                | 48.30                         |
| LM 1240  | 1001          | 1703   | 2.1                                   | 2.75           | 46.20                         |
|          | 1704          | 2842   |                                       |                | 49.60                         |
|          | 2843          | YR. 79 |                                       |                | 53.55                         |
| LM 1641  | 8             | 106    | 3.1                                   | 4.00           | 55.35                         |
|          | 107           | 564    |                                       |                | 59.70                         |
|          | 565           | 1103   |                                       |                | 64.05                         |
|          | 1104          | YR. 79 |                                       |                | 69.15                         |
| BM 4200  | YR. 79        | YR. 80 | 0.8                                   | 1.00           | 32.45                         |
|          | YR. 81        | YR. 83 |                                       |                | 34.15                         |
| BM 4200B | YR. 84        | UP     | 1.1                                   | 1.50           | 40.30                         |
| BM 4300  | YR. 79        | YR. 80 | 1.3                                   | 1.75           | 41.95                         |
|          | YR. 81        | YR. 82 |                                       |                | 44.15                         |
| BM 4300B | YR. 82        | YR. 83 | 1.5                                   | 2.00           | 48.10                         |
|          | YR. 84        | UP     |                                       |                | 48.10                         |
| BM 4400  | YR. 79        | YR. 80 | 1.9                                   | 2.50           | 50.85                         |
|          | YR. 81        | YR. 83 |                                       |                | 53.55                         |
|          | YR. 84        | UP     |                                       |                | 53.55                         |
| BM 4500  | YR. 79        | YR. 80 | 2.6                                   | 3.50           | 62.65                         |
|          | YR. 81        | YR. 83 |                                       |                | 65.95                         |
|          | YR. 84        | UP     |                                       |                | 65.95                         |

# LOADERS RUBBER TIRED

VOLVO

| MODEL    | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|----------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|          | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| BM 4600  | YR. 81        | YR. 83 | 4.3                                   | 5.50           | 102.65                        |
|          | YR. 84        | UP     |                                       |                | 102.65                        |
| BM 4600B | YR. 84        | UP     | 4.3                                   | 5.50           | 102.65                        |



#### LOADERS - SKID STEER

1. THE FOLLOWING RATES INCLUDE; OPERATOR'S WAGES, FUEL, OIL, AND SERVICING.
2. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION. 1.2.22) EQUIPMENT MOVING COSTS INCURRED **EXCLUSIVELY** FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.

# LOADERS SKID STEER

## TYPICAL MODELS

| NET<br>FLYWHEEL<br>H.P. | MELROE<br>BOBCAT                                                            | CASE                  | FORD           | NEW<br>HOLLAND                             | THOMAS                       | MISC                                        | RATE PER<br>OPERATING<br>HOUR |
|-------------------------|-----------------------------------------------------------------------------|-----------------------|----------------|--------------------------------------------|------------------------------|---------------------------------------------|-------------------------------|
| UNDER 20                | 310, 313<br>371, 440<br>443, 533                                            | 1816B<br>1816C        | CL-25          |                                            | 700, T-82<br>T-83            | IHC 4125<br>KOEHRING<br>810, 850<br>OMC 312 | 25.45                         |
| 21 - 25                 | 530, 540<br>543, 600<br>M-611                                               | 1530B                 | CL-20          | L-325                                      |                              | IHC 4135<br>JD 14<br>OMC 320                | 27.35                         |
| 26 - 35                 | 610, 620<br>630, 631<br>642, 720<br>721, 722<br>730, 731<br>732, 741<br>742 | 1830<br>1835          | CL-30<br>CL-35 | L-425<br>L-445                             | 1210, 1220<br>T-103          |                                             | 29.25                         |
| 36 - 45                 | 743, 825                                                                    | 1740<br>1845<br>1845B | CL-40<br>CL-45 | L-35                                       | 1710, 1720<br>T-133<br>T-173 | JD 24A<br>OMC 445                           | 31.15                         |
| 46 - 55                 | 843                                                                         |                       |                | L-755<br>(DEUTZ)                           | T-172                        |                                             | 33.05                         |
| 56 - 65                 |                                                                             |                       | CL-65          | L-755<br>(WISCONSIN)<br>L-779<br>(PERKINS) | T-232<br>T-233               |                                             | 34.95                         |
| 66 - 75                 |                                                                             |                       |                | L-779<br>(FORD)                            |                              |                                             | 36.85                         |
| 76-OVER                 | 970, 974<br>975                                                             |                       |                |                                            |                              |                                             | 38.75                         |



### LOADERS - TRACK TYPE

1. THE FOLLOWING RATES INCLUDE; OPERATOR'S WAGES, FUEL, OIL, AND SERVICING.
2. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED EXCLUSIVELY FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.
3. FOR REAR MOUNTED HYDRAULIC RIPPER ADD 20% TO THE APPROPRIATE LOADER RATE **WHEN USED**.
4. REAR MOUNTED HYDRAULIC RIPPERS MUST ARRIVE ON PROJECTS EQUIPPED WITH AN ADEQUATE SET OF TEETH. THE COST OF RIPPER TEETH AND PINS WILL BE PAID FOR BY THE DEPARTMENT WHILE THE EQUIPMENT IS EMPLOYED ON ALBERTA TRANSPORTATION PROJECTS.

# LOADERS TRACK TYPE

CASE

| MODEL | SERIAL NUMBER |         | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------|---------------|---------|---------------------------------------|----------------|-------------------------------|
|       | FROM          | TO      | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 350   | 3042701       | 3048700 | 0.58                                  | 0.75           | 24.95                         |
|       | 3048702       | 3058150 |                                       |                | 26.75                         |
|       | 3058151       | 3065600 |                                       |                | 28.25                         |
|       | 3065601       | YR. 79  |                                       |                | 29.80                         |
| 350 B | 3068401       | 3073800 | 0.58                                  | 0.75           | 29.80.                        |
|       | 3073801       | YR. 83  |                                       |                | 30.40                         |
| 450   | 3039456       | 3048700 | 0.8                                   | 1.00           | 28.05                         |
|       | 3048701       | 3058150 |                                       |                | 30.10                         |
|       | 3058151       | 3066100 |                                       |                | 31.80                         |
|       | 3066101       | YR. 79  |                                       |                | 33.50                         |
| 450 B | 3067360       | 3073000 | 0.8                                   | 1.00           | 33.50                         |
|       | 3073001       | YR. 83  |                                       |                | 34.20                         |
| 455 C | 3076101       | YR. 83  | 0.8                                   | 1.00           | 34.20                         |
|       |               | UP      |                                       |                | 34.20                         |
| 850   | 7073061       | 7074400 | 1.1                                   | 1.50           | 33.85                         |
|       | 7074401       | 7075775 |                                       |                | 36.30                         |
|       | 7075776       | 7077100 |                                       |                | 38.35                         |
| 850 B | 7076501       | 7077100 | 1.1                                   | 1.50           | 38.35                         |
|       | 7077101       | 7400000 |                                       |                | 40.45                         |
|       | 7400001       | YR. 81  |                                       |                | 41.25                         |
| 855 C | 7400401       | 7401800 | 1.1                                   | 1.50           | 41.25                         |
|       | 7401801       | UP      |                                       |                | 41.25                         |
| 855 D | 7402701       | UP      | 1.1                                   | 1.50           | 41.25                         |
| 1150  | 7190541       | 7301500 | 1.3                                   | 1.75           | 37.40                         |
|       | 7301501       | YR. 72  |                                       |                | 40.15                         |

# LOADERS TRACK TYPE

CASE

| MODEL  | SERIAL NUMBER |         | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|--------|---------------|---------|---------------------------------------|----------------|-------------------------------|
|        | FROM          | TO      | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 1150 B | 7302301       | 7304300 | 1.3                                   | 1.75           | 40.15                         |
|        | 7304301       | 7306600 |                                       |                | 42.40                         |
|        | 7306601       | YR. 78  |                                       |                | 44.70                         |
| 1150 C | 7307301       | 7308700 | 1.3                                   | 1.75           | 44.70                         |
|        | 7308701       | YR. 83  |                                       |                | 45.60                         |
| 1155 D | 7301201       | UP      | 1.3                                   | 1.75           | 45.60                         |
| 1450   | 8379001       | 8379150 | 1.7                                   | 2.25           | 48.15                         |
|        | 8379151       | 8380100 |                                       |                | 50.85                         |
|        | 8380101       | YR. 80  |                                       |                | 53.60                         |
| 1450 B | 8381401       | 8381700 | 1.7                                   | 2.25           | 53.60                         |
|        | 8381701       | YR. 83  |                                       |                | 54.70                         |
| 1455 D | 8382901       | UP      | 1.9                                   | 2.50           | 54.70                         |

# LOADERS TRACK TYPE

CATERPILLAR

| MODEL             | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|                   | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 931 - 8N L.G.P.   | 1             | 350    | 0.8                                   | 1.00           | 33.10                         |
|                   | 351           | YR. 77 |                                       |                | 35.00                         |
| 931 - 10N L.G.P.  | 1             | 299    | 0.8                                   | 1.00           | 33.10                         |
|                   | 300           | 525    |                                       |                | 35.00                         |
|                   | 526           | YR. 79 |                                       |                | 36.85                         |
| 931 - 78U         | 1             | 1813   | 0.8                                   | 1.00           | 30.10                         |
|                   | 1814          | 3443   |                                       |                | 31.80                         |
|                   | 3444          | YR. 79 |                                       |                | 33.50                         |
| 931 - 81U         | 1             | 668    | 0.8                                   | 1.00           | 30.10                         |
|                   | 669           | 1049   |                                       |                | 31.80                         |
|                   | 1050          | YR. 79 |                                       |                | 33.50                         |
| 931B - 26Y L.G.P. | 1             | 399    | 0.8                                   | 1.00           | 36.85                         |
|                   | 400           | 549    |                                       |                | 37.60                         |
|                   | 550           | UP     |                                       |                | 37.60                         |
| 931B - 29Y        | 1             | 962    | 0.8                                   | 1.00           | 33.50                         |
|                   | 963           | 1432   |                                       |                | 34.20                         |
|                   | 1433          | UP     |                                       |                | 34.20                         |
| 941 - 16U         | 1             | 319    | 1.1                                   | 1.50           | 36.30                         |
|                   | 320           | YR. 77 |                                       |                | 38.35                         |
| 941 - 80H         | 829           | 3039   | 0.96                                  | 1.25           | 30.85                         |
| 941B - 80H        | 3040          | 4897   | 1.1                                   | 1.50           | 36.30                         |
|                   | 4898          | 6247   |                                       |                | 38.35                         |
|                   | 6248          | YR. 80 |                                       |                | 40.45                         |

# LOADERS TRACK TYPE

CATERPILLAR

| MODEL           | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-----------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|                 | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 943 - 31Y       | 1             | 999    | 1.1                                   | 1.50           | 40.45                         |
|                 | 1000          | 1299   |                                       |                | 41.25                         |
|                 | 1300          | UP     |                                       |                | 41.25                         |
| 943 - 4Z L.G.P. | 1             | 181    | 1.1                                   | 1.50           | 44.50                         |
|                 | 182           | 339    |                                       |                | 45.40                         |
|                 | 340           | UP     |                                       |                | 45.40                         |
| 951B - 32F      | 267           | 739    | 1.1                                   | 1.50           | 33.85                         |
|                 | 740           | YR. 72 |                                       |                | 36.30                         |
| 951C - 32F      | 902           | 1409   | 1.3                                   | 1.75           | 40.15                         |
|                 | 1410          | 1749   |                                       |                | 42.40                         |
|                 | 1750          | YR. 80 |                                       |                | 44.70                         |
| 951B - 86J      | 914           | 1991   | 1.1                                   | 1.50           | 33.85                         |
| 951C - 86J      | 1992          | 3872   | 1.3                                   | 1.75           | 40.15                         |
|                 | 3873          | 4534   |                                       |                | 42.40                         |
|                 | 4535          | YR. 80 |                                       |                | 44.70                         |
| 951C - 19H      | 1             | 1309   | 1.1                                   | 1.50           | 33.85                         |
|                 | 1310          | 1566   | 1.3                                   | 1.75           | 36.30                         |
|                 | 1567          | 2276   |                                       |                | 40.15                         |
|                 | 2277          | 2599   |                                       |                | 42.40                         |
|                 | 2600          | YR. 80 |                                       |                | 44.70                         |
| 953 - 76Y       | 1             | 1177   | 1.5                                   | 2.00           | 50.20                         |
|                 | 1178          | UP     |                                       |                | 50.20                         |
| 953 - 5Z L.G.P. | 1             | 475    | 1.5                                   | 2.00           | 55.20                         |
|                 | 476           | UP     |                                       |                | 55.20                         |

# LOADERS TRACK TYPE

CATERPILLAR

| MODEL            | SERIAL NUMBER            |                           | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR    |
|------------------|--------------------------|---------------------------|---------------------------------------|----------------|----------------------------------|
|                  | FROM                     | TO                        | CUBIC<br>METRES                       | CUBIC<br>YARDS |                                  |
| 955K - 71J       | 513<br>2981              | 2980<br>YR. 72            | 1.3                                   | 1.75           | 37.40<br>40.15                   |
| 955L - 71J       | 3198<br>5497             | 5496<br>YR. 77            | 1.5                                   | 2.00           | 41.15<br>44.20                   |
| 955K - 85J       | 1191                     | 4671                      | 1.5                                   | 2.00           | 41.15                            |
| 955L - 85J       | 4672<br>9274             | 9273<br>YR. 77            | 1.7                                   | 2.25           | 44.85<br>50.85                   |
| 955L - 13X       | 1<br>633<br>2805<br>3600 | 632<br>2804<br>3599<br>UP | 1.7                                   | 2.25           | 50.85<br>53.60<br>54.70<br>54.70 |
| 963 - 6Z         | 1<br>1150                | 1149<br>UP                | 1.9                                   | 2.50           | 60.05<br>60.05                   |
| 963 - 11Z L.G.P. | 1<br>300                 | 299<br>UP                 | 1.9                                   | 2.50           | 66.05<br>66.05                   |
| 973 - 26Z L.G.P. | 1<br>250                 | 249<br>UP                 | 2.9                                   | 3.75           | 91.70<br>91.70                   |
| 977K - 11K       | 1090                     | 3918                      | 1.9                                   | 2.50           | 49.25                            |
| 977L - 11K       | 3919<br>7188<br>8680     | 7187<br>8679<br>YR. 78    | 2.1                                   | 2.75           | 57.35<br>60.60<br>63.85          |
| 977L - 14X       | 1<br>2251                | 2250<br>YR. 82            | 2.5                                   | 3.25           | 72.75<br>74.25                   |

# LOADERS TRACK TYPE

CATERPILLAR

| MODEL      | SERIAL NUMBER            |                               | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR    |
|------------|--------------------------|-------------------------------|---------------------------------------|----------------|----------------------------------|
|            | FROM                     | TO                            | CUBIC<br>METRES                       | CUBIC<br>YARDS |                                  |
| 977K - 70J | 182                      | 1302                          | 1.9                                   | 2.50           | 49.25                            |
| 977L - 70J | 1303<br>2908             | 2907<br>YR. 77                | 2.1                                   | 2.75           | 53.40<br>60.60                   |
| 983 - 38K  | 1<br>671<br>1113<br>1501 | 670<br>1112<br>1500<br>YR. 78 | 3.8                                   | 5.00           | 79.80<br>85.60<br>90.50<br>95.35 |
| 983B - 58X | 1<br>531<br>591          | 530<br>590<br>YR. 82          | 3.8                                   | 5.00           | 95.35<br>97.30<br>97.30          |

# LOADERS TRACK TYPE

FIAT-ALLIS

| MODEL     | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-----------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|           | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| FL 5      | 200116        | 200814 | 0.76                                  | 1.00           | 34.20                         |
|           | 200815        | UP     |                                       |                | 34.20                         |
| 6 G       | 21432         | 24011  | 1.1                                   | 1.50           | 33.85                         |
|           | 24012         | YR. 74 |                                       |                | 36.30                         |
| 7G - B    | 25177         | 30013  | 1.3                                   | 1.75           | 37.40                         |
|           | 30014         | 31335  |                                       |                | 40.15                         |
| FL 7      | 250126        | 250367 | 1.1                                   | 1.50           | 41.25                         |
|           | 250368        | UP     |                                       |                | 41.25                         |
| FL 9      | 1             | 1139   | 1.3                                   | 1.75           | 42.40                         |
|           | 1140          | 2823   |                                       |                | 44.70                         |
|           | 2824          | 4004   |                                       |                | 45.60                         |
|           | 4005          | UP     |                                       |                | 45.60                         |
| FL 10 - C | 110025        | 110202 | 1.50                                  | 2.00           | 49.20                         |
|           | 110203        | 113633 |                                       |                | 50.20                         |
|           | 113634        | UP     |                                       |                | 50.20                         |
| 12 G - B  | 514           | 2327   | 2.3                                   | 3.00           | 57.15                         |
|           | 2328          | 3218   |                                       |                | 61.35                         |
|           | 3219          | YR. 76 |                                       |                | 64.80                         |
| FL 14 - B | 7500          | YR. 77 | 1.9                                   | 2.50           | 55.85                         |
| FL 14 - C | 15186         | 19446  | 2.1                                   | 2.75           | 63.85                         |
|           | 19447         | 50723  |                                       |                | 65.15                         |
|           | 50724         | UP     |                                       |                | 65.15                         |
| FL 20     | 6006          | 6251   | 2.7                                   | 3.50           | 79.10                         |
|           | 6252          | 7758   |                                       |                | 80.70                         |
|           | 7759          | UP     |                                       |                | 80.70                         |

# LOADERS TRACK TYPE

INTERNATIONAL

| MODEL          | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|----------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|                | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 100C - 449     | 501           | 973    | 0.8                                   | 1.00           | 28.05                         |
|                | 974           | YR. 73 |                                       |                | 30.10                         |
| 100E - 449     | 4001          | 4286   | 0.8                                   | 1.00           | 30.10                         |
|                | 4287          | 4688   |                                       |                | 31.80                         |
|                | 4689          | 5037   |                                       |                | 33.50                         |
|                | 5038          | 9002   |                                       |                | 34.20                         |
|                | 9003          | UP     |                                       |                | 34.20                         |
| 125C - 450     | 501           | 1104   | 0.96                                  | 1.25           | 30.85                         |
|                | 1105          | YR. 73 |                                       |                | 33.10                         |
| 125E - 450     | 6001          | 6383   | 1.1                                   | 1.50           | 36.30                         |
|                | 6384          | 6945   |                                       |                | 38.35                         |
|                | 6946          | 7578   |                                       |                | 40.45                         |
|                | 7579          | 9616   |                                       |                | 41.25                         |
|                | 9617          | UP     |                                       |                | 41.25                         |
| 150            | 14828         | 16242  | 1.1                                   | 1.50           | 33.85                         |
|                | 16243         | YR. 74 |                                       |                | 36.30                         |
| 175B - L175 BP | 12351         | 16322  | 1.7                                   | 2.25           | 44.85                         |
|                | 16323         | YR. 73 |                                       |                | 48.15                         |
| 175C - 429.1U  | 501           | 2488   | 1.7                                   | 2.25           | 48.15                         |
|                | 2489          | 3170   |                                       |                | 50.85                         |
|                | 3171          | YR. 78 |                                       |                | 53.60                         |
| 175C - 429.4U  | 3501          | 3755   | 1.7                                   | 2.25           | 53.60                         |
|                | 3756          | 3963   |                                       |                | 54.70                         |
|                | 3964          | UP     |                                       |                | 54.70                         |

# LOADERS TRACK TYPE

INTERNATIONAL

| MODEL      | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|            | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 250C - 426 | 10001         | 10300  | 2.5                                   | 3.25           | 60.90                         |
|            | 10301         | YR. 73 |                                       |                | 65.35                         |
| 250C - 431 | 12001         | 12232  | 2.5                                   | 3.25           | 65.35                         |
|            | 12233         | 12488  |                                       |                | 69.05                         |
|            | 12489         | 12668  |                                       |                | 72.75                         |
|            | 12669         | YR. 83 |                                       |                | 74.25                         |
|            | YR. 84        | UP     |                                       |                | 74.25                         |

# LOADERS TRACK TYPE

JOHN DEERE

| MODEL | SERIAL NUMBER                            |                                         | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR    |
|-------|------------------------------------------|-----------------------------------------|---------------------------------------|----------------|----------------------------------|
|       | FROM                                     | TO                                      | CUBIC<br>METRES                       | CUBIC<br>YARDS |                                  |
| 350   | 082281                                   | YR. 70                                  | 0.58                                  | 0.75           | 24.95                            |
| 350 B | 117500T<br>138709T<br>219508T            | 138708T<br>219507T<br>YR. 75            | 0.58                                  | 0.75           | 24.95<br>26.75<br>28.25          |
| 350 C | 219500T<br>287211T<br>365414T<br>YR. 84  | 287210T<br>365413T<br>YR. 83<br>UP      | 0.58                                  | 0.75           | 28.25<br>29.80<br>30.40<br>30.40 |
| 450   | 082276                                   | YR. 70                                  | 0.96                                  | 1.25           | 30.85                            |
| 450B  | 117588T<br>138714T                       | 138713T<br>YR. 73                       | 0.96                                  | 1.25           | 30.85<br>33.10                   |
| 450 C | 191829T<br>219516T<br>287195T<br>365421T | 219515T<br>287194T<br>365420T<br>YR. 83 | 0.96                                  | 1.25           | 33.10<br>35.75<br>36.85<br>37.60 |
| 455 D | YR. 84                                   | YR. 83<br>UP                            | 0.96                                  | 1.25           | 37.60<br>37.60                   |
| 555   | 212242T<br>219533T<br>287203T<br>365416T | 219532T<br>287202T<br>365415T<br>YR. 83 | 0.96                                  | 1.25           | 33.10<br>34.95<br>36.85<br>37.60 |
| 555 A | 374744<br>706528                         | YR. 83<br>UP                            | 1.1                                   | 1.50           | 41.25<br>41.25                   |
| 555 B | 725522                                   | UP                                      | 1.1                                   | 1.50           | 41.25                            |

# LOADERS TRACK TYPE

JOHN DEERE

| MODEL | SERIAL NUMBER                 |                              | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------|-------------------------------|------------------------------|---------------------------------------|----------------|-------------------------------|
|       | FROM                          | TO                           | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| 655   | 374314T<br>YR. 84             | YR. 83<br>YR. 85             | 1.5                                   | 2.00           | 50.20<br>50.20                |
| 655B  | 725204T                       | UP                           |                                       |                |                               |
| 755   | 242713T<br>283058T<br>363137T | 283057T<br>363136T<br>YR. 83 | 1.5                                   | 2.00           | 46.70<br>49.20<br>50.20       |
| 755 A | 373901T<br>YR. 84             | YR. 83<br>UP                 | 1.7                                   | 2.25           | 54.70<br>54.70                |
| 855   | 313311T<br>363198T<br>YR. 84  | 363197T<br>YR. 83<br>UP      | 2.5                                   | 3.25           | 72.75<br>74.25<br>74.25       |

# LOADERS TRACK TYPE

KOMATSU

| MODEL     | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-----------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|           | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| D31S      | 18001         | 18744  | 0.8                                   | 1.00           | 30.10                         |
|           | 18745         | 26365  |                                       |                | 31.80                         |
|           | 26366         | 29214  |                                       |                | 33.50                         |
|           | 29215         | 32544  |                                       |                | 34.20                         |
|           | 32545         | UP     |                                       |                | 34.20                         |
| D53S      | 60001         | 60026  | 1.1                                   | 1.50           | 36.30                         |
|           | 60027         | 65000  |                                       |                | 38.35                         |
| D53S - 16 | 65001         | 65131  | 1.3                                   | 1.75           | 44.70                         |
|           | 65132         | 68057  |                                       |                | 45.60                         |
|           | 68058         | YR. 83 |                                       |                | 45.60                         |
| D53S - 17 | 80000         | UP     | 1.5                                   | 2.00           | 50.20                         |
| D57S      | 6501          | 6969   | 1.5                                   | 2.00           | 46.70                         |
|           | 6970          | 8321   |                                       |                | 49.20                         |
|           | 8322          | 9000   |                                       |                | 50.20                         |
| D57S-2    | 9001          | 9216   | 1.9                                   | 2.50           | 60.05                         |
|           | 9217          | UP     | 1.9                                   | 2.5            | 60.05                         |
| D65S      | YR. 69        | YR. 71 | 1.9                                   | 2.50           | 49.25                         |
|           | YR. 72        | 28558  |                                       |                | 52.85                         |
|           | 28559         | 30012  |                                       |                | 55.85                         |
|           | 30013         | 31104  |                                       |                | 58.85                         |
|           | 31105         | 40096  |                                       |                | 60.05                         |
|           | 40097         | UP     |                                       |                | 60.05                         |
| D75S - 2  | 1220          | 3455   | 2.0                                   | 2.75           | 53.40                         |
|           | 3466          | 5766   |                                       |                | 57.35                         |
|           | 5767          | 7000   |                                       |                | 60.60                         |
| D75S - 3  | 7001          | 7640   | 2.1                                   | 3.00           | 60.60                         |
|           | 7641          | 9006   |                                       |                | 68.30                         |
|           | 9007          | 10130  |                                       |                | 69.70                         |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# LOADERS TRACK TYPE

KOMATSU

| MODEL    | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|----------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|          | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| D75S - 5 | 15000         | UP     | 2.1                                   | 3.00           | 69.70                         |
| D95S     | 1001          | 1236   | 3.2                                   | 4.25           | 78.25                         |
|          | 1237          | 1421   |                                       |                | 82.70                         |
|          | 1422          | 2000   |                                       |                | 87.10                         |
| D95S - 2 | 2001          | 2086   | 3.2                                   | 4.25           | 87.10                         |
|          | 2087          | YR. 83 |                                       |                | 88.90                         |
|          | YR. 84        | UP     |                                       |                | 88.90                         |

# LOADERS TRACK TYPE

MASSEY FERGUSON

| MODEL      | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|------------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|            | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| MF 200,B,C | (70) 204521   | 209388 | 0.58                                  | 0.75           | 24.95                         |
|            | 209389        | 212999 |                                       |                | 26.75                         |
|            | 213000        | YR. 77 |                                       |                | 28.25                         |
| MF 300     | (1020) 100001 | 100928 | 0.96                                  | 1.25           | 30.85                         |
|            | 100929        | 101884 |                                       |                | 33.10                         |
|            | 101885        | YR. 77 |                                       |                | 34.95                         |
| MF 400     | (1060) 100178 | 100470 | 1.3                                   | 1.75           | 37.40                         |
|            | 100471        | 101358 |                                       |                | 40.15                         |
|            | 101359        | YR. 76 |                                       |                | 42.40                         |
| MF 400C    | (2100) 100001 | 100178 | 1.3                                   | 1.75           | 42.40                         |
| MF 500     | (1010) 100061 | 100538 | 1.7                                   | 2.25           | 44.85                         |
| MF 500B    | (1010) 100539 | 100796 | 1.7                                   | 2.25           | 48.15                         |
|            | 100797        | YR. 77 |                                       |                | 50.85                         |
| MF 600C    | (310) 03014   | 10107  | 1.9                                   | 2.50           | 55.85                         |

# LOADERS TRACK TYPE

TEREX

| MODEL | SERIAL NUMBER |        | SAE RATED (HEAPED)<br>BUCKET CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------|---------------|--------|---------------------------------------|----------------|-------------------------------|
|       | FROM          | TO     | CUBIC<br>METRES                       | CUBIC<br>YARDS |                               |
| L400D | YR. 81        | YR. 83 | 1.1                                   | 1.50           | 41.25                         |
|       | YR. 84        | UP     |                                       |                | 41.25                         |
| L600D | YR. 81        | YR. 83 | 1.9                                   | 2.50           | 60.05                         |
|       | YR. 84        | UP     |                                       |                | 60.05                         |
| L700D | YR. 81        | YR. 83 | 2.3                                   | 3.00           | 69.70                         |
|       | YR. 84        | UP     |                                       |                | 69.70                         |

## MISCELLANEOUS EQUIPMENT

RENTAL RATES FOR MISCELLANEOUS EQUIPMENT SUCH AS: CONCRETE BUCKETS; CONVEYORS; VIBRATORS; COMPRESSOR & HOSES; JACK HAMMERS; AIR DRILLS; AIR IMPACT WRENCHES; SAND BLASTING EQUIPMENT & ACCESSORIES; PAINT SPRAY EQUIPMENT; LIGHT PLANTS; ELECTRIC TOOLS; WELDERS & ACCESSORIES; PUMPS & HOSES; SPACE HEATERS; JACKS; ETC. WILL BE PAID FOR AT THE RATES CHARGED BY AN EQUIPMENT RENTAL AGENCY REGISTERED WITHIN THE PROVINCE OF ALBERTA. CONFIRMATION OF RATES MUST BE SUBSTANTIATED WITH THE COMPANY'S INVOICE OR BY A COPY OF THE RENTAL COMPANY'S PUBLISHED RATE SCHEDULE.


| TYPE OF EQUIPMENT                          | RENTAL RATE        |
|--------------------------------------------|--------------------|
| BACKHOE ATTACHMENT FOR CRAWLER TRACTORS    | \$ 7.45 PER HOUR   |
| PORTABLE CHAIN SAW, BRUSH SAW              | \$ 5.00 PER HOUR   |
| (HOURLY RATE NOT TO EXCEED DAILY RATE)     | \$ 25.00 PER DAY   |
| (DAILY RATE NOT TO EXCEED WEEKLY RATE)     | \$ 75.00 PER WEEK  |
| (WEEKLY RATE NOT TO EXCEED MONTHLY RATE)   | \$300.00 PER MONTH |
| TRUCK MOUNTED WELDER C/W OPERATOR          | \$ 40.00 PER HOUR  |
| *PULVI-MIXER (PULL-TYPE)                   | \$ 18.00 PER HOUR  |
| *PULVI-MIXER (HYDROSTATIC, SELF-PROPELLED) | \$ 35.90 PER HOUR  |
| *PULVI-MIXER (GEAR DRIVEN, SELF-PROPELLED) | \$ 27.95 PER HOUR  |

\*TINES TO BE SUPPLIED BY THE DEPARTMENT.

THE ABOVE RATES INCLUDE; FUEL, OIL, AND SERVICING.

FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED **EXCLUSIVELY** FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.





## MOTOR GRADERS

1. THE FOLLOWING RATES INCLUDE; OPERATOR'S WAGES, FUEL, OIL, AND SERVICING.
2. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED EXCLUSIVELY FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.
3. MOTOR GRADERS MUST ARRIVE ON PROJECTS WITH AN ADEQUATE SET OF BLADES. THE DEPARTMENT WILL REPLACE WORN OUT BLADES WHILE EQUIPMENT IS EMPLOYED ON ALBERTA TRANSPORTATION PROJECTS.
4. FOR REAR MOUNTED HYDRAULIC RIPPER ADD 8% TO THE APPROPRIATE MOTOR GRADER WHEN USED.
5. REAR MOUNTED HYDRAULIC RIPPERS MUST ARRIVE ON PROJECTS EQUIPPED WITH AN ADEQUATE SET OF TEETH. THE COST OF RIPPER TEETH AND PINS WILL BE PAID FOR BY THE DEPARTMENT WHILE THE EQUIPMENT IS EMPLOYED ON ALBERTA TRANSPORTATION PROJECTS.

**SCHEDULE OF RENTAL RATES FOR MOTOR GRADER ATTACHMENTS**

| <b>TYPE OF EQUIPMENT</b>   | <b>RENTAL RATE</b> |
|----------------------------|--------------------|
| V-PLOW OR DOZER ATTACHMENT | \$ 5.50 PER HOUR   |
| WING ATTACHMENT            | \$ 7.70 PER HOUR   |
| WINDROW ELIMINATOR         | \$ 3.25 PER HOUR   |

# MOTOR GRADERS

CATERPILLAR

| MODEL           | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER<br>OPERATING<br>HOUR |
|-----------------|-----------|-------------|---------------|--------|-------------------------------|
|                 |           |             | FROM          | TO     |                               |
| 112F - 89J      | 75        | 100         | 1             | 418    | 35.90                         |
|                 |           |             | 419           | 1551   | 36.80                         |
|                 |           |             | 1552          | YR. 74 | 39.50                         |
| 12 - 8T         | 75        | 100         | 1             | 14781  | 35.90                         |
|                 | 86        | 115         | 14782         | 21905  | 40.45                         |
| 12E - 99E       | 86        | 115         | 1             | 14170  | 40.45                         |
| 12F - 13K       | 93        | 125         | 1             | 1747   | 40.45                         |
|                 |           |             | 1748          | 4421   | 41.45                         |
|                 |           |             | 4422          | YR. 73 | 44.50                         |
| 12G - 61M (ART) | 101       | 135         | 1             | 2145   | 52.85                         |
|                 |           |             | 2146          | 5302   | 55.85                         |
|                 |           |             | 5303          | 8450   | 58.85                         |
|                 |           |             | 8451          | 10365  | 60.05                         |
|                 |           |             | 10366         | UP     | 60.05                         |
| 14E - 12K       | 112       | 150         | 1             | 718    | 46.15                         |
|                 |           |             | 719           | 1878   | 47.30                         |
|                 |           |             | 1879          | YR. 73 | 50.80                         |
| 14E - 72G       | 112       | 150         | 1             | 118    | 46.15                         |
|                 |           |             | 119           | 865    | 47.30                         |
|                 |           |             | 866           | YR. 73 | 50.80                         |
| 14E - 99G       | 112       | 150         | 1             | 1244   | 46.15                         |
| 14G - 96U (ART) | 134       | 180         | 1             | 810    | 58.55                         |
|                 |           |             | 811           | 2712   | 61.90                         |
|                 |           |             | 2713          | 4850   | 65.20                         |
|                 |           |             | 4851          | 6249   | 66.55                         |
|                 |           |             | 6250          | 6675   | 66.55                         |
|                 |           |             | 6676          | UP     | 73.20                         |
|                 | 150       | 200         |               |        |                               |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# MOTOR GRADERS

CATERPILLAR

| MODEL            | NET KW | NET H.P. | SERIAL NUMBER |        | RATE PER OPERATING HOUR |
|------------------|--------|----------|---------------|--------|-------------------------|
|                  |        |          | FROM          | TO     |                         |
| 16 - 49G         | 168    | 225      | 1             | 651    | 59.20                   |
|                  |        |          | 652           | 1191   | 62.90                   |
|                  |        |          | 1192          | YR. 73 | 65.10                   |
| 16G - 93U (ART)  | 187    | 250      | 1             | 655    | 78.30                   |
|                  |        |          | 656           | 1266   | 82.75                   |
|                  |        |          | 1267          | 1888   | 87.25                   |
|                  |        |          | 1889          | 2348   | 89.00                   |
|                  |        |          | 2349          | UP     | 89.00                   |
| 120 - 10R        | 93     | 125      | 1             | 2154   | 41.45                   |
|                  |        |          | 2155          | YR. 74 | 44.50                   |
| 120 - 13U        | 93     | 125      | 1             | 692    | 41.45                   |
|                  |        |          | 693           | YR. 74 | 44.50                   |
| 120 - 14K        | 93     | 125      | 1             | 1433   | 40.45                   |
|                  |        |          | 1434          | YR. 70 | 41.45                   |
| 120 - 22R        | 93     | 125      | 1             | 928    | 41.45                   |
|                  |        |          | 929           | YR. 74 | 44.50                   |
| 120G - 82V (ART) | 93     | 125      | 1             | 659    | 49.80                   |
|                  |        |          | 660           | 830    | 52.65                   |
|                  |        |          | 831           | YR. 80 | 55.45                   |
| 120G - 87V (ART) | 93     | 125      | 1             | 922    | 49.80                   |
|                  |        |          | 923           | 3272   | 52.65                   |
|                  |        |          | 3273          | 5710   | 55.45                   |
|                  |        |          | 5711          | 7149   | 56.60                   |
|                  |        |          | 7150          | UP     | 56.60                   |

# MOTOR GRADERS

CATERPILLAR

| MODEL            | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER<br>OPERATING<br>HOUR |
|------------------|-----------|-------------|---------------|--------|-------------------------------|
|                  |           |             | FROM          | TO     |                               |
| 130G - 74V (ART) | 101       | 135         | 1             | 461    | 52.85                         |
|                  |           |             | 462           | 1350   | 55.85                         |
|                  |           |             | 1351          | 1734   | 58.85                         |
|                  |           |             | 1735          | 2099   | 60.05                         |
|                  |           |             | 2100          | UP     | 60.05                         |
| 140 - 11R        | 112       | 150         | 1             | 481    | 47.30                         |
|                  |           |             | 482           | YR. 74 | 50.80                         |
| 140 - 14U        | 112       | 150         | 1             | 421    | 47.30                         |
|                  |           |             | 422           | YR. 74 | 50.80                         |
| 140 - 24R        | 112       | 150         | 1             | 485    | 47.30                         |
|                  |           |             | 486           | YR. 74 | 50.80                         |
| 140G - 72V (ART) | 112       | 150         | 1             | 541    | 56.90                         |
|                  |           |             | 542           | 2700   | 60.10                         |
|                  |           |             | 2701          | 4800   | 63.35                         |
|                  |           |             | 4801          | 6700   | 64.65                         |
|                  |           |             | 6701          | UP     | 64.65                         |
| 140G - 81V (ART) | 112       | 150         | 1             | 277    | 56.90                         |
|                  |           |             | 278           | 667    | 60.10                         |
|                  |           |             | 668           | 1023   | 63.35                         |
|                  |           |             | 1024          | YR. 81 | 64.65                         |

# MOTOR GRADERS

CHAMPION

| MODEL                                     | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER<br>OPERATING<br>HOUR |
|-------------------------------------------|-----------|-------------|---------------|--------|-------------------------------|
|                                           |           |             | FROM          | TO     |                               |
| D560B<br>(G.M. 3-71N)                     | 67        | 90          | 1             | 3088   | 35.90                         |
|                                           |           |             | 3089          | 4906   | 36.80                         |
|                                           |           |             | 4907          | 7715   | 39.50                         |
|                                           |           |             | 7716          | 8998   | 41.75                         |
| D562B & D565T<br>(G.M. 4-71N,<br>CUMMINS) | 100       | 134         | 1             | 3088   | 42.90                         |
|                                           |           |             | 3089          | 4906   | 43.95                         |
|                                           |           |             | 4907          | 7715   | 47.15                         |
|                                           |           |             | 7716          | 8998   | 49.80                         |
| D600 & D600B<br>(G.M. 6-71N,<br>CUMMINS)  | 123       | 165         | 716           | 3088   | 46.15                         |
|                                           |           |             | 3089          | 4906   | 47.30                         |
|                                           |           |             | 4907          | 7715   | 50.80                         |
|                                           |           |             | 7716          | 8998   | 53.65                         |
| D605T<br>(G.M. 6-71N)                     | 133       | 179         | 4907          | 7715   | 52.25                         |
|                                           |           |             | 7716          | 8998   | 55.25                         |
| D680<br>(G.M. 6-71N,<br>6057N)            | 141       | 190         | 2342          | 3088   | 47.50                         |
|                                           |           |             | 3089          | 4906   | 48.70                         |
|                                           |           |             | 4907          | 7715   | 52.25                         |
| D686<br>(G.M. 6-71N)                      | 153       | 205         | 4907          | 7715   | 57.50                         |
|                                           |           |             | 7716          | 8998   | 60.80                         |
| D720<br>(G.M. 4-71N65)                    | 110       | 148         | 7716          | 11079  | 49.80                         |
|                                           |           |             | 11080         | 14352  | 52.55                         |
|                                           |           |             | 14353         | YR. 83 | 53.60                         |
| CUMMINS<br>V-504-C)                       | 113       | 152         | YR. 84        | UP     | 57.70                         |
| D720A (ART)<br>(G.M. 4-71N65)             | 110       | 148         | 7716          | 11079  | 55.85                         |
|                                           |           |             | 11080         | 14352  | 58.85                         |
|                                           |           |             | 14353         | YR. 83 | 60.05                         |
| (CUMMINS<br>V-504-C)                      | 113       | 152         | YR. 84        | UP     | 64.65                         |

# MOTOR GRADERS

## CHAMPION

| MODEL                                   | NET<br>KW | NET<br>H.P. | SERIAL NUMBER          |                          | RATE PER<br>OPERATING<br>HOUR |
|-----------------------------------------|-----------|-------------|------------------------|--------------------------|-------------------------------|
|                                         |           |             | FROM                   | TO                       |                               |
| D730                                    | 134       | 180         | YR. 84                 | UP                       | 59.40                         |
| D730A (ART)                             | 134       | 180         | YR. 84                 | UP                       | 66.55                         |
| D740<br>(G.M. 6-71N55<br>OR N60)        | 131       | 176         | 7716<br>11080<br>14353 | 11079<br>14352<br>YR. 83 | 56.55<br>56.90<br>59.40       |
| D740<br>(G.M. 6-71N65)                  | 160       | 214         | 7716<br>11080<br>14353 | 11079<br>14352<br>YR. 83 | 60.80<br>64.05<br>65.35       |
| (CUMMINS<br>LT-10-C)                    | 156       | 210         | YR. 84                 | UP                       | 65.35                         |
| D740A (ART)<br>(G.M. 6-71N55<br>OR N60) | 131       | 176         | 7716<br>11080<br>14353 | 11079<br>14352<br>YR. 83 | 61.90<br>65.20<br>66.55       |
| D740A (ART)<br>(G.M. 6-71N65)           | 160       | 214         | 7716<br>11080<br>14353 | 11079<br>14352<br>YR. 83 | 68.10<br>71.75<br>73.20       |
| (CUMMINS<br>LT-10-C)                    | 156       | 210         | YR. 84                 | UP                       | 73.20                         |
| D760<br>(G.M. 6-71N65)                  | 160       | 214         | 7716<br>11080<br>14353 | 11079<br>14352<br>YR. 83 | 60.80<br>64.05<br>65.35       |
| (CUMMINS<br>LT-10-C)                    | 156       | 210         | YR. 84                 | UP                       | 65.35                         |
| D780                                    | 150       | 200         | YR. 86                 | UP                       |                               |
| D780A                                   | 150       | 200         | YR. 86                 | UP                       | 73.20                         |

# MOTOR GRADERS

FIAT - ALLIS

| MODEL       | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER<br>OPERATING<br>HOUR |
|-------------|-----------|-------------|---------------|--------|-------------------------------|
|             |           |             | FROM          | TO     |                               |
| 65          | 44        | 59          | 201           | 641    | 28.80                         |
|             |           |             | 642           | 1680   | 30.90                         |
|             |           |             | 1681          | 2315   | 32.65                         |
|             |           |             | 2316          | YR. 79 | 34.40                         |
| 65 B        | 51        | 68          | 2401          | 2761   | 34.40                         |
|             |           |             | 2762          | 3042   | 35.10                         |
|             |           |             | 3043          | UP     | 35.10                         |
| FG 75       | 97        | 130         | 1             | 307    | 53.60                         |
|             |           |             | 308           | UP     | 53.60                         |
| FG 75 (ART) | 97        | 130         | 101           | UP     | 60.05                         |
| FG 85       | 108       | 145         | 1             | 317    | 53.60                         |
|             |           |             | 318           | UP     | 53.60                         |
| FG 85 (ART) | 108       | 145         | 101           | UP     | 60.05                         |
| FG 95       | 119       | 160         | 1             | 327    | 57.70                         |
|             |           |             | 328           | UP     | 57.70                         |
| FG 95 (ART) | 119       | 160         | 101           | UP     | 64.65                         |
| 100C        | 101       | 135         | 2220          | 6598   | 43.95                         |
|             |           |             | 6599          | 8495   | 47.15                         |
|             |           |             | 8496          | 9237   | 49.80                         |
|             |           |             | 9238          | YR. 80 | 52.55                         |
| 150 C       | 101       | 135         | 1001          | 1177   | 47.15                         |
|             |           |             | 1178          | 1789   | 49.80                         |
|             |           |             | 1750          | YR. 80 | 52.55                         |

# MOTOR GRADERS

FIAT - ALLIS

| MODEL | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER<br>OPERATING<br>HOUR |
|-------|-----------|-------------|---------------|--------|-------------------------------|
|       |           |             | FROM          | TO     |                               |
| 200 C | 119       | 160         | 1001          | 1167   | 50.80                         |
|       |           |             | 1168          | 1832   | 53.65                         |
|       |           |             | 1833          | YR. 80 | 56.55                         |

# MOTOR GRADERS

JOHN DEERE

| MODEL                         | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER<br>OPERATING<br>HOUR |
|-------------------------------|-----------|-------------|---------------|--------|-------------------------------|
|                               |           |             | FROM          | TO     |                               |
| 570                           | 63        | 85          | 730           | 1699   | 32.05                         |
| 570A (ART)                    | 63        | 85          | 1700          | 1780   | 35.90                         |
|                               |           |             | 1781          | 3063   | 38.55                         |
|                               |           |             | 3064          | 6083   | 40.75                         |
|                               |           |             | 6084          | 10634  | 42.90                         |
|                               |           |             | 10635         | 502453 | 43.80                         |
|                               |           |             | 502454        | UP     | 43.80                         |
| 670 (ART)                     | 93        | 125         | 3421          | 6050   | 52.65                         |
|                               |           |             | 6051          | YR. 78 | 55.45                         |
| 670A (ART)                    | 93        | 125         | 6945          | 10623  | 55.45                         |
|                               |           |             | 10624         | YR. 83 | 56.60                         |
|                               |           |             | YR. 84        | UP     | 56.60                         |
| 672A (ART)<br>(6 WHEEL DRIVE) | 93        | 125         | 7029          | 10617  | 58.25                         |
|                               |           |             | 10618         | YR. 83 | 59.45                         |
|                               |           |             | YR. 84        | UP     | 59.45                         |
| 770 (ART)                     | 106       | 142         | 3327          | 6068   | 55.85                         |
|                               |           |             | 6069          | YR. 78 | 58.85                         |
| 770A (ART)                    | 112       | 150         | 6909          | 10603  | 63.35                         |
|                               |           |             | 10604         | 500299 | 64.65                         |
|                               |           |             | 500300        | UP     | 64.65                         |
| 772A (ART)<br>(6 WHEEL DRIVE) | 112       | 150         | 6946          | 10621  | 66.55                         |
|                               |           |             | 10622         | 500718 | 67.90                         |
|                               |           |             | 500719        | UP     | 67.90                         |

# MOTOR GRADERS

**KOMATSU**

| MODEL           | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |    | RATE PER<br>OPERATING<br>HOUR |
|-----------------|-----------|-------------|---------------|----|-------------------------------|
|                 |           |             | FROM          | TO |                               |
| GD 655A-4 (ART) | 123       | 165         | YR. 81        | UP | 64.65                         |
| GD 705A-4 (ART) | 150       | 200         | YR. 81        | UP | 73.20                         |

# MOTOR GRADERS

mitsubishi


| MODEL                           | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER<br>OPERATING<br>HOUR |
|---------------------------------|-----------|-------------|---------------|--------|-------------------------------|
|                                 |           |             | FROM          | TO     |                               |
| MG 100 (ART)                    | 56        | 76          | YR. 84        | UP     | 43.80                         |
| MG 150 (ART)                    | 67        | 91          | YR. 84        | UP     | 50.30                         |
| MG 300 (ART)                    | 93        | 125         | YR. 84        | UP     | 56.60                         |
| MG 300 (ART)<br>(TURBO CHARGED) | 101       | 135         | YR. 84        | UP     | 60.05                         |
| MG 400 (ART)                    | 108       | 145         | YR. 81        | YR. 84 | 60.05                         |
|                                 | 112       | 150         | YR. 85        | UP     | 64.65                         |
| MG 400 (ART)<br>(TURBO CHARGED) | 127       | 170         | YR. 84        | UP     | 64.65                         |
| MG 500 (ART)                    | 127       | 170         | YR. 84        | UP     | 64.65                         |

# MOTOR GRADERS

WABCO

| MODEL                     | NET<br>KW | NET<br>H.P. | SERIAL NUMBER |        | RATE PER<br>OPERATING<br>HOUR |
|---------------------------|-----------|-------------|---------------|--------|-------------------------------|
|                           |           |             | FROM          | TO     |                               |
| 444 (CUMMINS)             | 95        | 128         | 22003         | 22372  | 41.45                         |
|                           |           |             | 22373         | 23136  | 44.50                         |
|                           |           |             | 23137         | YR. 77 | 47.00                         |
| 444T (G.M.)<br>POWER FLOW | 100       | 135         | 20105         | 20156  | 47.15                         |
|                           |           |             | 20157         | YR. 77 | 49.80                         |
| 555                       | 119       | 160         | 30000         | 30021  | 47.30                         |
|                           |           |             | 30022         | 30816  | 50.80                         |
|                           |           |             | 30817         | YR. 77 | 53.65                         |
| 666B                      | 100       | 134         | 15000         | 15615  | 43.95                         |
|                           |           |             | 15616         | YR. 74 | 47.15                         |
| 666BT<br>POWER FLOW       | 101       | 135         | 6606          | 6715   | 43.95                         |
|                           |           |             | 6716          | YR. 74 | 47.15                         |
| 777B                      | 119       | 160         | 3700          | 4112   | 47.30                         |
|                           |           |             | 4113          | 4421   | 50.80                         |
|                           |           |             | 4423          | YR. 77 | 53.65                         |
| 777BT<br>POWER FLOW       | 150       | 201         | 6800          | 6983   | 53.60                         |
|                           |           |             | 6984          | 7274   | 57.50                         |
|                           |           |             | 7275          | YR. 77 | 60.80                         |





## MOTOR SCRAPERS

1. THE FOLLOWING RATES INCLUDE; OPERATOR'S WAGES, FUEL, OIL, AND SERVICING.
2. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED EXCLUSIVELY FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.
3. FOR TWIN ENGINE MODELS ADD \$4.90 WHEN PUSH PULL ATTACHMENT IS USED.

# MOTOR SCRAPERS

CATERPILLAR

| MODEL                                                | SERIAL NUMBER                    |                                   | CAPACITY        |        |                |        | RATE PER<br>OPERATING<br>HOUR             |
|------------------------------------------------------|----------------------------------|-----------------------------------|-----------------|--------|----------------|--------|-------------------------------------------|
|                                                      | FROM                             | TO                                | CUBIC<br>METRES |        | CUBIC<br>YARDS |        |                                           |
|                                                      |                                  |                                   | STRUCK          | HEAPED | STRUCK         | HEAPED |                                           |
| 613 - 71M<br>(ELEVATING)                             | 1<br>1313<br>3366                | 1312<br>3365<br>YR. 75            |                 | 8.4    |                | 11.0   | 48.65<br>52.25<br>55.20                   |
| 613B - 38W<br>(ELEVATING)                            | 1<br>5058<br>6700<br>7464        | 5057<br>6699<br>7463<br>UP        |                 | 8.4    |                | 11.0   | 55.20<br>58.15<br>59.35<br>59.35          |
| 613B - 38W<br>C/W ROME R56L<br>SCRAPER<br>(STANDARD) | 1<br>5058<br>6700<br>7464        | 5057<br>6699<br>7463<br>UP        | 6.9             |        | 9.0            | 12.5   | 54.65<br>57.60<br>58.75<br>58.75          |
| 615A - 46Z<br>(ELEVATING)                            | 1<br>921                         | 920<br>UP                         |                 | 12.2   |                | 16.0   | 79.45<br>79.45                            |
| 621 - 23H<br>(STANDARD)                              | 1<br>2274<br>4126                | 2273<br>4125<br>YR. 73            | 10.7            | 15.3   | 14.0           | 20.0   | 72.90<br>74.70<br>80.15                   |
| 621 - 23H<br>(ELEVATING)                             | 1<br>2274<br>4126                | 2273<br>4125<br>YR. 73            |                 | 16.4   |                | 21.5   | 76.35<br>78.25<br>84.00                   |
| 621B - 45P<br>(STANDARD)                             | 1<br>992<br>1984<br>2954<br>3510 | 991<br>1983<br>2953<br>3509<br>UP | 10.7            | 15.3   | 14.0           | 20.0   | 80.15<br>84.70<br>89.31<br>91.10<br>91.10 |
| 623 - 52U                                            | 1                                | YR. 73                            |                 | 16.8   |                | 22.0   | 87.30                                     |
| 623B - 46P<br>(ELEVATING)                            | 1<br>771<br>1141<br>1708<br>2011 | 770<br>1140<br>1707<br>2010<br>UP |                 | 16.8   |                | 22.0   | 87.30<br>92.25<br>97.20<br>99.20<br>99.20 |

# MOTOR SCRAPERS

CATERPILLAR

| MODEL                       | SERIAL NUMBER                    |                                   | CAPACITY        |        |                |        | RATE PER<br>OPERATING<br>HOUR                 |
|-----------------------------|----------------------------------|-----------------------------------|-----------------|--------|----------------|--------|-----------------------------------------------|
|                             | FROM                             | TO                                | CUBIC<br>METRES |        | CUBIC<br>YARDS |        |                                               |
|                             |                                  |                                   | STRUCK          | HEAPED | STRUCK         | HEAPED |                                               |
| 627 - 54K<br>(TWIN ENGINE)  | 285<br>750                       | 749<br>YR. 73                     | 10.7            | 15.3   | 14.0           | 20.0   | 92.40<br>99.20                                |
| 627 - 68M<br>(TWIN ENGINE)  | 1<br>520                         | 519<br>YR. 73                     | 10.7            | 15.3   | 14.0           | 20.0   | 92.40<br>99.20                                |
| 627B - 14S<br>(TWIN ENGINE) | 1<br>540<br>780<br>1032<br>1350  | 539<br>779<br>1031<br>1349<br>UP  | 10.7            | 15.3   | 14.0           | 20.0   | 99.20<br>104.80<br>110.45<br>112.70<br>112.70 |
| 627B - 15S<br>(TWIN ENGINE) | 1<br>550<br>1100<br>1464<br>1900 | 549<br>1099<br>1463<br>1899<br>UP | 10.7            | 15.3   | 14.0           | 20.0   | 99.20<br>104.80<br>110.45<br>112.70<br>112.70 |
| 631C - 67M<br>(STANDARD)    | 1<br>4026<br>5578                | 4025<br>5577<br>YR. 75            | 16.1            | 22.9   | 21.0           | 30.0   | 109.65<br>117.65<br>124.35                    |
| 631D - 24W<br>(STANDARD)    | 1<br>1629<br>3024<br>3700        | 1628<br>3023<br>3699<br>UP        | 16.0            | 23.7   | 21.0           | 31.0   | 124.35<br>131.05<br>133.70<br>133.70          |
| 633C - 66M<br>(ELEVATING)   | 1<br>692<br>1118                 | 691<br>1117<br>YR. 75             |                 | 24.5   |                | 32.0   | 103.50<br>109.65<br>117.35                    |
| 633D - 25W<br>(ELEVATING)   | 1<br>572<br>812<br>882           | 571<br>811<br>881<br>YR. 75       |                 | 26.0   |                | 34.0   | 122.35<br>128.90<br>131.55<br>131.55          |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# MOTOR SCRAPERS

CATERPILLAR

| MODEL                                     | SERIAL NUMBER |        | CAPACITY        |        |                |        | RATE PER<br>OPERATING<br>HOUR |
|-------------------------------------------|---------------|--------|-----------------|--------|----------------|--------|-------------------------------|
|                                           | FROM          | TO     | CUBIC<br>METRES |        | CUBIC<br>YARDS |        |                               |
|                                           |               |        | STRUCK          | HEAPED | STRUCK         | HEAPED |                               |
| 637 - 65M<br>(TWIN ENGINE)                | 1             | 311    |                 | 21.0   |                | 30.0   | 131.25                        |
|                                           | 312           | 626    |                 |        |                |        | 140.85                        |
|                                           | 627           | YR. 75 |                 |        |                |        | 148.85                        |
| 637 - 79P<br>(TWIN ENGINE)                | 1             | 380    |                 | 21.0   |                | 30.0   | 131.25                        |
|                                           | 381           | 984    |                 |        |                |        | 140.85                        |
|                                           | 985           | YR. 75 |                 |        |                |        | 148.85                        |
| 637D - 26W<br>(TWIN ENGINE)               | 1             | 320    | 16.1            | 23.7   | 21.0           | 31.0   | 148.85                        |
|                                           | 321           | 470    |                 |        |                |        | 156.85                        |
|                                           | 471           | 574    |                 |        |                |        | 160.05                        |
|                                           | 575           | UP     |                 |        |                |        | 160.05                        |
| 637D - 27W<br>(TWIN ENGINE)               | 1             | 770    | 16.1            | 23.7   | 21.0           | 31.0   | 148.85                        |
|                                           | 771           | 1340   |                 |        |                |        | 156.85                        |
|                                           | 1341          | 1749   |                 |        |                |        | 160.05                        |
|                                           | 1750          | UP     |                 |        |                |        | 160.05                        |
| 639D - 99X<br>(TWIN ENGINE,<br>ELEVATING) | 1             | 436    |                 | 26.0   |                | 34.0   | 156.40                        |
|                                           | 437           | 801    |                 |        |                |        | 159.40                        |
|                                           | 802           | UP     |                 |        |                |        | 159.40                        |
| 641 - 64F                                 | 1             | UP     | 21.4            | 29.0   | 28.0           | 38.0   | 115.80                        |
| 641B - 65K<br>(STANDARD)                  | 1             | 889    | 21.4            | 29.0   | 28.0           | 38.0   | 118.70                        |
|                                           | 890           | 1031   |                 |        |                |        | 127.40                        |
|                                           | 1032          | 1140   |                 |        |                |        | 134.60                        |
|                                           | 1141          | 1311   |                 |        |                |        | 141.85                        |
|                                           | 1312          | 1470   |                 |        |                |        | 144.75                        |
|                                           | 1471          | UP     |                 |        |                |        | 144.75                        |

# MOTOR SCRAPERS

FIAT - ALLIS

| MODEL                               | SERIAL NUMBER                     |                                  | CAPACITY        |        |                |        | RATE PER<br>OPERATING<br>HOUR                |
|-------------------------------------|-----------------------------------|----------------------------------|-----------------|--------|----------------|--------|----------------------------------------------|
|                                     | FROM                              | TO                               | CUBIC<br>METRES |        | CUBIC<br>YARDS |        |                                              |
|                                     |                                   |                                  | STRUCK          | HEAPEC | STRUCK         | HEA EC |                                              |
| 161<br>(ELEVATING)                  | 101<br>287<br>336                 | 286<br>335<br>UP                 |                 | 11.5   |                | 15.0   | 73.50<br>75.00<br>75.00                      |
| 260A<br>(STANDARD)                  | 8135<br>9739                      | 9738<br>YR. 73                   | 11.5            | 15.3   | 15.0           | 20.0   | 74.70<br>80.15                               |
| 260B<br>(STANDARD)                  | 101<br>422<br>955<br>1260<br>1377 | 421<br>954<br>1259<br>1376<br>UP | 11.5            | 15.3   | 15.0           | 20.0   | 80.15<br>84.70<br>89.31<br>91.10<br>91.10    |
| 260<br>(ELEVATING)                  | 8244<br>9937                      | 9936<br>YR. 73                   |                 | 17.6   |                | 23.0   | 86.30<br>92.60                               |
| 261B<br>(ELEVATING)                 | 1<br>417<br>985<br>1266<br>2002   | 416<br>984<br>1265<br>2001<br>UP |                 | 17.6   |                | 23.0   | 92.60<br>97.90<br>103.15<br>105.25<br>105.25 |
| 262B<br>(TWIN ENGINE)               | 501<br>544<br>690<br>712          | 543<br>689<br>711<br>UP          | 11.5            | 16.1   | 15.0           | 21.0   | 104.80<br>110.45<br>112.70<br>112.70         |
| 263B<br>(TWIN ENGINE,<br>ELEVATING) | 501<br>522<br>701<br>716          | 521<br>700<br>715<br>UP          |                 | 16.8   |                | 23.0   | 111.05<br>117.00<br>119.40<br>119.40         |
| 460B & C<br>(STANDARD)              | 5105<br>5545<br>5761              | 5544<br>5760<br>YR. 77           | 18.3            | 25.2   | 24.0           | 33.0   | 118.70<br>127.40<br>134.60                   |

# MOTOR SCRAPERS

INTERNATIONAL

| MODEL                 | SERIAL NUMBER                 |                          | CAPACITY        |        |                |        | RATE PER<br>OPERATING<br>HOUR |
|-----------------------|-------------------------------|--------------------------|-----------------|--------|----------------|--------|-------------------------------|
|                       | FROM                          | TO                       | CUBIC<br>METRES |        | CUBIC<br>YARDS |        |                               |
|                       |                               |                          | STRUCK          | HEAPED | STRUCK         | HEAPED |                               |
| E - 200 (ELEV)        | (540) 1377                    | YR. 70                   |                 | 7.3    |                | 9.5    | 45.30                         |
| E - 200 (ELEV)        | (538) 1884<br>2000            | 1999<br>YR. 74           |                 | 7.3    |                | 9.5    | 45.30<br>48.60                |
| E - 211 (ELEV)        | (539) 501                     | YR. 70                   |                 | 8.4    |                | 11.0   | 48.65                         |
| E - 211 (ELEV)        | (542) 870<br>1025             | 1024<br>YR. 73           |                 | 8.4    |                | 11.0   | 48.65<br>52.25                |
| E - 270 (ELEV)        | (546) 1146<br>1186            | 1185<br>YR. 73           |                 | 16.1   |                | 21.0   | 81.35<br>87.30                |
| E - 295 (ELEV)        | (551) 2646<br>2689            | 2688<br>YR. 74           | 18.3            | 24.4   | 24.0           | 32.0   | 103.50<br>109.65              |
| 412 (ELEV)            | (542) 15001<br>15373<br>15599 | 15372<br>15598<br>YR. 79 |                 | 8.4    |                | 11.0   | 52.25<br>55.20<br>58.15       |
| 412 - B (ELEV)        | (542) 16001<br>16193<br>16401 | 16192<br>16400<br>UP     |                 | 8.4    |                | 11.0   | 58.15<br>59.35<br>59.35       |
| 431<br>(STANDARD)     | (556) 501<br>541<br>707       | 540<br>706<br>YR. 80     | 10.7            | 16.1   | 14.0           | 21.0   | 80.15<br>84.70<br>89.31       |
| 431 - B<br>(STANDARD) | (556) 700<br>707              | 706<br>YR. 80            | 10.7            | 16.1   | 14.0           | 21.0   | 84.70<br>89.31                |

# MOTOR SCRAPERS

INTERNATIONAL

| MODEL                                  | SERIAL NUMBER |        | CAPACITY        |        |                |        | RATE PER<br>OPERATING<br>HOUR |
|----------------------------------------|---------------|--------|-----------------|--------|----------------|--------|-------------------------------|
|                                        | FROM          | TO     | CUBIC<br>METRES |        | CUBIC<br>YARDS |        |                               |
|                                        |               |        | STRUCK          | HEAPED | STRUCK         | HEAPED |                               |
| 433 - B<br>(TWIN ENGINE)               | (557) 2501    | 2646   | 10.7            | 16.1   | 14.0           | 21.0   | 99.20                         |
|                                        | 2647          | 2804   |                 |        |                |        | 104.80                        |
|                                        | 2805          | 2858   |                 |        |                |        | 110.45                        |
|                                        | 2859          | YR. 83 |                 |        |                |        | 112.70                        |
| 442 (ELEVATING)                        | (558) 501     | 574    |                 | 16.8   |                | 22.0   | 87.30                         |
|                                        | 575           | 704    |                 |        |                |        | 92.25                         |
|                                        | 705           | 733    |                 |        |                |        | 97.20                         |
| 442 - B<br>(ELEVATING)                 | (558) 734     | YR. 83 |                 | 16.8   |                | 22.0   | 99.20                         |
| 444 (TWIN ENGINE,<br>ELEVATING)        | 1             | 2592   | 16.8            |        |                | 22.0   | 104.80                        |
|                                        | 2593          | YR. 77 |                 |        |                |        | 111.05                        |
| 444 - B<br>(TWIN ENGINE,<br>ELEVATING) | (559) 2800    | YR. 80 | 16.8            |        |                | 22.0   | 117.00                        |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# MOTOR SCRAPERS

JOHN DEERE

| MODEL                  | SERIAL NUMBER          |                        | CAPACITY        |        |                |        | RATE PER<br>OPERATING<br>HOUR |
|------------------------|------------------------|------------------------|-----------------|--------|----------------|--------|-------------------------------|
|                        | FROM                   | TO                     | CUBIC<br>METRES |        | CUBIC<br>YARDS |        |                               |
|                        |                        |                        | STRUCK          | HEAPED | STRUCK         | HEAPED |                               |
| 760 - A<br>(ELEVATING) | 2179<br>2847<br>3615   | 2846<br>3614<br>YR. 75 |                 | 7.3    |                | 9.5    | 45.30<br>48.60<br>51.40       |
| 762<br>(ELEVATING)     | 1800<br>2403<br>3932   | 2402<br>3931<br>YR. 81 |                 | 8.4    |                | 11.0   | 55.20<br>58.15<br>59.35       |
| 762 - A<br>(ELEVATING) | 3800<br>3815<br>YR. 84 | 3814<br>YR. 83<br>UP   |                 | 8.4    |                | 11.0   | 58.15<br>59.35<br>59.35       |
| 860<br>(ELEVATING)     | 101<br>592             | 591<br>1002            |                 | 11.5   |                | 15.0   | 61.50<br>66.00                |
| 860 - A<br>(ELEVATING) | 1003<br>1619           | 1618<br>2065           |                 | 11.5   |                | 15.0   | 66.00<br>69.75                |
| 860 - B<br>(ELEVATING) | 2066                   | YR. 80                 |                 | 11.5   |                | 15.0   | 73.50                         |
| 862<br>(ELEVATING)     | 3500<br>4009<br>YR. 84 | 4008<br>YR. 83<br>UP   |                 | 12.2   |                | 16.0   | 77.85<br>79.45<br>79.45       |

# MOTOR SCRAPERS

TEREX

| MODEL                     | SERIAL NUMBER  |                 | CAPACITY        |        |                |        | RATE PER<br>OPERATING<br>HOUR |
|---------------------------|----------------|-----------------|-----------------|--------|----------------|--------|-------------------------------|
|                           |                |                 | CUBIC<br>METRES |        | CUBIC<br>YARDS |        |                               |
|                           | FROM           | TO              | STRUCK          | HEAPED | STRUCK         | HEAPED |                               |
| TS - 14<br>(TWIN ENGINE)  | (7UOT)         | PRIOR TO YR. 69 | 10.7            | 15.3   | 14.0           | 20.0   | 76.35                         |
| TS - 14<br>(TWIN ENGINE)  | (13UOT)        | 1 52829         | 10.7            | 15.3   | 14.0           | 20.0   | 76.35                         |
|                           | YR. 69         | 57053           |                 |        |                |        | 78.25                         |
|                           | YR. 72         | 58667           |                 |        |                |        | 84.00                         |
| TS - 14B<br>(TWIN ENGINE) | (17UOT)        | 54608 62614     | 10.7            | 15.3   | 14.0           | 20.0   | 84.00                         |
|                           | YR. 75         | 66837           |                 |        |                |        | 88.75                         |
|                           | (053) YR. 78   | 71160           |                 |        |                |        | 93.55                         |
|                           | YR. 81         | YR. 83          |                 |        |                |        | 95.45                         |
|                           | YR. 84         | UP              |                 |        |                |        | 95.45                         |
| TS - 18<br>(TWIN ENGINE)  | (33TOT)        | 54594 57053     | 13.8            | 18.4   | 18.0           | 24.0   | 99.20                         |
|                           | YR. 72         | 62614           |                 |        |                |        | 104.65                        |
|                           | YR. 75         | 66837           |                 |        |                |        | 110.60                        |
|                           | (021) YR. 78   | 71160           |                 |        |                |        | 116.55                        |
| TS - 24<br>(TWIN ENGINE)  |                | YR. 69 57053    | 18.4            | 24.5   | 24.0           | 32.0   | 131.25                        |
|                           |                | YR. 72 62614    |                 |        |                |        | 140.85                        |
|                           |                | YR. 75 66837    |                 |        |                |        | 148.85                        |
|                           | (007) YR. 78   | 71160           |                 |        |                |        | 156.85                        |
|                           | YR. 81         | YR. 83          |                 |        |                |        | 160.05                        |
|                           | YR. 84         | UP              |                 |        |                |        | 160.05                        |
| TS - 24B<br>(TWIN ENGINE) | (035) YR. 77   | 66837           | 18.4            | 26.0   | 24.0           | 34.0   | 148.85                        |
|                           | YR. 78         | 71160           |                 |        |                |        | 156.85                        |
|                           | YR. 81         | YR. 83          |                 |        |                |        | 160.05                        |
|                           | YR. 84         | UP              |                 |        |                |        | 160.05                        |
| S - 24<br>(STANDARD)      | (49LOT) YR. 69 | 57053           | 18.4            | 24.5   | 24.0           | 32.0   | 109.65                        |
|                           | YR. 72         | 62614           |                 |        |                |        | 117.65                        |
|                           | YR. 75         | 66837           |                 |        |                |        | 124.35                        |
|                           | YR. 78         | 68641           |                 |        |                |        | 131.00                        |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# MOTOR SCRAPERS

TEREX

| MODEL                  | SERIAL NUMBER  |        | CAPACITY        |        |                |        | RATE PER<br>OPERATING<br>HOUR |
|------------------------|----------------|--------|-----------------|--------|----------------|--------|-------------------------------|
|                        | FROM           | TO     | CUBIC<br>METRES |        | CUBIC<br>YARDS |        |                               |
|                        |                |        | STRUCK          | HEAPED | STRUCK         | HEAPED |                               |
| S - 24B<br>(STANDARD)  | (023) YR. 77   | 66837  | 18.4            | 26.0   | 24.0           | 34.0   | 134.60                        |
|                        | YR. 78         | 68641  |                 |        |                |        | 141.85                        |
|                        | YR. 81         | YR. 83 |                 |        |                |        | 144.75                        |
|                        | YR. 84         | UP     |                 |        |                |        | 144.75                        |
| S - 35E<br>(ELEVATING) | (47LOT) YR. 69 | 57053  |                 | 26.8   |                | 35.0   | 107.85                        |
|                        | YR. 72         | 62614  |                 |        |                |        | 115.75                        |
|                        | YR. 75         | 66837  |                 |        |                |        | 122.35                        |
|                        | YR. 78         | 68641  |                 |        |                |        | 128.90                        |

# SCRAPERS PULL TYPE

| TYPICAL MODELS                                  | STRUCK CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-------------------------------------------------|-----------------|----------------|-------------------------------|
|                                                 | CUBIC<br>METRES | CUBIC<br>YARDS |                               |
| ALLIS-CHALMERS                                  |                 |                |                               |
| C-42, 44, C-62                                  | 3.1             | 4.0            | 6.80                          |
| 106                                             | 4.6             | 6.0            | 8.70                          |
| C-314                                           | 10.7            | 14.0           | 15.90                         |
| C-315                                           | 11.5            | 15.0           | 16.90                         |
| BRON                                            |                 |                |                               |
| 35-E                                            | 9.2             | 12.0           | 14.10                         |
| 35-F                                            | 10.7            | 14.0           | 15.90                         |
| 63-F                                            | 16.1            | 21.0           | 22.10                         |
| CATERPILLAR                                     |                 |                |                               |
| 15 (4W, 92D)                                    | 7.6             | 10.0           | 12.35                         |
| 40 (1W)                                         | 3.8             | 4.0            | 6.80                          |
| 60 (1D)                                         | 4.6             | 6.0            | 8.70                          |
| 60 (2W)                                         | 5.4             | 7.0            | 9.55                          |
| 70 (8C)                                         | 6.9             | 9.0            | 11.35                         |
| 70 (3W, 91D)                                    | 7.6             | 10.0           | 12.35                         |
| 80 (2D)                                         | 10.7            | 14.0           | 15.90                         |
| 80 (5W)                                         | 11.5            | 15.0           | 16.90                         |
| 90 (9V)                                         | 16.1            | 21.0           | 22.10                         |
| 428 (34E, 44D)                                  | 9.9             | 13.0           | 14.95                         |
| 435 (16F, 35E), 435E (85F, 88F), 435 (27G)      | 9.9             | 13.0           | 14.95                         |
| 435C (45D S/N 1-568), 435F (45D S/N 707-UP)     | 9.9             | 13.0           | 14.95                         |
| 435F (45D S/N 569-706)                          | 11.5            | 15.0           | 16.90                         |
| 442 (33F), 442B (83E)                           | 10.7            | 14.0           | 15.90                         |
| 456 (94D), 456 (61C S/N 1-990)                  | 13.8            | 18.0           | 19.60                         |
| 456B (61C S/N 991-UP)                           | 15.3            | 20.0           | 21.45                         |
| 463 (62C S/N 1-797), 463 (95D)                  | 13.8            | 18.0           | 19.60                         |
| 463E (86F, 89F), 463G (286)                     | 13.8            | 18.0           | 19.60                         |
| 463C (62C S/N 798-1001), 463F (62C S/N 1003-UP) | 16.1            | 21.0           | 22.10                         |
| 470 (60C S/N 1-2723), 470 (93D)                 | 13.8            | 18.0           | 19.60                         |
| 470 (60C S/N 2724-UP)                           | 15.3            | 20.0           | 21.45                         |
| 482B (72E S/N 1-337)                            | 18.3            | 24.0           | 24.90                         |
| 482C (72E S/N 338-UP)                           | 20.7            | 27.0           | 27.55                         |
| 491 (9A, 98C), 491B (47E), 491C (47E)           | 20.7            | 27.0           | 27.55                         |

# SCRAPERS PULL TYPE

| TYPICAL MODELS       | STRUCK CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|----------------------|-----------------|----------------|-------------------------------|
|                      | CUBIC<br>METRES | CUBIC<br>YARDS |                               |
| <b>GARWOOD</b>       |                 |                |                               |
| 508                  | 4.6             | 6.0            | 8.70                          |
| 511                  | 6.9             | 9.0            | 11.35                         |
| 515, 516, 615        | 9.2             | 12.0           | 14.10                         |
| 524, 625             | 14.5            | 19.0           | 20.35                         |
| 528                  | 16.8            | 22.0           | 23.05                         |
| <b>HANCOCK</b>       |                 |                |                               |
| 8E4, 8R4             | 4.6             | 6.0            | 8.70                          |
| 12E4                 | 6.9             | 9.0            | 11.35                         |
| 18E4E                | 10.7            | 14.0           | 15.90                         |
| <b>INTERNATIONAL</b> |                 |                |                               |
| B-91                 | 6.1             | 8.0            | 10.40                         |
| B-113                | 7.6             | 10.0           | 12.35                         |
| 4S-55                | 8.4             | 11.0           | 13.25                         |
| 520                  | 9.2             | 12.0           | 14.10                         |
| 4S-85                | 12.2            | 16.0           | 17.60                         |
| B-250                | 16.8            | 22.0           | 23.05                         |
| <b>MICHIGAN</b>      |                 |                |                               |
| 110                  | 6.1             | 8.0            | 10.40                         |
| 210                  | 10.7            | 14.0           | 15.90                         |
| 310                  | 16.8            | 22.0           | 23.05                         |
| <b>M.R.S.</b>        |                 |                |                               |
| S-90                 | 8.4             | 11.0           | 13.25                         |
| S-100                | 9.9             | 13.0           | 14.95                         |
| S-105                | 12.2            | 16.0           | 17.60                         |
| <b>RICHARDSON</b>    |                 |                |                               |
| R-14                 | 8.4             | 11.0           | 13.25                         |
| R-17D                | 9.2             | 12.0           | 14.10                         |
| R-19D, RW20, RW200   | 10.7            | 14.0           | 15.90                         |
| RW23, RW23D          | 13.0            | 17.0           | 18.65                         |

# SCRAPERS PULL TYPE

| TYPICAL MODELS        | STRUCK CAPACITY |                | RATE PER<br>OPERATING<br>HOUR |
|-----------------------|-----------------|----------------|-------------------------------|
|                       | CUBIC<br>METRES | CUBIC<br>YARDS |                               |
| <b>ROME</b>           |                 |                |                               |
| R56L                  | 6.9             | 9.0            | 11.35                         |
| R67H                  | 9.2             | 12.0           | 14.10                         |
| R89H                  | 13.8            | 18.0           | 19.60                         |
| <b>TOREQ</b>          |                 |                |                               |
| 5500                  | 3.1             | 4.0            | 6.80                          |
| 8000                  | 4.6             | 6.0            | 8.70                          |
| 12000                 | 6.9             | 9.0            | 11.35                         |
| 16000                 | 9.9             | 13.0           | 14.95                         |
| 16000 (INDUSTRIAL)    | 10.7            | 14.0           | 15.90                         |
| <b>VICKERS-ONIONS</b> |                 |                |                               |
| 4-6                   | 3.1             | 4.0            | 6.80                          |
| 5-7                   | 3.8             | 5.0            | 7.85                          |
| 6-8                   | 4.6             | 6.0            | 8.70                          |
| 10-14                 | 7.6             | 10.0           | 12.35                         |
| 11-15                 | 8.4             | 11.0           | 13.25                         |
| 12-16                 | 9.2             | 12.0           | 14.10                         |
| 15-21                 | 11.5            | 15.0           | 16.90                         |
| <b>WABCO</b>          |                 |                |                               |
| DT                    | 6.1             | 8.0            | 10.40                         |
| CT                    | 10.7            | 14.0           | 15.90                         |
| <b>WELDCO</b>         |                 |                |                               |
| WHS 14                | 10.7            | 14.0           | 15.90                         |
| WHS 14B               | 13.0            | 17.0           | 18.65                         |
| <b>ALLIED-YOUNG</b>   |                 |                |                               |
| KS 700                | 5.4             | 7.0            | 9.55                          |
| KS 800                | 6.1             | 8.0            | 10.40                         |
| KS 1000               | 7.6             | 10.0           | 12.35                         |
| KS 1200               | 9.2             | 12.0           | 14.10                         |
| KS 1500               | 11.5            | 15.0           | 16.90                         |
| KS 1800               | 13.8            | 18.0           | 19.60                         |



## TRACTORS - FARM & INDUSTRIAL

1. THE FOLLOWING RATES INCLUDE; OPERATOR'S WAGES, FUEL, OIL, AND SERVICING.
2. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED **EXCLUSIVELY** FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.
3. ONLY THE ATTACHMENT UTILIZED WILL BE PAID FOR AND NOT ALL THAT IS ATTACHED TO THE TRACTOR.
4. TRACTORS EQUIPPED WITH AN "EXTEND-A-HOE" ATTACHMENT WILL BE PAID THE BASIC TRACTOR RATE, PLUS 3%, PLUS THE APPLICABLE BACKHOE RATE.

# **SCHEDULE OF RENTAL RATES FOR WHEEL TRACTOR ATTACHMENTS**

| <b>TYPE OF EQUIPMENT</b>      | <b>RENTAL RATE</b> |
|-------------------------------|--------------------|
| HARROWS - 4 SECTION           | \$ 5.50 PER HOUR   |
| HEAVY DUTY CULTIVATOR         | \$ 3.75 PER HOUR   |
| TRAILER MOUNTED POST POUNDER  | \$ 4.55 PER HOUR   |
| POST DRIVER                   | \$ 3.65 PER HOUR   |
| FLAILING & ROTARY MOWERS      |                    |
| 5' - 7'                       | \$ 5.50 PER HOUR   |
| 8'                            | \$ 6.75 PER HOUR   |
| 9'                            | \$ 7.75 PER HOUR   |
| 10'                           | \$ 8.75 PER HOUR   |
| 11' - 12'                     | \$ 9.00 PER HOUR   |
| 13' - UP                      | \$12.00 PER HOUR   |
| SICKLE MOWERS                 | \$ 6.00 PER HOUR   |
| ONE-WAY DISC TILLER           | \$ 4.65 PER HOUR   |
| HYDRAULIC TWO-WAY DISC TILLER |                    |
| 12'                           | \$ 8.80 PER HOUR   |
| 14'                           | \$ 9.90 PER HOUR   |
| 16'                           | \$11.00 PER HOUR   |
| WEED SPRAYER ATTACHMENT       | \$ 3.15 PER HOUR   |
| *PULVI-MIXER (PULL - TYPE)    | \$18.00 PER HOUR   |

\*TINES TO BE SUPPLIED BY THE DEPARTMENT

# WHEEL TRACTORS FARM - INDUSTRIAL

| DRAWBAR<br>KW | DRAWBAR<br>H.P. | TYPICAL MODELS                                                                                                                                                                                                                                                                   | RATE PER<br>OPERATING HOUR |       |        |
|---------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------|--------|
|               |                 |                                                                                                                                                                                                                                                                                  | TRACTOR                    | DOZER | LOADER |
| UNDER 16      | UNDER 21        | A.C. - 5020<br>FORD - 1100, 1300, 1500, 1600,<br>1700<br>J.D. - 850<br>KUBOTA - L-185, L-225, L-235,<br>L-245, L-260, L-275,<br>L-285<br>M.F. - 205, 205-4, 210, 210-4<br>YANMAR - YM-240, YM-226D, YM276D                                                                       | 19.05                      | 3.85  | 7.65   |
| 16 - 22       | 21 - 30         | A.C. - 5030<br>BELARUS - T25A, 250<br>FORD - 830, 950, 1900, 2000, 2600<br>INT. - 284, 354<br>J.D. - 830, 950, 1050<br>KUBOTA - L-295, L-305, L-345<br>M.F. - 220, 220-4, 230<br>WHITE - 2-30, 2-35                                                                              | 19.70                      | 3.90  | 7.80   |
| 23 - 30       | 31 - 40         | A.C. - 160, 615, 5040, 6140<br>CASE - 380GR, 480CK, 1190<br>FORD - 3000, 3600, 3610, 4100<br>HESSTON - 420, 480-8<br>INT. - 444, 454, 466, 484<br>J.D. - 301A, 1030, 1040, 1250, 1520,<br>1530, 2040, 2150<br>M.F. - 20C, 30B, 135, 150, 154-4,<br>235, 245, 254<br>WHITE - 2-45 | 20.30                      | 4.00  | 7.95   |
| 31 - 37       | 41 - 50         | A.C. - 170, 5050<br>CASE - 990, 1290<br>FORD - 540A, 4000-8, 4110, 4600,<br>4610, 5600<br>INT. - H-84, 464, 504, 544, 574,<br>584<br>J.D. - 302, 1140, 1630, 1640, 2020,<br>2240, 2350<br>M.F. - 40B, 50C, 165, 255<br>WHITE - 2-50, 2-55                                        | 21.15                      | 4.30  | 8.15   |

# WHEEL TRACTORS FARM - INDUSTRIAL

| DRAWBAR<br>KW | DRAWBAR<br>H.P. | TYPICAL MODELS                                                                                                                                                                                                                                                                                                                                                        | RATE PER<br>OPERATING HOUR |       |        |
|---------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------|--------|
|               |                 |                                                                                                                                                                                                                                                                                                                                                                       | TRACTOR                    | DOZER | LOADER |
| 38 - 45       | 51 - 60         | A.C. - 175, 180, 6060<br>CASE - 770, 995, 1210, 1390<br>FORD - 5000, 5610, 6600, 6700<br>HESSTON - 640, 666, 680DT<br>INT. - H-70, H-86, H-666, 674, 684,<br>686, 784, 2500, 2656<br>J.D. - 4018, C, D, 1830, 1840,<br>2030, 2120, 2130, 2440,<br>2520, 2550, 2630, 2640<br>M.F. - 175, 180, 184-4, 265, 275,<br>294<br>WHITE - 2-60, 2-62, 2-63, 2-64,<br>2-65, 2-70 | 24.40                      | 4.85  | 9.20   |
| 46 - 52       | 61 - 70         | A.C. - 185, 190<br>CASE - 870, 1410, 1490<br>FORD - 6610, 7000, 7600, 7700<br>HESSTON - 780, 780DT<br>INT. - 706, 756, 786, 826HS, 884<br>J.D. - 500A, 2140, 2750, 2840,<br>2940, 3020, 4030<br>M.F. - 285<br>VERSATILE - 160<br>WHITE - 700, 1655                                                                                                                    | 24.90                      | 5.05  | 9.46   |
| 53 - 60       | 71 - 80         | A.C. - 6080<br>CASE - 970, 1690<br>FORD - 755, 7610, 7710<br>INT. - H-100, 766, 886<br>J.D. - 2950, 3140, 4040, 7610, 7710<br>M.F. - 1080, 1085, 2640<br>VERSATILE - 256<br>WHITE - 2-85, 1755                                                                                                                                                                        | 26.85                      | 5.40  | 9.75   |
| 61 - 67       | 81 - 90         | CASE - 780CK<br>INT. - 826, 856, 966, 1026HS,<br>1026HYD, 3288, 3488<br>J.D. - 4000, 4020, 4230<br>M.F. - 1100, 1105, 2675<br>WHITE - 2-105, 1855, 1955                                                                                                                                                                                                               | 27.20                      | 5.50  | 9.80   |


# WHEEL TRACTORS FARM - INDUSTRIAL

| DRAWBAR<br>KW | DRAWBAR<br>H.P. | TYPICAL MODELS                                                                                                                                                                                                                                           | RATE PER<br>OPERATING HOUR |       |        |
|---------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------|--------|
|               |                 |                                                                                                                                                                                                                                                          | TRACTOR                    | DOZER | LOADER |
| 68 - 75       | 91 - 100        | A.C. - 7000, 7010, 8010<br>CASE - 1030, 1070, 2090<br>FORD - TW-10, 8000, 8600, 8700<br>INT. - 986, 1206<br>J.D. - 4050, 4240<br>WHITE - 2-110, 4-115                                                                                                    | 29.95                      | 6.05  | 10.80  |
| 76 - 82       | 101 - 110       | A.C. - 7020<br>CASE - 1170, 1175<br>HESSTON - 1380, 1380DT<br>INT. - 1066, 1256T, 3688<br>J.D. - 4250, 4320, 4430<br>M.F. - 1130, 1135, 2705                                                                                                             | 30.90                      | 6.25  | 11.10  |
| 83 - 89       | 111 - 120       | A.C. - 220, 7030, 7040, 8030<br>CASE - 1270, 2290<br>FORD - 9000, 9600, 9700<br>INT. - 1086, 1456, 3388, 4100<br>J.D. - 4440, 4520, 4620<br>WHITE - 2-135                                                                                                | 32.35                      | 6.55  | 11.35  |
| 90 - 97       | 121 - 130       | A.C. - 7045<br>FORD - TW-20<br>HESSTON - 1580, 1580DT<br>INT. - 1466, 1468, 4166<br>J.D. - 4450, 5020<br>M.F. - 1150, 1155, 2745<br>WHITE - 2-150, 4-150, G1355<br>A4T-1600, 2255                                                                        | 32.95                      | 6.70  | 11.45  |
| 98 - 112      | 131 - 150       | A.C. - 7050, 7060, 8050, 8070<br>CASE - 1370, 1470, 2390<br>FORD - TW-30<br>HESSTON - 1880, 1880DT<br>INT. - 1566, 1568, 1586, 3588<br>3788, 4186, 5288<br>J.D. - 4630, 4640, 4650, 7020<br>M.F. - 1505, 2775<br>VERSATILE - 145<br>WHITE - 2-155, 4-175 | 35.20                      | 7.00  | 12.65  |

ALBERTA TRANSPORTATION  
CB1-6.1 APRIL/87

# WHEEL TRACTORS FARM - INDUSTRIAL

| DRAWBAR<br>KW | DRAWBAR<br>H.P. | TYPICAL MODELS                                                                                                                                                                                                                                                                                    | RATE PER<br>OPERATING HOUR |       |        |
|---------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------|--------|
|               |                 |                                                                                                                                                                                                                                                                                                   | TRACTOR                    | DOZER | LOADER |
| 113 - 130     | 151 - 175       | A.C. - 7080, 7580<br>BELARUS - 1500<br>CASE - 1570, 2470, 2590, 4490<br>FORD - FW-20<br>INT. - 4366, 4386, 5488<br>J.D. - 4840, 4850, 6030, 7520,<br>8430, 8440<br>M.F. - 1500, 1805, 2805, 4800<br>STEIGER - BEARCAT, ST-210, RC-210<br>VERSATILE - 500, 555, 168<br>WHITE - 2-180, 4-180, 4-210 | 37.80                      | 7.65  | 13.10  |
| 131 - 149     | 176 - 200       | BELARUS - 7010<br>CASE - 2670, 4690<br>INT. - 4386<br>J.D. - 8450<br>M.F. - 4840<br>STEIGER - BEARCAT 11, ST220-111,<br>ST225-111, PT225-111<br>VERSATILE - 800, 825, 835, 855                                                                                                                    | 39.10                      | 7.90  | 13.50  |
| 150 - 168     | 201 - 225       | A.C. - 8550<br>CASE - 2870, 4890<br>FORD - FW-30<br>J.D. - 8630, 8640, 8650<br>STEIGER - ST250-111, ST251-111,<br>PT270-111, PTA280-111<br>VERSATILE - 850, 875                                                                                                                                   | 41.45                      | 8.35  | 14.50  |
| 169 - UP      | 226 - UP        | BELARUS - 7100<br>FORD - FW-30<br>INT. - 4568<br>J.D. - 8850<br>M.F. - 4880<br>STEIGER - COUGAR 11, ST270-111,<br>ST280-111<br>VERSATILE - 895, 900, 935, 950                                                                                                                                     | 46.00                      | 9.00  | 16.10  |



**WHEEL TRACTORS  
LOADER - BACKHOES**

1. THE FOLLOWING RATES INCLUDE; OPERATOR'S WAGES, FUEL, OIL, AND SERVICING.
2. FOR DIRECT HIRE, (EXCLUSIVE OF CONTRACT EXTRA WORK COVERED IN THE GENERAL SPECIFICATIONS, SECTION 1.2.22) EQUIPMENT MOVING COSTS INCURRED **EXCLUSIVELY** FOR THE DEPARTMENT, WILL BE PAID FOR AT THE RATES LISTED IN THIS SCHEDULE FOR THE APPROPRIATE TRANSPORTING VEHICLE.
3. LOADER-BACKHOES EQUIPPED WITH AN "EXTEND-A-HOE" ATTACHMENT WILL BE PAID THE OPERATING RATE PER HOUR, PLUS 3%.

# WHEEL TRACTORS LOADER-BACKHOES

| NET<br>FLYWHEEL<br>KW | NET<br>FLYWHEEL<br>H.P. | TYPICAL MODELS                                                                                                                                                                          | RATE PER<br>OPERATING<br>HOUR |
|-----------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| UNDER 30              | UNDER 40                | CASE - 480B, 480CK                                                                                                                                                                      | 34.05                         |
| 30 - 37               | 40 - 50                 | CASE - 480C, 480D, 580B<br>FORD - 340 SERIES, 420, 445, 445A, 540<br>J.D. - 300, 300B<br>M.F. - 20, 20C, 30 SERIES, 40                                                                  | 37.20                         |
| 38 - 45               | 51 - 60                 | A.C. - 615<br>CASE - 480E, 580C, 580D, 580SD<br>FORD - 540B, 545, 550, 555, 4500<br>INT. - 250A, 2400B<br>J.D. - 210C, 302A, 310, 310A<br>M.F. - 40B                                    | 42.00                         |
| 46 - 52               | 61 - 70                 | A.C. - 714B, 715B<br>CASE - 580SE<br>CAT - 416, 426<br>FORD - 555A, 555B, 555AXL<br>INT. - 260A, 2500B<br>J.C.B. - 3C1400<br>J.D. - 310B, 310C, 401, 410A, 410B<br>M.F. - 50 SERIES, 60 | 43.90                         |
| 53 - 60               | 71 - 80                 | CASE - 680 SERIES<br>FORD - 655A<br>INT. - 270A, 3500A, 3600A<br>J.C.B. - 1500, 3D1700<br>J.D. - 410C, 500C, 510, 510B<br>VOLVO - 616B                                                  | 47.60                         |
| 61 - 67               | 81 - 90                 | CASE - 680K<br>INT. - 280, 3800, 3820A<br>J.C.B. - 1700B<br>J.D. - 510C, 610B<br>M.F. - 70<br>VOLVO - 646                                                                               | 49.65                         |
| 68 - 75               | 91 - 100                | DYNAHOE - 140-3, 160-3<br>FORD - 755A<br>J.D. - 610C, 710B<br>M.F. - 80                                                                                                                 | 53.10                         |
| 76 - 82               | 101 - 110               | DYNAHOE - 190-3                                                                                                                                                                         | 54.25                         |
| OVER 82               | OVER 110                | CASE - 780 SERIES<br>DYNAHOE - 190-4, 200-4                                                                                                                                             | 57.60                         |

## TRUCKS & TRANSPORTING EQUIPMENT

### MILEAGE HAUL RATE

THE MILEAGE HAUL RATES WILL BE PAID ON THE HAULING OF DISTANCES OF 160 KILOMETRES (100 MILES) WITH TRAILER UNITS, AND ARE FOR ONE-WAY TRIP LOADED AND SHALL INCLUDE OPERATOR'S WAGES, FUEL, OIL, AND SERVICE WITH NO ALLOWANCE FOR BREAKDOWN TIME.

### HOURLY HAUL RATE

THE HOURLY HAUL RATES WILL BE PAID ON THE HAULING OF DISTANCES OF 160 KILOMETRES (100 MILES) AND SHALL INCLUDE OPERATOR'S WAGES, FUEL, OIL, AND SERVICING WITH NO ALLOWANCE FOR BREAKDOWN TIME. WHEN CRANES OR A MOUNTED WINCH ARE USED FOR LOADING AND UNLOADING, HOURLY RATE WILL BE INCREASED BY \$2.50.

### TRACTOR RATED CAPACITY

| GROSS VEHICLE WEIGHT |                 | AXLE | TRACTOR RATE PER |        |         |
|----------------------|-----------------|------|------------------|--------|---------|
| KILOGRAMS            | POUNDS          |      | KILOMETRE        | MILE   | HOURLY  |
| 8,626 - 10,896       | 19,000 - 24,000 | S    | \$0.80           | \$1.25 | \$29.50 |
| 11,123 - 12,712      | 24,500 - 28,000 | S    | \$1.10           | \$1.75 | \$33.15 |
| 12,939 - 14,528      | 28,500 - 32,000 | S    | \$1.20           | \$1.95 | \$41.15 |
| 14,755 - 17,706      | 32,500 - 39,000 | T    | \$1.40           | \$2.25 | \$45.20 |
| 18,160 - 22,246      | 40,000 - 49,000 | T    | \$1.70           | \$2.70 | \$56.45 |
| 22,700 - OVER        | 50,000 - OVER   | T    | \$2.00           | \$3.20 | \$61.65 |

### TRAILER RATED CAPACITY

| TONNES | TONS                     | TRAILER RATE PER |        |         |
|--------|--------------------------|------------------|--------|---------|
|        |                          | KILOMETRE        | MILE   | HOURLY  |
| 13.6   | 15                       | \$0.17           | \$0.30 | \$ 2.55 |
| 18.1   | 20                       | \$0.20           | \$0.35 | \$ 3.40 |
| 22.7   | 25                       | \$0.25           | \$0.40 | \$ 4.25 |
| 27.2   | 30                       | \$0.30           | \$0.45 | \$ 5.25 |
| 36.3   | 40                       | \$0.35           | \$0.55 | \$ 6.90 |
| 45.4   | 50 -16 WHEEL             | \$0.75           | \$1.20 | \$30.25 |
| 54.4   | 60 AND OVER - 16 WHEEL   | \$0.90           | \$1.45 | \$38.75 |
|        | 8 WHEEL DOLLY CONVERTOR  | \$0.30           | \$0.50 | \$12.10 |
|        | 16 WHEEL DOLLY CONVERTOR | \$0.50           | \$0.85 | \$23.00 |

## TRUCKS & TRANSPORTING EQUIPMENT

### TRUCKS - OPERATED

| GROSS VEHICLE WEIGHT |                 | AXLE | RATES PER OPERATING HOUR            |       |
|----------------------|-----------------|------|-------------------------------------|-------|
| KILOGRAMS            | POUNDS          |      | GIN POLE<br>& WINCH (CHERRY PICKER) |       |
| 3,677 - 4,540        | 8,100 - 10,000  | S    | \$ 22.40                            |       |
| 4,767 - 6,356        | 10,500 - 14,000 | S    | \$ 25.80                            |       |
| 6,583 - 8,399        | 14,500 - 18,500 | S    | \$ 27.85                            |       |
| 8,626 - 10,896       | 19,000 - 24,500 | S    | \$ 29.85                            | 32.95 |
| 11,123 - 12,712      | 24,500 - 28,000 | S    | \$ 33.15                            | 35.45 |
| 12,939 - OVER        | 28,500 - OVER   | S    | \$ 40.40                            | 44.30 |
| 14,755 - 17,706      | 32,500 - 39,000 | T    | \$ 42.90                            | 50.65 |
| 18,160 - 22,246      | 40,000 - 49,000 | T    | \$ 53.65                            | 60.75 |
| 22,700 - OVER        | 50,000 - OVER   | T    | \$ 57.35                            | 65.80 |

### FLAT DECK TRUCKS

| GROSS VEHICLE WEIGHT |                 | AXLE | RATE PER<br>OPERATING HOUR |
|----------------------|-----------------|------|----------------------------|
| KILOGRAMS            | POUNDS          |      |                            |
| 3,677 - 4,540        | 8,100 - 10,000  | S    | \$ 20.10                   |
| 4,767 - 6,356        | 10,500 - 14,000 | S    | \$ 23.20                   |
| 6,583 - 8,399        | 14,500 - 18,500 | S    | \$ 24.95                   |
| 8,626 - 10,896       | 19,000 - 24,500 | S    | \$ 26.85                   |
| 11,123 - 12,712      | 24,500 - 28,000 | S    | \$ 29.85                   |
| 12,939 - OVER        | 28,500 - OVER   | S    | \$ 32.55                   |
| 14,755 - 17,706      | 32,500 - 39,000 | T    | \$ 38.00                   |
| 18,160 - 22,246      | 40,000 - 49,000 | T    | \$ 45.00                   |

### PILOT VEHICLES

#### A. KILOMETRE RATE (MILEAGE RATE)

ON PAVEMENT, \$0.40 PER KILOMETRE (\$0.66 PER RUNNING MILE), BOTH WAYS.  
ON GRAVEL, \$0.45 PER KILOMETRE (\$0.72 PER RUNNING MILE), BOTH WAYS.

#### B. HOURLY RATE

AN HOURLY RATE OF \$22.00 WILL BE PAID FOR DISTANCES LESS THAN 80 KILOMETRES (50 MILES) OR TRAVELLING TIME OF LESS THAN 50 KILOMETRES PER HOUR (30 M.P.H.)

### LIGHT DELIVERY

.45 TO .90 TONNES (1/2 - 1 TON)  
NON-OPERATED

|        |       |        |
|--------|-------|--------|
| HOUR   | DAY   | MONTH  |
| \$5.00 | 40.00 | 500.00 |

APPLY THE DAILY RATE FOR PERIOD OF 8 HOURS OR MORE PER DAY. THE DAILY RATE SHALL NOT EXCEED THE MONTHLY DURING A CALENDAR MONTH.

### ASPHALT DISTRIBUTOR TANK TRUCKS - OPERATED

| CAPACITY       |                  |                  |
|----------------|------------------|------------------|
| LITRES         | IMPERIAL GALLONS | RATE PER         |
| UNDER - 4,550  | UNDER - 1,000    | \$ 35.35 OP. HR. |
| 4,500 - 5,688  | 1,000 - 1,250    | \$ 40.00 OP. HR. |
| 5,692 - 8,418  | 1,251 - 1,850    | \$ 45.40 OP. HR. |
| 8,422 - 11,830 | 1,851 - 2,600    | \$ 50.25 OP. HR. |
| 11,830 - OVER  | 2,601 - OVER     | \$ 55.35 OP. HR. |

### ASPHALT TANK TRUCKS - OPERATED

| CAPACITY        |                  |                  |
|-----------------|------------------|------------------|
| LITRES          | IMPERIAL GALLONS | RATE PER         |
| 4,500 - UNDER   | 1,000 - UNDER    | \$ 26.00 OP. HR. |
| 4,501 - 5,688   | 1,001 - 1,250    | \$ 27.85 OP. HR. |
| 5,692 - 8,418   | 1,251 - 1,850    | \$ 31.35 OP. HR. |
| 8,422 - 11,830  | 1,851 - 2,600    | \$ 36.20 OP. HR. |
| 11,834 - 15,015 | 2,601 - 3,300    | \$ 44.70 OP. HR. |
| 15,019 - 18,200 | 3,301 - 4,000    | \$ 51.75 OP. HR. |
| 18,201 - OVER   | 4,000 - OVER     | \$ 55.35 OP. HR. |

### WATER TANK TRUCKS - OPERATED

| CAPACITY        |                  |                  |
|-----------------|------------------|------------------|
| LITRES          | IMPERIAL GALLONS | RATE PER         |
| 5,464 - 6,825   | 1,201 - 1,500    | \$ 23.70 OP. HR. |
| 6,830 - 8,417   | 1,501 - 1,850    | \$ 27.10 OP. HR. |
| 8,422 - 10,920  | 1,851 - 2,400    | \$ 31.20 OP. HR. |
| 10,952 - 13,650 | 2,401 - 3,000    | \$ 35.90 OP. HR. |
| 13,655 - 16,380 | 3,001 - 3,600    | \$ 40.40 OP. HR. |
| 16,385 - 19,110 | 3,601 - 4,200    | \$ 44.80 OP. HR. |
| 19,115 - 21,840 | 4,201 - 4,800    | \$ 49.35 OP. HR. |
| 21,845 - 24,570 | 4,801 - 5,400    | \$ 53.70 OP. HR. |

ADD \$1.70 PER HOUR FOR SELF-LOADING UNITS EQUIPPED WITH PUMP.

THE ABOVE RATES INCLUDE OPERATOR'S WAGES, FUEL, OIL AND SERVICING.



## TRUCK HAUL RATES 1987/88

### CUBIC METRE KILOMETRE BASIS

BASIC LOADING FACTOR **\$1.19** PER CUBIC METRE, PLUS HAUL AT **\$0.182** PER CUBIC METRE KILOMETRE.

### TONNE KILOMETRE BASIS

BASIC LOADING FACTOR **\$0.73** PER TONNE, PLUS HAUL AT **\$0.112** PER TONNE KILOMETRE.

### OPERATING HOURLY RATE BASIS

SINGLE AXLE DUMP TRUCK, INCLUDING DRIVER. **\$29.70** PER HOUR

TANDEM AXLE DUMP TRUCK, INCLUDING DRIVER. **\$36.85** PER HOUR  
(7.65 CUBIC METRES OR 10 CUBIC YARDS)

ADD **\$2.20** FOR EACH ADDITIONAL CUBIC METRE OVER 7.65 CUBIC METRES  
OR **\$1.70** PER CUBIC YARD FOR EACH ADDITIONAL CUBIC YARD OVER 10  
CUBIC YARDS TO INCLUDE PUP TRAILER AND TRACTOR TRAILER UNITS.

THE ABOVE RATES WILL BECOME EFFECTIVE ON APRIL 1, 1987, A.D.